

---

# **agentMET4FOF Documentation**

**Bang Xiang Yong**

**Jul 21, 2021**



---

## Getting started:

---

<b>1</b>	<b>Table of content</b>	<b>1</b>
<b>2</b>	<b>Quickstart</b>	<b>3</b>
<b>3</b>	<b>About</b>	<b>5</b>
<b>4</b>	<b>The agentMET4FOF dashboard</b>	<b>7</b>
<b>5</b>	<b>Documentation and video tutorials</b>	<b>9</b>
<b>6</b>	<b>Installation</b>	<b>11</b>
<b>7</b>	<b>Coming soon</b>	<b>13</b>
<b>8</b>	<b>Citation</b>	<b>15</b>
<b>9</b>	<b>Acknowledgement</b>	<b>17</b>
<b>10</b>	<b>Disclaimer</b>	<b>19</b>
<b>11</b>	<b>©License</b>	<b>21</b>
<b>12</b>	<b>Installation of agentMET4FOF</b>	<b>23</b>
<b>13</b>	<b>UML diagrams of agentMET4FOF</b>	<b>27</b>
<b>14</b>	<b>How to contribute to agentMET4FOF</b>	<b>37</b>
<b>15</b>	<b>Changelog</b>	<b>43</b>
<b>16</b>	<b>Learning how to use the agents</b>	<b>49</b>
<b>17</b>	<b>Working with signals carrying redundant information</b>	<b>79</b>
<b>18</b>	<b>agentMET4FOF agents</b>	<b>133</b>
<b>19</b>	<b>agentMET4FOF streams</b>	<b>151</b>
<b>20</b>	<b>agentMET4FOF dashboard</b>	<b>163</b>

---

<b>21</b>	<b>agentMET4FOF agent network</b>	<b>165</b>
<b>22</b>	<b>agentMET4FOF utilities</b>	<b>171</b>
<b>23</b>	<b>Indices and search:</b>	<b>175</b>
<b>24</b>	<b>References:</b>	<b>177</b>
	<b>Bibliography</b>	<b>179</b>
	<b>Python Module Index</b>	<b>181</b>
	<b>Index</b>	<b>183</b>

# CHAPTER 1

---

## Table of content

---

- *Quickstart*
- *About*
- *The agentMET4FOF dashboard*
- *Documentation and video tutorials*
- *Installation*
- *Coming soon*
- *Citation*
- *Acknowledgement*
- *Disclaimer*
- © *License*



# CHAPTER 2

## Quickstart

agentMET4FOF comes bundled with some tutorials to get you started as quick as possible. In your Python console execute the following to run the first tutorial.

```
>>> from agentMET4FOF_tutorials.tutorial_1_generator_agent import demonstrate_
>>> generator_agent_use
>>> generator_agent_network = demonstrate_generator_agent_use()
```

```
Starting NameServer...
Broadcast server running on 0.0.0.0:9091
NS running on 127.0.0.1:3333 (127.0.0.1)
URI = PYRO:Pyro.NameServer@127.0.0.1:3333

-----
|                               |
| Your agent network is starting up. Open your browser and   |
| visit the agentMET4FOF dashboard on http://127.0.0.1:8050/  |
|                               |
-----

INFO [2021-02-05 18:12:52.277759] (SineGeneratorAgent_1): INITIALIZED
INFO [2021-02-05 18:12:52.302862] (MonitorAgent_1): INITIALIZED
[2021-02-05 18:12:52.324078] (SineGeneratorAgent_1): Connected output module: MonitorAgent_1
SET STATE:    Running
[...]
```

```
>>> generator_agent_network.shutdown()
0
NS shut down.
```



# CHAPTER 3

---

## About

---

### 3.1 Features

Some notable features of agentMET4FOF include :

- Modular agent classes for metrological data streams and analytics
- A built-in buffering mechanism to decouple transmission, processing and visualization of data
- Easy connection among software agents to send and receive data
- Choose backends between:
  - *Osbrain* for simulating as well as handling real distributed systems running Python connected via a TCP network, and
  - *Mesa* for local simulations of distributed systems, debugging and more high-performance execution
- Interactive and customisable dashboard from the get-go to:
  - Visualize and change agent-network topologies
  - Visualize groups of cooperative agents as *Coalitions*
  - View and change the agents' parameters
  - View the agents' outputs as plotly or matplotlib plots or generate and embed your own images



# CHAPTER 4



---

## The agentMET4FOF dashboard

---

agentMET4FOF comes bundled with our so called *dashboard*. It is an optional component of every agent network and provides a web browser based view. You can observe the state of your agents, modify the connections between them and even add more pre-made agents to your network all during run-time. The address to your dashboard is printed to the console on every launch of an agent network.

The following image is close to what you will find in your browser on execution of tutorial 2. For details on the tutorials visit our [video tutorial series](#).



# CHAPTER 5

---

## Documentation and video tutorials

---

Extended documentation can be found on [ReadTheDocs](#).

### 5.1 Video tutorial series

Additionally, we provide some [video tutorials based on agentMET4FOF 0.4.1 on the project homepage](#) in the section *Tutorials for the multi-agent system agentMET4FOF*. You can self-register on the linked page and get started immediately. The video series begins with our motivation for creating agentMET4FOF, guide you through the installation of Python and other recommended software until you execute the tutorials on your machine.

### 5.2 Live online tutorial during early development

In an early development stage we held a live online tutorial based on [agentMET4FOF 0.1.0](#) which you can [download](#). If questions arise, or you feel something is missing, reach out to [us](#).



# CHAPTER 6

---

## Installation

---

There are different ways to run agentMET4FOF. Either:

1. you [install Python](#) and our package [agentMET4FOF](#) in a virtual Python environment on your computer, or
2. you [install Docker](#), start [agentMET4FOF](#) in a container and [visit the Jupyter Notebook server](#) and the [agent-MET4FOF dashboard](#) directly in your browser or even [deploy it over a proper webserver](#).

In the [video tutorials series](#) we guide you through every step of option 1. More detailed instructions on both options you can find in the [installation section of the docs](#).



# CHAPTER 7

---

Coming soon

---

- Improved handling of metadata
- More advanced signal processing

For a comprehensive overview of current development activities and upcoming tasks, take a look at the [project board](#), [issues](#) and [pull requests](#).



## CHAPTER 8

---

### Citation

---

If you publish results obtained with the help of agentMET4FOF, please cite the linked .



# CHAPTER 9

---

## Acknowledgement

---

This work was part of the Joint Research Project [Metrology for the Factory of the Future \(Met4FoF\)](#), project number [17IND12](#) of the European Metrology Programme for Innovation and Research (EMPIR). The [EMPIR](#) is jointly funded by the EMPIR participating countries within EURAMET and the European Union.



# CHAPTER 10

---

## Disclaimer

---

This software is developed as a joint effort of several project partners namely:

- Institute for Manufacturing of the University of Cambridge (IfM)
- Physikalisch-Technische Bundesanstalt (PTB)
- Van Swinden Laboratory (VSL)
- National Physics Laboratory (NPL)

under the lead of IfM. The software is made available “as is” free of cost. The authors and their institutions assume no responsibility whatsoever for its use by other parties, and makes no guarantees, expressed or implied, about its quality, reliability, safety, suitability or any other characteristic. In no event will the authors be liable for any direct, indirect or consequential damage arising in connection with the use of this software.



# CHAPTER 11

---

©License

---

agentMET4FOF is distributed under the [LGPLv3](#) license.



# CHAPTER 12

---

## Installation of agentMET4FOF

---

As already mentioned in the README, agentMET4FOF can either be *installed as a Python package* or *launched in a Docker container*.

### 12.1 Install agentMET4FOF as a Python package

The installation of agentMET4FOF is as straightforward as the Python ecosystem suggests. In the video tutorial series linked in the README we guide you through every step until you have agentMET4FOF running on your machine.

If you want to take the steps manually we guide you through in this document.

#### 12.1.1 Set up a virtual environment

For the motivation of creating a virtual environment for your installation of the agents check [the official Python docs on that topic](#). You have the option to do this with *Anaconda*, if you already have it installed, or use the Python built-in tool `venv`. The commands differ slightly between [Windows](#) and [Mac/Linux](#) or if you use *Anaconda*.

##### Create a venv Python environment on Windows

In your Windows PowerShell execute the following to set up a virtual environment in a folder of your choice.

```
PS C:> cd C:\LOCAL\PATH\TO\ENVS  
PS C:\LOCAL\PATH\TO\ENVS> py -3 -m venv agentMET4FOF_venv  
PS C:\LOCAL\PATH\TO\ENVS> agentMET4FOF_venv\Scripts\activate
```

Proceed to [the next step](#).

##### Create a venv Python environment on Mac & Linux

In your terminal execute the following to set up a virtual environment in a folder of your choice.

```
$ cd /LOCAL/PATH/TO/ENVS  
$ python3 -m venv agentMET4FOF_venv  
$ source agentMET4FOF_venv/bin/activate
```

Proceed to *the next step*.

### Create an Anaconda Python environment

To get started with your present *Anaconda* installation just go to *Anaconda prompt* and execute

```
$ cd /LOCAL/PATH/TO/ENVS  
$ conda env create --file /LOCAL/PATH/TO/agentMET4FOF/environment.yml
```

That's it!

#### 12.1.2 Install agentMET4FOF via pip

Once you activated your virtual environment, you can install agentMET4FOF via:

```
pip install agentMET4FOF
```

```
Collecting agentMET4FOF  
[...]  
Successfully installed agentMET4FOF-[...] [...]
```

That's it!

## 12.2 Use agentMET4FOF from inside a Docker container

Every version of agentMET4FOF since [v0.9.1dev](#) is additionally accompanied by a so-called *Docker image*. With its help, agentMET4FOF can be launched quickly on any computer with a *Docker* installation without installing Python. agentMET4FOF can then be used directly in the browser using the supplied or your own Jupyter notebooks and even the dashboard can be visited in the browser after its launch. The following steps are required for this.

1. *Install Docker*
2. *Download and import the agentMET4FOF Docker image*
3. a) *Start a container from the image for local use*  
b) *Deploy the containerized agents via a webserver*

### 12.2.1 Install Docker

The [official Docker documentation](#) guides you through. Please continue with *the next step*, once you completed the Docker installation.

### 12.2.2 Download and import the agentMET4FOF Docker image

You can download the *Docker image for agentMET4FOF Jupyter Notebook server* as one of the release assets, import it locally with

```
> docker load -i LOCAL\PATH\TO\DOWNLOADS\tagged_docker_image_agentMET4FOF_jupyter.tar.
→gz
```

### 12.2.3 Start a container from the image for local use

After importing the image, you can launch it straight away with

```
> docker run -p 8888:8888 -p 8050:8050 --rm agentmet4fof
```

In this command's output you will find the usual Jupyter Notebook token URL, which you can open in your browser. After starting an agent network in one of the tutorials or your own notebooks, you will find the dashboard URL in the notebook's output resembling something like `http://0.0.0.0:8050`.

### 12.2.4 Deploy the containerized agents via a webserver

To make the agents accessible via a TCP/IP network such as the internet using a web server like [Nginx](#), all that is required is the correct webserver configuration. The example configuration presented here will spawn the container so that the Jupyter Notebook server is accessible via `http://agent.domain.com`, and the dashboard is accessible after start-up under `http://agent.domain.com/YOUR_FOLDER_NAME_OF_CHOICE`.

#### Start the container with the dashboard at a subfolder

Launch the container with

```
> docker run -p 8888:8888 -p 8050:8050 --rm \
--env DASH_URL_BASE_PATHNAME=/YOUR_FOLDER_NAME_OF_CHOICE/ agentmet4fof
```

This ensures, that the dashboard will be reachable under whatever domain you are using followed by `/YOUR_FOLDER_NAME_OF_CHOICE`.

#### Configure the Nginx

We assume you are confident in using Nginx in general. The corresponding configuration should contain the following server blocks to ensure the Jupyter Notebook server is working, as well as the dashboard

```
server {
    server_name agent.domain.com;

    location / {
        proxy_pass http://127.0.0.1:8888;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header Host $host;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;

        # websocket headers
        proxy_http_version 1.1;
        proxy_set_header Upgrade $http_upgrade;
        proxy_set_header Connection $connection_upgrade;
        proxy_set_header X-Scheme $scheme;

        proxy_buffering off;
    }
}
```

(continues on next page)

(continued from previous page)

```
}

location /YOUR_FOLDER_NAME_OF_CHOICE/ {
    proxy_pass http://127.0.0.1:8050/YOUR_FOLDER_NAME_OF_CHOICE/;
}

[...]

}
```

## 12.3 Get started developing

As a starter we recommend working through the tutorials which we present in detail in our [video tutorial series](#) linked in the [README](#).

## 12.4 Orphaned processes

In the event of agents not terminating cleanly, you can end all Python processes running on your system. **Caution:** the following commands affect **all** running Python processes, not just those that emerged from the agents.

### 12.4.1 Killing all Python processes in Windows

In your Windows command prompt execute the following to terminate all python processes.

```
> taskkill /f /im python.exe /t
>
```

### 12.4.2 Killing all Python processes on Mac and Linux

In your terminal execute the following to terminate all python processes.

```
$ pkill python
$
```

# CHAPTER 13


---

## UML diagrams of agentMET4FOF

---


In this section UML class diagrams of almost all components of agentMET4FOF are listed and shown. The images are click- and zoomable in the browser but can be downloaded for further investigation via right-click.

## 13.1 Overview



of all agentMET4FOF classes


## 13.2 UML class diagram of *agentMET4FOF.agents*



of classes in *agentMET4FOF.agents*




### 13.3 UML class diagram of *agentMET4FOF.streams*





## 13.4 UML class diagram of *agentMET4FOF.metrological\_agents*





## 13.5 UML class diagram of *agentMET4FOF.metrological\_agents*



- agentMET4FOF.streams.DataStreamMET4FOF
- \_init\_(self)
- set data source type(self, dt type; str = "function")

## 13.6 Creation of the UMLs

We used *PyCharm Professional* to create the diagrams in “Hierarchic Group Layout”.

Date of creation for all diagrams: 2021-02-03 on commit [54a4863](#).

# CHAPTER 14

---

## How to contribute to agentMET4FOF

---

If you want to contribute back to the project, we provide a guide to get the desired system configuration aligned with our development environments. The code you produce should be seamlessly integrable into agentMET4FOF by aligning your work with the established workflows. This guide should work on all platforms and provide everything needed to start developing for agentMET4FOF. Please open an issue or ideally contribute to this guide as a start, if problems or questions arise.

### 14.1 Guiding principles

The agentMET4FOF development process is based on the following guiding principles:

- actively maintain, ensuring security vulnerabilities or other issues are resolved in a timely manner
- employ state-of-the-art development practices and tools, specifically
  - follow [semantic versioning](#)
  - use [conventional commit messages](#)
  - consider the PEP8 style guide, wherever feasible

#### 14.1.1 Get the code on GitHub and locally

For collaboration, we recommend forking the repository as described [here](#). Simply apply the changes to your fork and open a Pull Request on GitHub as described [here](#). For small changes it will be sufficient to just apply your changes on GitHub and send the PR right away. For more comprehensive work, you should clone your fork and read on carefully.

#### 14.1.2 Initial development setup

This guide assumes you already have a valid runtime environment for agentMET4FOF as described in the [Installation guide](#).

First install the known to work configuration of our dependencies into your virtual environment:

```
(agentMET4FOF_venv) $ pip install -r requirements.txt -r dev-requirements.txt
```

### 14.1.3 Advised toolset

If you followed the steps for the *initial development setup* you have everything at your hands:

- *Sphinx* for automated generation of our documentation on ReadTheDocs
- *pytest* as testing framework backed by *hypothesis* and *coverage*.
- *python-semantic-release* in
- our pipeline on *CircleCI*. All requirements for contributions are derived from this.

### 14.1.4 Coding style

As long as the readability of mathematical formulations is not impaired, our code should follow [PEP8](#). We know we can improve on this requirement for the existing code base as well, but all code added should already conform to PEP8. For automating this uniform formatting task we use the Python package *black*. It is easy to handle and [integrable](#) into most common IDEs, such that it is automatically applied.

### 14.1.5 Commit messages

agentMET4FOF commit messages follow some conventions to be easily human and machine-readable.

#### Commit message structure

Conventional commit messages are required for the following:

- Releasing automatically according to [semantic versioning](#)
- Generating a changelog automatically

Parts of the commit messages and links appear in the changelogs of subsequent releases as a result. We use the following types:

- *feat*: for commits that introduce new features (this correlates with MINOR in semantic versioning)
- *docs*: for commits that contribute significantly to documentation
- *fix*: commits in which bugs are fixed (this correlates with PATCH in semantic versioning)
- *test*: Commits that apply significant changes to tests
- *chore*: Commits that affect other non-PyDynamic components (e.g. ReadTheDocs, Git, ... )
- *revert*: commits, which undo previous commits using `git revert`
- *refactor*: commits, which contain to refactoring activities
- *wip*: Commits which are not recognizable as one of the above-mentioned types until later, usually during a PR merge. The merge commit is then marked as the corresponding type.

Of the types mentioned above, the following appear in separate sections of the changelog:

- *Feature*: *feat*
- *Documentation*: *docs*

- *Fix: fix*
- *Test: test*

## Commit message styling

Based on established community standards, the first line of a commit message should complete the following sentence:

If this commit is applied, it will...

More comprehensive messages should contain an empty line after that and everything else needed starting from the third line. Each line should not exceed 100 characters.

## BREAKING CHANGES

Since agentMET4FOF is not yet considered stable, we do not mark BREAKING CHANGES. As a consequence, at any time commits may change parts of agentMET4FOF's public interface so that previously written code may no longer be executable. If this occurs we try though, to mention migration strategies in the corresponding release descriptions.

## Commit message examples

For examples please checkout the [Git Log](#).

### 14.1.6 Testing

We strive to increase [our code coverage](#) with every change introduced. This requires that every new feature and every change to existing features is accompanied by appropriate *pytest* testing. We test the basic components for correctness and, if necessary, the integration into the big picture. It is usually sufficient to create [appropriately named](#) methods in one of the existing modules in the subfolder `test`. If necessary add a new module that is appropriately named.

## 14.2 Workflow for adding completely new functionality

In case you add a new feature you generally follow the pattern:

- read through and follow this contribution advices and tips, especially regarding the [advised tool](#) set and [coding style](#)
- open an according issue to submit a feature request and get in touch with other agentMET4FOF developers and users
- fork the repository or update the *develop* branch of your fork and create an arbitrary named feature branch from *develop*
- decide which package and module your feature should be integrated into
- if there is no suitable package or module, create a new one and a corresponding module in the `tests` subdirectory with the same name prefixed by `test_`
- if new dependencies are introduced, add them to `setup.py` or `dev-requirements.in`
- during development write tests in alignment with existing test modules, for example `test_addrremove_metrological_agents`
- write docstrings in the [NumPy docstring format](#)

- as early as possible create a draft pull request onto the upstream's *develop* branch
- once you think your changes are ready to merge, [request a review](#) from the *agentMET4FOF collaborators* (you will find them in the according drop-down) and [mark your PR as \*ready for review\*](#)
- at the latest now you will have the opportunity to review the documentation automatically generated from the docstrings on ReadTheDocs after your reviewers will set up everything
- resolve the conversations and have your pull request merged

## 14.3 Documentation

The documentation of agentMET4FOF consists of three parts. Every adaptation of an existing feature and every new feature requires adjustments on all three levels:

- user documentation on ReadTheDocs
- examples in the form of Jupyter notebooks for extensive features and Python scripts for features which can be comprehensively described with few lines of commented code
- developer documentation in the form of comments in the code

### 14.3.1 User documentation

To locally generate a preview of what ReadTheDocs will generate from your docstrings, you can simply execute after activating your virtual environment:

```
(agentMET4FOF_venv) $ sphinx-build docs/ docs/_build
Sphinx v3.1.1 in Verwendung
making output directory...
[...]
build abgeschlossen.

The HTML pages are in docs/_build.
```

After that you can open the file `./docs/build/index.html` relative to the project's root with your favourite browser. Simply re-execute the above command after each change to the docstrings to update your local version of the documentation.

### 14.3.2 Examples

We want to provide extensive sample material for all agentMET4FOF features in order to simplify the use or even make it possible in the first place. We collect the examples in the subfolder [agentMET4FOF\\_tutorials](#).

### 14.3.3 Comments in the code

Regarding comments in the code we recommend to invest 45 minutes for the PyCon DE 2019 Talk of Stefan Schwarzer, a 20+-years Python developer: [Commenting code - beyond common wisdom](#).

## 14.4 Manage dependencies

We use *pip-tools* for dependency management. The root folder contains a *requirements.txt* and a *dev-requirements.txt* for the supported Python version. *pip-tools*' command `pip-compile` finds the right versions from the dependencies listed in *setup.py* and the *dev-requirements.in* and is manually run by the maintainers regularly.

## 14.5 Licensing

All contributions are released under agentMET4FOF's GNU Lesser General Public License v3.0.



# CHAPTER 15

---

## Changelog

---

### 15.1 v0.10.0 (2021-07-21)

#### 15.1.1 Feature

- **Docker:** Create container image for every release ([1a40ea](#)[f](#))

#### 15.1.2 Refactor

- **network:** Change delivery ip to 0.0.0.0, i.e. all interfaces instead of 127.0.0.1 to enable docker deployment ([247282](#)[6](#))

#### 15.1.3 Documentation

- **ReadTheDocs:** Include Docker guide ([7c35bb](#)[a](#))
- **CONTRIBUTING:** Mention commit type refactor in contributing guide ([a4891e](#)[7](#))
- **metrological\_redundancy\_agents:** Introduce redundancy agent into docs ([cb493cb](#)[b](#))

[See all commits in this version](#)

### 15.2 v0.9.0 (2021-07-08)

#### 15.2.1 Feature

- **agents:** Adds `ampl` and `phase_ini` parameters to `SineGeneratorAgent` ([774a91b](#)[b](#))
- **streams:** Adds `ampl` and `phase_ini` parameters to `SineGenerator` and `CosineGenerator` ([998b158](#)[8](#))
- **metrological\_streams:** Adds `ampl` and `phase_ini` parameters to `MetrologicalSineGenerator` ([fc9901e](#)[e](#))

- **redundancy agent:** Adds redundancy agent class to metrological\_agents.py ([7fbe934](#))
- **MetrologicalGeneratorAgent:** Add an agent to handle generic metrological data streams ([3334762](#))
- **MET4FoF redundancy:** Method init\_parameters1 removed. removed unnecessary comments ([afe47c3](#))
- **MET4FoF redundancy:** Second redundancy tutorial integrated ([c527f33](#))
- **MET4FoF redundancy:** Tutorial 7 added ([caa62ca](#))
- **MET4FoF redundancy:** Met4fof redundancy modules added ([bb3cb6a](#))
- **multiwave:** Added multiwave generator to metrological\_streams.py ([7b0bf4e](#))
- **multiwave:** Added multiwave generator to metrological\_streams.py ([035d7c9](#))

### 15.2.2 Fix

- **tutorial 3:** Replace one of the generator agents' streams by the cosine stream ([2f20183](#))
- **metrological\_agents:** AgentBuffer import was accidentally removed ([cbecc978](#))

### 15.2.3 Refactor

- **agents and metrological\_streams and streams:** Renames 'ampl' to 'amplitude' and 'phase\_ini' to 'initial\_phase' ([d0d8271](#))
- **metrological\_agents:** Refactor metrological\_agents.py into a package metrological\_agents and include classes into agents ([5558008](#))
- **metrological\_streams:** Refactor metrological\_streams.py into a package metrological\_streams and include classes into streams ([9da3744](#))
- **base\_streams:** Refactor base\_streams.py by applying black ([34ff2d0](#))
- **signal\_streams:** Introduce **all** variable into signal\_streams.py ([8c62972](#))
- **signal\_streams:** Refactor signal\_streams.py by applying black ([e604418](#))
- **streams:** Refactor streams.py into a package streams with the modules base\_streams and signal\_streams ([11368ee](#))
- **signal\_agents:** Introduce **all** variable into signal\_agents.py ([364702f](#))
- **signal\_agents:** Refactor signal\_agents.py by applying black ([396a95e](#))
- **base\_agents:** Introduce **all** variable into base\_agents.py ([34f626b](#))
- **base\_agents:** Refactor base\_agents.py by applying black and shortening line lengths ([8173324](#))
- **agents:** Refactor agents.py into a package agents with the modules base\_agents and signal\_agents ([c7bd1ae](#))
- **multi\_generator:** Replaces amplitude with value in variable names in generator classes ([ee45e1c](#))
- **simple\_generator:** Replaces amplitude with value in variable names in generator classes ([f7475ba](#))
- **metrological agents and streams:** Make imports relative ([907cdb2](#))
- **streams:** Replaces amplitude with value in variable names in generator classes ([177b231](#))
- **metrological\_streams:** Replaces amplitude with value in variable names ([b4a0118](#))
- **metrological\_streams:** Reorder parameters ([b0c465f](#))
- **MetrologicalDataStreamMet4FoF:** Refine MetrologicalDataStreamMet4FoF docstring ([1bfc2a6](#))

## 15.2.4 Documentation

- **ReadTheDocs:** Adapt documentation to new package and module structure ([ab207c4](#))
- **tutorial 3:** Update fixed notebook with most recent output ([5511079](#))
- **CONTRIBUTING:** Change commit log examples to develop's commits ([9ee020f](#))
- **CHANGELOG:** Insert actually current changelog into docs ([aff2f6a](#))

[See all commits in this version](#)

## 15.3 v0.8.1 (2021-06-10)

[See all commits in this version](#)

## 15.4 v0.8.0 (2021-06-10)

### 15.4.1 Feature

- **MetrologicalGeneratorAgent:** Rewrote to default metrological generator agent for both streams ([52606d7](#))
- **SineGeneratorAgent:** Added default sine generator agent to metrological\_agents.py ([54f4035](#))
- **multiwave\_generator:** Multiwave generator added to metrological\_streams.py ([682a5ff](#))

### 15.4.2 Documentation

- **tutorial\_7:** Introduce tutorial 7 into ReadTheDocs ([01d7e44](#))
- **tutorial\_default\_generator:** Add a tutorial for a generic metrologically enabled agent ([7bebef1](#))

[See all commits in this version](#)

## 15.5 v0.7.0 (2021-06-04)

### 15.5.1 Feature

- **enhance\_ui:** Button to export agent network display as png ([3b41610](#))
- **enhance\_subscribe:** Allow special channels for requests ([a88a817](#))

### 15.5.2 Fix

- **enhance\_UI:** Fix bug on callback of agents-network.generateImage ([d9125ab](#))
- **enhance\_UI:** Fix importing name for UI example ([58b990b](#))
- **enhance\_ui:** Required import visdcc ([f02429e](#))
- **enhance\_subscribe:** Specify the plot channel for tests ([1d293e7](#))

### 15.5.3 Documentation

- **enhance\_UI:** Refactor agent\_type to agent\_name\_filter ([a6f8da9](#))
- **enhance\_UI:** Add docstring for create\_edges\_cytoscape method ([b66fcb3](#))
- **enhance\_UI:** Intuitive name for toast message function in UI ([c155138](#))
- **enhance\_UI:** Rename and add description to UI example ([3a03428](#))
- **enhance\_UI:** Refactor tutorial folder on UI example ([360f6da](#))

[See all commits in this version](#)

## 15.6 v0.6.4 (2021-05-06)

### 15.6.1 Fix

- **streams:** Remove unnecessary instantiation of sine\_freq in method sine\_wave\_function ([192a6c9](#))

[See all commits in this version](#)

## 15.7 v0.6.3 (2021-04-28)

### 15.7.1 Fix

- **time\_series\_buffer:** Resolve storing nan values ([bbc1ae9](#))

### 15.7.2 Documentation

- **metrological\_agents:** Reformat two of our docstrings to properly display thos example values in the docs ([c56cca9](#))
- **metrological\_agents:** Correct docstrings for `_concatenate()` ([eb6a20b](#))

[See all commits in this version](#)

## 15.8 v0.6.2 (2021-03-19)

### 15.8.1 Fix

- **dashboard:** Finally resolve #186 by cleanly shutting down dashboard ([9903d15](#))

### 15.8.2 Documentation

- **CHANGELOG:** Include CHANGELOG into docs ([4ba20d3](#))

[See all commits in this version](#)

## 15.9 v0.6.1 (2021-03-12)

### 15.9.1 Fix

- **metrological\_streams:** Fixed computational error for batches of size more than one ([686bad5](#))
- **agents:** Fixed `buffer.clear` method, which did not work anymore after moving from `memory` to `buffer`

### 15.9.2 Documentation

- **README:** Include the Zenodo DOI banner and add the Citation section ([4a57dd8](#))
- **docstrings:** Seriously improve docstrings and type hinting in `agents.py` and `dashboard/LayoutHelper.py`

[See all commits in this version](#)



# CHAPTER 16

---

## Learning how to use the agents

---

### 16.1 Tutorial 1 - A simple pipeline to plot a signal

First we define a simple pipeline of two agents, of which one will generate a signal (in our case a *SineGeneratorAgent*) and the other one plots the signal on the dashboard (this is always a *MonitorAgent*).

We define a *SineGeneratorAgent* for which we have to override the functions `init_parameters()` & `agent_loop()` to define the new agent's behaviour.

- `init_parameters()` is used to setup the input data stream and potentially other necessary parameters.
- `agent_loop()` will be endlessly repeated until further notice. It will sample by sample extract the input data stream's content and push it to all agents connected to *SineGeneratorAgent*'s output channel by invoking `send_output()`.

The *MonitorAgent* is connected to the *SineGeneratorAgent*'s output channel and per default automatically plots the output.

Each agent has an internal `current_state` which can be used as a switch to change the behaviour of the agent. The available states are listed [here](#).

As soon as all agents are initialized and the connections are set up, the agent network is started by accordingly changing all agents' state simultaneously.

```
[1]: # %load tutorial_1_generator_agent.py
from agentMET4FOF.agents import AgentMET4FOF, AgentNetwork, MonitorAgent
from agentMET4FOF.streams import SineGenerator

class SineGeneratorAgent(AgentMET4FOF):
    """An agent streaming a sine signal

    Takes samples from the :py:mod:`SineGenerator` and pushes them sample by sample
    to connected agents via its output channel.
    """


```

(continues on next page)

(continued from previous page)

```

# The datatype of the stream will be SineGenerator.
_sine_stream: SineGenerator

def init_parameters(self):
    """Initialize the input data

    Initialize the input data stream as an instance of the
    :py:mod:`SineGenerator` class
    """
    self._sine_stream = SineGenerator()

def agent_loop(self):
    """Model the agent's behaviour

    On state *Running* the agent will extract sample by sample the input data
    streams content and push it via invoking :py:method:`AgentMET4FOF.send_output`.
    """
    if self.current_state == "Running":
        sine_data = self._sine_stream.next_sample()  # dictionary
        self.send_output(sine_data["quantities"])

def demonstrate_generator_agent_use():
    # Start agent network server.
    agent_network = AgentNetwork()

    # Initialize agents by adding them to the agent network.
    gen_agent = agent_network.add_agent(agentType=SineGeneratorAgent)
    monitor_agent = agent_network.add_agent(agentType=MonitorAgent)

    # Interconnect agents by either way:
    # 1) by agent_network.bind_agents(source, target).
    agent_network.bind_agents(gen_agent, monitor_agent)

    # 2) by the agent.bind_output().
    gen_agent.bind_output(monitor_agent)

    # Set all agents' states to "Running".
    agent_network.set_running_state()

    # Allow for shutting down the network after execution
    return agent_network

if __name__ == "__main__":
    demonstrate_generator_agent_use()

```

```

Starting NameServer...
Broadcast server running on 0.0.0.0:9091
NS running on 127.0.0.1:3333 (127.0.0.1)
URI = PYRO:Pyro.NameServer@127.0.0.1:3333
-----
```

```

| Your agent network is starting up. Open your browser and |
| visit the agentMET4FOF dashboard on http://127.0.0.1:8050/ |
```

(continues on next page)

(continued from previous page)

```

INFO [2021-02-05 19:13:45.925758] (SineGeneratorAgent_1): INITIALIZED
INFO [2021-02-05 19:13:45.960173] (MonitorAgent_1): INITIALIZED
[2021-02-05 19:13:45.975418] (SineGeneratorAgent_1): Connected output module: ↵
    ↵MonitorAgent_1
SET STATE: Running
[2021-02-05 19:13:46.932922] (SineGeneratorAgent_1): Pack time: 0.000957
[2021-02-05 19:13:46.935938] (SineGeneratorAgent_1): Sending: [0.]
[2021-02-05 19:13:46.939035] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:13:46.941337] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': ↵
    ↵array([0.]})
[2021-02-05 19:13:46.942394] (MonitorAgent_1): Tproc: 0.002278
[2021-02-05 19:13:47.932181] (SineGeneratorAgent_1): Pack time: 0.000614
[2021-02-05 19:13:47.935312] (SineGeneratorAgent_1): Sending: [0.06279052]
[2021-02-05 19:13:47.936553] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.06279052]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:13:47.941367] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': ↵
    ↵array([0., 0.06279052])}
[2021-02-05 19:13:47.942190] (MonitorAgent_1): Tproc: 0.004357
[2021-02-05 19:13:48.931650] (SineGeneratorAgent_1): Pack time: 0.00047
[2021-02-05 19:13:48.933397] (SineGeneratorAgent_1): Sending: [0.12533323]
[2021-02-05 19:13:48.934297] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.12533323]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:13:48.936482] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': ↵
    ↵array([0., 0.06279052, 0.12533323])}
[2021-02-05 19:13:48.936997] (MonitorAgent_1): Tproc: 0.002201
[2021-02-05 19:13:49.932143] (SineGeneratorAgent_1): Pack time: 0.000937
[2021-02-05 19:13:49.940442] (SineGeneratorAgent_1): Sending: [0.18738131]
[2021-02-05 19:13:49.934471] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.18738131]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:13:49.938767] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': ↵
    ↵array([0., 0.06279052, 0.12533323, 0.18738131])}
[2021-02-05 19:13:49.939977] (MonitorAgent_1): Tproc: 0.004969
[2021-02-05 19:13:50.930904] (SineGeneratorAgent_1): Pack time: 0.000255
[2021-02-05 19:13:50.931636] (SineGeneratorAgent_1): Sending: [0.24868989]
[2021-02-05 19:13:50.932383] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.24868989]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:13:50.933944] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': ↵
    ↵array([0., 0.06279052, 0.12533323, 0.18738131, 0.24868989])}
[2021-02-05 19:13:50.934185] (MonitorAgent_1): Tproc: 0.001522
NS shut down.
[2021-02-05 19:13:51.932632] (SineGeneratorAgent_1): Pack time: 0.001127
[2021-02-05 19:13:51.935690] (SineGeneratorAgent_1): Sending: [0.30901699]
[2021-02-05 19:13:51.935544] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.30901699]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:13:51.944128] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': ↵
    ↵array([0., 0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699])}
[2021-02-05 19:13:51.944378] (MonitorAgent_1): Tproc: 0.008396

```

(continues on next page)

(continued from previous page)

```
[2021-02-05 19:13:52.930087] (SineGeneratorAgent_1): Pack time: 0.000108
[2021-02-05 19:13:52.930343] (SineGeneratorAgent_1): Sending: [0.36812455]
[2021-02-05 19:13:52.930548] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.36812455]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:13:52.930905] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': array([0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699, 0.36812455])}
[2021-02-05 19:13:52.931004] (MonitorAgent_1): Tproc: 0.000381
[2021-02-05 19:13:53.930135] (SineGeneratorAgent_1): Pack time: 0.000144
[2021-02-05 19:13:53.930526] (SineGeneratorAgent_1): Sending: [0.42577929]
[2021-02-05 19:13:53.930537] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.42577929]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:13:53.930940] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': array([0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699, 0.36812455, 0.42577929])}
[2021-02-05 19:13:53.930993] (MonitorAgent_1): Tproc: 0.00038
[2021-02-05 19:13:54.932072] (SineGeneratorAgent_1): Pack time: 0.0009
[2021-02-05 19:13:54.934391] (SineGeneratorAgent_1): Sending: [0.48175367]
[2021-02-05 19:13:54.934275] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.48175367]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:13:54.936874] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': array([0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699, 0.36812455, 0.42577929, 0.48175367])}
[2021-02-05 19:13:54.937315] (MonitorAgent_1): Tproc: 0.002635
[2021-02-05 19:13:55.931558] (SineGeneratorAgent_1): Pack time: 0.000454
[2021-02-05 19:13:55.933193] (SineGeneratorAgent_1): Sending: [0.53582679]
[2021-02-05 19:13:55.933792] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.53582679]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:13:55.936039] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': array([0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699, 0.36812455, 0.42577929, 0.48175367, 0.53582679])}
[2021-02-05 19:13:55.936606] (MonitorAgent_1): Tproc: 0.002345
```

## 16.2 Tutorial 2 - A simple pipeline with signal postprocessing.

Here we demonstrate how to build a *MathAgent* as an intermediate to process the *SineGeneratorAgent*'s output before plotting. Subsequently, a *MultiMathAgent* is built to show the ability to send a dictionary of multiple fields to the recipient. We provide a custom `on_received_message()` function, which is called every time a message is received from input agents.

The received message is a dictionary of the form:

```
{
'from':agent_name,
'data': data,
'senderType': agent_class_name,
'channel':'channel_name'
}
```

By default, 'channel' is set to "default", however a custom channel can be set when needed, which is demonstrated in the next tutorial.

```
[1]: # %load tutorial_2_math_agent.py
from agentMET4FOF.agents import (
    AgentMET4FOF,
    AgentNetwork,
    MonitorAgent,
    SineGeneratorAgent,
)

class MathAgent(AgentMET4FOF):
    def on_received_message(self, message):
        data = self.divide_by_two(message["data"])
        self.send_output(data)

    # Define simple math functions.
    @staticmethod
    def divide_by_two(numerator: float) -> float:
        return numerator / 2

class MultiMathAgent(AgentMET4FOF):

    _minus_param: float
    _plus_param: float

    def init_parameters(self, minus_param=0.5, plus_param=0.5):
        self._minus_param = minus_param
        self._plus_param = plus_param

    def on_received_message(self, message):
        minus_data = self.minus(message["data"], self._minus_param)
        plus_data = self.plus(message["data"], self._plus_param)

        self.send_output({"minus": minus_data, "plus": plus_data})

    @staticmethod
    def minus(minuend: float, subtrahend: float) -> float:
        return minuend - subtrahend

    @staticmethod
    def plus(summand_1: float, summand_2: float) -> float:
        return summand_1 + summand_2

def main():
    # start agent network server
    agentNetwork = AgentNetwork()
    # init agents
    gen_agent = agentNetwork.add_agent(agentType=SineGeneratorAgent)
    math_agent = agentNetwork.add_agent(agentType=MathAgent)
    multi_math_agent = agentNetwork.add_agent(agentType=MultiMathAgent)
    monitor_agent = agentNetwork.add_agent(agentType=MonitorAgent)
    # connect agents : We can connect multiple agents to any particular agent
    agentNetwork.bind_agents(gen_agent, math_agent)
    agentNetwork.bind_agents(gen_agent, multi_math_agent)
    # connect
    agentNetwork.bind_agents(gen_agent, monitor_agent)
```

(continues on next page)

(continued from previous page)

```

agentNetwork.bind_agents(math_agent, monitor_agent)
agentNetwork.bind_agents(multi_math_agent, monitor_agent)
# set all agents states to "Running"
agentNetwork.set_running_state()

# allow for shutting down the network after execution
return agentNetwork

if __name__ == "__main__":
    main()

Starting NameServer...
Broadcast server running on 0.0.0.0:9091
NS running on 127.0.0.1:3333 (127.0.0.1)
URI = PYRO:Pyro.NameServer@127.0.0.1:3333

-----
| Your agent network is starting up. Open your browser and
| visit the agentMET4FOF dashboard on http://127.0.0.1:8050/
| -----
INFO [2021-02-05 19:18:07.585019] (SineGeneratorAgent_1): INITIALIZED
INFO [2021-02-05 19:18:07.619684] (MathAgent_1): INITIALIZED
INFO [2021-02-05 19:18:07.654192] (MultiMathAgent_1): INITIALIZED
INFO [2021-02-05 19:18:07.691566] (MonitorAgent_1): INITIALIZED
[2021-02-05 19:18:07.706815] (SineGeneratorAgent_1): Connected output module: ↵
    ↵MathAgent_1
[2021-02-05 19:18:07.714664] (SineGeneratorAgent_1): Connected output module: ↵
    ↵MultiMathAgent_1
[2021-02-05 19:18:07.724529] (SineGeneratorAgent_1): Connected output module: ↵
    ↵MonitorAgent_1
[2021-02-05 19:18:07.738462] (MathAgent_1): Connected output module: MonitorAgent_1
[2021-02-05 19:18:07.750583] (MultiMathAgent_1): Connected output module: ↵
    ↵MonitorAgent_1
SET STATE: Running
[2021-02-05 19:18:08.589720] (SineGeneratorAgent_1): Pack time: 0.000765
[2021-02-05 19:18:08.592546] (MathAgent_1): Received: {'from': 'SineGeneratorAgent_1',
    ↵ 'data': array([0.]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:18:08.595246] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1',
    ↵ 'data': array([0.]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:18:08.596230] (MultiMathAgent_1): Received: {'from':
    ↵ 'SineGeneratorAgent_1', 'data': array([0.]), 'senderType': 'SineGeneratorAgent',
    ↵ 'channel': 'default'}
[2021-02-05 19:18:08.595257] (SineGeneratorAgent_1): Sending: [0.]
[2021-02-05 19:18:08.593186] (MathAgent_1): Pack time: 0.000388
[2021-02-05 19:18:08.600139] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': ↵
    ↵array([0.])}
[2021-02-05 19:18:08.596854] (MultiMathAgent_1): Pack time: 0.000383
[2021-02-05 19:18:08.597959] (MultiMathAgent_1): Sending: {'minus': array([-0.5]),
    ↵ 'plus': array([0.5])}
[2021-02-05 19:18:08.593788] (MathAgent_1): Sending: [0.]
[2021-02-05 19:18:08.600521] (MonitorAgent_1): Tproc: 0.000931
[2021-02-05 19:18:08.598126] (MultiMathAgent_1): Tproc: 0.001735
[2021-02-05 19:18:08.594015] (MathAgent_1): Tproc: 0.001276

```

(continues on next page)

(continued from previous page)

```
[2021-02-05 19:18:08.606396] (MonitorAgent_1): Received: {'from': 'MathAgent_1', 'data':  
↪: array([0.]), 'senderType': 'MathAgent', 'channel': 'default'}  
[2021-02-05 19:18:08.607428] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0.]), 'MathAgent_1': array([0.])}  
[2021-02-05 19:18:08.607807] (MonitorAgent_1): Tproc: 0.001189  
[2021-02-05 19:18:08.613784] (MonitorAgent_1): Received: {'from': 'MultiMathAgent_1',  
↪'data': {'minus': array([-0.5]), 'plus': array([0.5])}, 'senderType':  
↪'MultiMathAgent', 'channel': 'default'}  
[2021-02-05 19:18:08.620942] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0.]), 'MathAgent_1': array([0.]), 'MultiMathAgent_1': {'minus': array([-0.  
↪5]), 'plus': array([0.5])}}  
[2021-02-05 19:18:08.625194] (MonitorAgent_1): Tproc: 0.011115  
[2021-02-05 19:18:09.590078] (SineGeneratorAgent_1): Pack time: 0.000561  
[2021-02-05 19:18:09.592887] (SineGeneratorAgent_1): Sending: [0.06279052]  
[2021-02-05 19:18:09.593616] (MathAgent_1): Received: {'from': 'SineGeneratorAgent_1',  
↪'data': array([0.06279052]), 'senderType': 'SineGeneratorAgent', 'channel':  
↪'default'}  
[2021-02-05 19:18:09.593134] (MultiMathAgent_1): Received: {'from':  
↪'SineGeneratorAgent_1', 'data': array([0.06279052]), 'senderType':  
↪'SineGeneratorAgent', 'channel': 'default'}  
[2021-02-05 19:18:09.598873] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1',  
↪'data': array([0.06279052]), 'senderType': 'SineGeneratorAgent', 'channel':  
↪'default'}  
[2021-02-05 19:18:09.608525] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0.06279052]), 'MathAgent_1': array([0.]), 'MultiMathAgent_1': {  
↪'minus': array([-0.5]), 'plus': array([0.5])}}  
[2021-02-05 19:18:09.594706] (MathAgent_1): Pack time: 0.000551  
[2021-02-05 19:18:09.596935] (MultiMathAgent_1): Pack time: 0.001516  
[2021-02-05 19:18:09.613332] (MonitorAgent_1): Tproc: 0.013659  
[2021-02-05 19:18:09.596653] (MathAgent_1): Sending: [0.03139526]  
[2021-02-05 19:18:09.613588] (MultiMathAgent_1): Sending: {'minus': array([-0.  
↪43720948]), 'plus': array([0.56279052])}  
[2021-02-05 19:18:09.620995] (MonitorAgent_1): Received: {'from': 'MathAgent_1', 'data':  
↪: array([0.03139526]), 'senderType': 'MathAgent', 'channel': 'default'}  
[2021-02-05 19:18:09.597111] (MathAgent_1): Tproc: 0.003054  
[2021-02-05 19:18:09.616401] (MultiMathAgent_1): Tproc: 0.022068  
[2021-02-05 19:18:09.631221] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0.03139526]), 'MathAgent_1': array([0.03139526]), 'MultiMathAgent_1': {'minus': array([-0.5]), 'plus': array([0.5])}}  
[2021-02-05 19:18:09.632022] (MonitorAgent_1): Tproc: 0.0105  
[2021-02-05 19:18:09.637249] (MonitorAgent_1): Received: {'from': 'MultiMathAgent_1',  
↪'data': {'minus': array([-0.43720948]), 'plus': array([0.56279052])}, 'senderType':  
↪'MultiMathAgent', 'channel': 'default'}  
[2021-02-05 19:18:09.651789] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0.03139526]), 'MathAgent_1': array([0.03139526]), 'MultiMathAgent_1': {'minus': array([-0.56279052]), 'plus': array([0.56279052])}}  
[2021-02-05 19:18:09.652908] (MonitorAgent_1): Tproc: 0.014285
```

## 16.3 Tutorial 3 - An advanced pipeline with multichannel signals.

We can use different channels for the receiver to handle specifically each channel name. This can be useful for example in splitting train and test channels in machine learning. Then, the user will need to implement specific handling of each channel in the receiving agent.

In this example, the *MultiGeneratorAgent* is used to send two different types of data - Sine and Cosine generator. This is done via specifying `send_output (channel="sine")` and `send_output (channel="cosine")`.

Then on the receiving end, the `on_received_message()` function checks for `message['channel']` to handle it separately.

Note that by default, *MonitorAgent* is only subscribed to the "default" channel. Hence, it will not respond to the "cosine" and "sine" channel.

```
[2]: # %load tutorial_3_multi_channel.py
from agentMET4FOF.agents import AgentMET4FOF, AgentNetwork, MonitorAgent
from agentMET4FOF.streams import SineGenerator, CosineGenerator

class MultiGeneratorAgent(AgentMET4FOF):

    _sine_stream: SineGenerator
    _cos_stream: CosineGenerator

    def init_parameters(self):
        self._sine_stream = SineGenerator()
        self._cos_stream = CosineGenerator()

    def agent_loop(self):
        if self.current_state == "Running":
            sine_data = self._sine_stream.next_sample() # dictionary
            cosine_data = self._cos_stream.next_sample() # dictionary
            self.send_output(sine_data["quantities"], channel="sine")
            self.send_output(cosine_data["quantities"], channel="cosine")

class MultiOutputMathAgent(AgentMET4FOF):

    _minus_param: float
    _plus_param: float

    def init_parameters(self, minus_param=0.5, plus_param=0.5):
        self._minus_param = minus_param
        self._plus_param = plus_param

    def on_received_message(self, message):
        """
        Checks for message['channel'] and handles them separately
        Acceptable channels are "cosine" and "sine"
        """
        if message["channel"] == "cosine":
            minus_data = self_MINUS(message["data"], self._minus_param)
            self.send_output({"cosine_minus": minus_data})
        elif message["channel"] == "sine":
            plus_data = self_PLUS(message["data"], self._plus_param)
            self.send_output({"sine_plus": plus_data})

    @staticmethod
    def minus(data, minus_val):
        return data - minus_val

    @staticmethod
    def plus(data, plus_val):
```

(continues on next page)

(continued from previous page)

```

    return data + plus_val

def main():
    # start agent network server
    agentNetwork = AgentNetwork()

    # init agents
    gen_agent = agentNetwork.add_agent(agentType=MultiGeneratorAgent)
    multi_math_agent = agentNetwork.add_agent(agentType=MultiOutputMathAgent)
    monitor_agent = agentNetwork.add_agent(agentType=MonitorAgent)

    # connect agents : We can connect multiple agents to any particular agent
    # However the agent needs to implement handling multiple inputs
    agentNetwork.bind_agents(gen_agent, multi_math_agent, channel=["sine", "cosine"])
    agentNetwork.bind_agents(multi_math_agent, monitor_agent)

    # set all agents states to "Running"
    agentNetwork.set_running_state()

    # allow for shutting down the network after execution
    return agentNetwork

if __name__ == "__main__":
    main()

```

```

Starting NameServer...
Broadcast server running on 0.0.0.0:9091
NS running on 127.0.0.1:3333 (127.0.0.1)
URI = PYRO:Pyro.NameServer@127.0.0.1:3333
INFO [2021-07-01 15:01:52.175496] (MultiGeneratorAgent_1): INITIALIZED
INFO [2021-07-01 15:01:52.210891] (MultiOutputMathAgent_1): INITIALIZED
INFO [2021-07-01 15:01:52.249834] (MonitorAgent_1): INITIALIZED
[2021-07-01 15:01:52.267296] (MultiGeneratorAgent_1): Connected output module: ↵
↳ MultiOutputMathAgent_1
[2021-07-01 15:01:52.281811] (MultiOutputMathAgent_1): Connected output module: ↵
↳ MonitorAgent_1
-----
```

```

| |
| Your agent network is starting up. Open your browser and | |
| visit the agentMET4FOF dashboard on http://127.0.0.1:8050/ | |
| |
-----
```

```

SET STATE: Running
[2021-07-01 15:01:53.182613] (MultiGeneratorAgent_1): Pack time: 0.001315
[2021-07-01 15:01:53.185913] (MultiGeneratorAgent_1): Sending: [0.]
[2021-07-01 15:01:53.188089] (MultiOutputMathAgent_1): Received: {'from':
↳ 'MultiGeneratorAgent_1', 'data': array([0.]), 'senderType': 'MultiGeneratorAgent',
↳ 'channel': 'sine'}
[2021-07-01 15:01:53.198228] (MonitorAgent_1): Received: {'from':
↳ 'MultiOutputMathAgent_1', 'data': {'sine_plus': array([0.5])}, 'senderType':
↳ 'MultiOutputMathAgent', 'channel': 'default'}
[2021-07-01 15:01:53.187680] (MultiGeneratorAgent_1): Pack time: 0.000927
```

(continues on next page)

(continued from previous page)

```
[2021-07-01 15:01:53.190148] (MultiOutputMathAgent_1): Pack time: 0.001023
[2021-07-01 15:01:53.201389] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {
    ↪'sine_plus': array([0.5])}}
[2021-07-01 15:01:53.191978] (MultiGeneratorAgent_1): Sending: [1.]
[2021-07-01 15:01:53.202160] (MultiOutputMathAgent_1): Sending: {'sine_plus': ↪array([0.5])}
[2021-07-01 15:01:53.205550] (MonitorAgent_1): Tproc: 0.006233
[2021-07-01 15:01:53.222512] (MonitorAgent_1): Received: {'from':
    ↪'MultiOutputMathAgent_1', 'data': {'cosine_minus': array([0.5])}, 'senderType':
    ↪'MultiOutputMathAgent', 'channel': 'default'}
[2021-07-01 15:01:53.203843] (MultiOutputMathAgent_1): Tproc: 0.014867
[2021-07-01 15:01:53.225894] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {
    ↪'sine_plus': array([0.5]), 'cosine_minus': array([0.5])}}
[2021-07-01 15:01:53.206881] (MultiOutputMathAgent_1): Received: {'from':
    ↪'MultiGeneratorAgent_1', 'data': array([1.]), 'senderType': 'MultiGeneratorAgent',
    ↪'channel': 'cosine'}
[2021-07-01 15:01:53.226755] (MonitorAgent_1): Tproc: 0.003277
[2021-07-01 15:01:53.214200] (MultiOutputMathAgent_1): Pack time: 0.006701
[2021-07-01 15:01:53.216159] (MultiOutputMathAgent_1): Sending: {'cosine_minus': ↪array([0.5])}
[2021-07-01 15:01:53.216622] (MultiOutputMathAgent_1): Tproc: 0.009249
[2021-07-01 15:01:54.184818] (MultiGeneratorAgent_1): Pack time: 0.000496
[2021-07-01 15:01:54.186555] (MultiGeneratorAgent_1): Sending: [0.58778525]
[2021-07-01 15:01:54.187543] (MultiOutputMathAgent_1): Received: {'from':
    ↪'MultiGeneratorAgent_1', 'data': array([0.58778525]), 'senderType':
    ↪'MultiGeneratorAgent', 'channel': 'sine'}
[2021-07-01 15:01:54.191606] (MonitorAgent_1): Received: {'from':
    ↪'MultiOutputMathAgent_1', 'data': {'sine_plus': array([1.08778525])}, 'senderType':
    ↪'MultiOutputMathAgent', 'channel': 'default'}
[2021-07-01 15:01:54.188158] (MultiGeneratorAgent_1): Pack time: 0.001101
[2021-07-01 15:01:54.188642] (MultiOutputMathAgent_1): Pack time: 0.000556
[2021-07-01 15:01:54.198646] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {
    ↪'sine_plus': array([0.5      , 1.08778525]), 'cosine_minus': array([0.5])}}
[2021-07-01 15:01:54.192076] (MultiGeneratorAgent_1): Sending: [0.99802673]
[2021-07-01 15:01:54.193649] (MultiOutputMathAgent_1): Sending: {'sine_plus': ↪array([1.08778525])}
[2021-07-01 15:01:54.199203] (MonitorAgent_1): Tproc: 0.007071
[2021-07-01 15:01:54.206693] (MonitorAgent_1): Received: {'from':
    ↪'MultiOutputMathAgent_1', 'data': {'cosine_minus': array([0.49802673])}, 'senderType':
    ↪': 'MultiOutputMathAgent', 'channel': 'default'}
[2021-07-01 15:01:54.194338] (MultiOutputMathAgent_1): Tproc: 0.00634
[2021-07-01 15:01:54.211962] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {
    ↪'sine_plus': array([0.5      , 1.08778525]), 'cosine_minus': array([0.5      , 0.
    ↪49802673])}}
[2021-07-01 15:01:54.198345] (MultiOutputMathAgent_1): Received: {'from':
    ↪'MultiGeneratorAgent_1', 'data': array([0.99802673]), 'senderType':
    ↪'MultiGeneratorAgent', 'channel': 'cosine'}
[2021-07-01 15:01:54.212776] (MonitorAgent_1): Tproc: 0.004846
[2021-07-01 15:01:54.201066] (MultiOutputMathAgent_1): Pack time: 0.001228
[2021-07-01 15:01:54.203439] (MultiOutputMathAgent_1): Sending: {'cosine_minus': ↪array([0.49802673])}
[2021-07-01 15:01:54.204268] (MultiOutputMathAgent_1): Tproc: 0.004457
[2021-07-01 15:01:55.178989] (MultiGeneratorAgent_1): Pack time: 0.000235
[2021-07-01 15:01:55.179521] (MultiGeneratorAgent_1): Sending: [0.95105652]
[2021-07-01 15:01:55.179758] (MultiOutputMathAgent_1): Received: {'from':
    ↪'MultiGeneratorAgent_1', 'data': array([0.95105652]), 'senderType':
    ↪'MultiGeneratorAgent', 'channel': 'sine'}
```

(continues on next page)

(continued from previous page)

```
[2021-07-01 15:01:55.180977] (MonitorAgent_1): Received: {'from':  
    ↪'MultiOutputMathAgent_1', 'data': {'sine_plus': array([1.45105652])}, 'senderType':  
    ↪'MultiOutputMathAgent', 'channel': 'default'}  
[2021-07-01 15:01:55.179716] (MultiGeneratorAgent_1): Pack time: 8.7e-05  
[2021-07-01 15:01:55.179960] (MultiOutputMathAgent_1): Pack time: 9e-05  
[2021-07-01 15:01:55.181787] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {  
    ↪'sine_plus': array([0.5      , 1.08778525, 1.45105652]), 'cosine_minus': array([0.  
    ↪5      , 0.49802673])}}  
[2021-07-01 15:01:55.179963] (MultiGeneratorAgent_1): Sending: [0.9921147]  
[2021-07-01 15:01:55.180249] (MultiOutputMathAgent_1): Sending: {'sine_plus':  
    ↪array([1.45105652])}  
[2021-07-01 15:01:55.181918] (MonitorAgent_1): Tproc: 0.000833  
[2021-07-01 15:01:55.183711] (MonitorAgent_1): Received: {'from':  
    ↪'MultiOutputMathAgent_1', 'data': {'cosine_minus': array([0.4921147])}, 'senderType':  
    ↪'MultiOutputMathAgent', 'channel': 'default'}  
[2021-07-01 15:01:55.180316] (MultiOutputMathAgent_1): Tproc: 0.000466  
[2021-07-01 15:01:55.184531] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {  
    ↪'sine_plus': array([0.5      , 1.08778525, 1.45105652]), 'cosine_minus': array([0.  
    ↪5      , 0.49802673, 0.4921147])}}  
[2021-07-01 15:01:55.181834] (MultiOutputMathAgent_1): Received: {'from':  
    ↪'MultiGeneratorAgent_1', 'data': array([0.9921147]), 'senderType':  
    ↪'MultiGeneratorAgent', 'channel': 'cosine'}  
[2021-07-01 15:01:55.184744] (MonitorAgent_1): Tproc: 0.000897  
[2021-07-01 15:01:55.182130] (MultiOutputMathAgent_1): Pack time: 0.000143  
[2021-07-01 15:01:55.182865] (MultiOutputMathAgent_1): Sending: {'cosine_minus':  
    ↪array([0.4921147])}  
[2021-07-01 15:01:55.183034] (MultiOutputMathAgent_1): Tproc: 0.001075  
NS shut down.  
[2021-07-01 15:01:56.180795] (MultiGeneratorAgent_1): Pack time: 0.000474  
[2021-07-01 15:01:56.182502] (MultiGeneratorAgent_1): Sending: [0.95105652]  
[2021-07-01 15:01:56.184165] (MultiOutputMathAgent_1): Received: {'from':  
    ↪'MultiGeneratorAgent_1', 'data': array([0.95105652]), 'senderType':  
    ↪'MultiGeneratorAgent', 'channel': 'sine'}  
[2021-07-01 15:01:56.188323] (MonitorAgent_1): Received: {'from':  
    ↪'MultiOutputMathAgent_1', 'data': {'sine_plus': array([1.45105652])}, 'senderType':  
    ↪'MultiOutputMathAgent', 'channel': 'default'}  
[2021-07-01 15:01:56.183937] (MultiGeneratorAgent_1): Pack time: 0.000939  
[2021-07-01 15:01:56.186133] (MultiOutputMathAgent_1): Pack time: 0.001328  
[2021-07-01 15:01:56.193199] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {  
    ↪'sine_plus': array([0.5      , 1.08778525, 1.45105652, 1.45105652]), 'cosine_minus':  
    ↪array([0.5      , 0.49802673, 0.4921147])}}  
[2021-07-01 15:01:56.186587] (MultiGeneratorAgent_1): Sending: [0.98228725]  
[2021-07-01 15:01:56.188313] (MultiOutputMathAgent_1): Sending: {'sine_plus':  
    ↪array([1.45105652])}  
[2021-07-01 15:01:56.194104] (MonitorAgent_1): Tproc: 0.005235  
[2021-07-01 15:01:56.197336] (MonitorAgent_1): Received: {'from':  
    ↪'MultiOutputMathAgent_1', 'data': {'cosine_minus': array([0.48228725])}, 'senderType':  
    ↪'MultiOutputMathAgent', 'channel': 'default'}  
[2021-07-01 15:01:56.189350] (MultiOutputMathAgent_1): Tproc: 0.00465  
[2021-07-01 15:01:56.202432] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {  
    ↪'sine_plus': array([0.5      , 1.08778525, 1.45105652, 1.45105652]), 'cosine_minus':  
    ↪array([0.5      , 0.49802673, 0.4921147, 0.48228725])}}  
[2021-07-01 15:01:56.192299] (MultiOutputMathAgent_1): Received: {'from':  
    ↪'MultiGeneratorAgent_1', 'data': array([0.98228725]), 'senderType':  
    ↪'MultiGeneratorAgent', 'channel': 'cosine'}  
[2021-07-01 15:01:56.203192] (MonitorAgent_1): Tproc: 0.005025  
[2021-07-01 15:01:56.194134] (MultiOutputMathAgent_1): Pack time: 0.001021
```

(continues on next page)

(continued from previous page)

```
[2021-07-01 15:01:56.196129] (MultiOutputMathAgent_1): Sending: {'cosine_minus':_
↪array([0.48228725])}
[2021-07-01 15:01:56.196786] (MultiOutputMathAgent_1): Tproc: 0.003774
[2021-07-01 15:01:57.181941] (MultiGeneratorAgent_1): Pack time: 0.001002
[2021-07-01 15:01:57.187711] (MultiOutputMathAgent_1): Received: {'from':_
↪'MultiGeneratorAgent_1', 'data': array([0.58778525]), 'senderType':_
↪'MultiGeneratorAgent', 'channel': 'sine'}
[2021-07-01 15:01:57.201793] (MonitorAgent_1): Received: {'from':_
↪'MultiOutputMathAgent_1', 'data': {'sine_plus': array([1.08778525])}, 'senderType':_
↪'MultiOutputMathAgent', 'channel': 'default'}
[2021-07-01 15:01:57.184197] (MultiGeneratorAgent_1): Sending: [0.58778525]
[2021-07-01 15:01:57.193170] (MultiOutputMathAgent_1): Pack time: 0.004933
[2021-07-01 15:01:57.207510] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {_
↪'sine_plus': array([0.5      , 1.08778525, 1.45105652, 1.45105652, 1.08778525]),_
↪'cosine_minus': array([0.5      , 0.49802673, 0.4921147 , 0.48228725])}}
[2021-07-01 15:01:57.193366] (MultiGeneratorAgent_1): Pack time: 0.008673
[2021-07-01 15:01:57.194990] (MultiOutputMathAgent_1): Sending: {'sine_plus':_
↪array([1.08778525])}
[2021-07-01 15:01:57.208243] (MonitorAgent_1): Tproc: 0.005928
[2021-07-01 15:01:57.194990] (MultiGeneratorAgent_1): Sending: [0.96858316]
[2021-07-01 15:01:57.195499] (MultiOutputMathAgent_1): Tproc: 0.007365
[2021-07-01 15:01:57.213668] (MonitorAgent_1): Received: {'from':_
↪'MultiOutputMathAgent_1', 'data': {'cosine_minus': array([0.46858316])}, 'senderType':_
↪'MultiOutputMathAgent', 'channel': 'default'}
[2021-07-01 15:01:57.219609] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {_
↪'sine_plus': array([0.5      , 1.08778525, 1.45105652, 1.45105652, 1.08778525]),_
↪'cosine_minus': array([0.5      , 0.49802673, 0.4921147 , 0.48228725, 0.46858316])}}
[2021-07-01 15:01:57.199423] (MultiOutputMathAgent_1): Received: {'from':_
↪'MultiGeneratorAgent_1', 'data': array([0.96858316]), 'senderType':_
↪'MultiGeneratorAgent', 'channel': 'cosine'}
[2021-07-01 15:01:57.220649] (MonitorAgent_1): Tproc: 0.006413
[2021-07-01 15:01:57.202937] (MultiOutputMathAgent_1): Pack time: 0.002508
[2021-07-01 15:01:57.205253] (MultiOutputMathAgent_1): Sending: {'cosine_minus':_
↪array([0.46858316])}
[2021-07-01 15:01:57.206416] (MultiOutputMathAgent_1): Tproc: 0.006076
[2021-07-01 15:01:58.181290] (MultiGeneratorAgent_1): Pack time: 0.000689
[2021-07-01 15:01:58.183351] (MultiGeneratorAgent_1): Sending: [1.2246468e-16]
[2021-07-01 15:01:58.184399] (MultiOutputMathAgent_1): Received: {'from':_
↪'MultiGeneratorAgent_1', 'data': array([1.2246468e-16]), 'senderType':_
↪'MultiGeneratorAgent', 'channel': 'sine'}
[2021-07-01 15:01:58.191755] (MonitorAgent_1): Received: {'from':_
↪'MultiOutputMathAgent_1', 'data': {'sine_plus': array([0.5])}, 'senderType':_
↪'MultiOutputMathAgent', 'channel': 'default'}
[2021-07-01 15:01:58.187102] (MultiGeneratorAgent_1): Pack time: 0.002899
[2021-07-01 15:01:58.197160] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {_
↪'sine_plus': array([0.5      , 1.08778525, 1.45105652, 1.45105652, 1.08778525,_
0.5      ]), 'cosine_minus': array([0.5      , 0.49802673, 0.4921147 , 0.48228725,_
0.46858316])}}
[2021-07-01 15:01:58.188956] (MultiOutputMathAgent_1): Pack time: 0.000701
[2021-07-01 15:01:58.192717] (MultiGeneratorAgent_1): Sending: [0.95105652]
[2021-07-01 15:01:58.190516] (MultiOutputMathAgent_1): Sending: {'sine_plus':_
↪array([0.5])}
[2021-07-01 15:01:58.197707] (MonitorAgent_1): Tproc: 0.004917
[2021-07-01 15:01:58.200727] (MonitorAgent_1): Received: {'from':_
↪'MultiOutputMathAgent_1', 'data': {'cosine_minus': array([0.45105652])}, 'senderType':_
↪'MultiOutputMathAgent', 'channel': 'default'}
```

(continues on next page)

(continued from previous page)

```
[2021-07-01 15:01:58.190927] (MultiOutputMathAgent_1): Tproc: 0.002815
[2021-07-01 15:01:58.207440] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {
    ↪'sine_plus': array([0.5           , 1.08778525, 1.45105652, 1.45105652, 1.08778525,
        0.5           ]), 'cosine_minus': array([0.5           , 0.49802673, 0.4921147 , 0.
    ↪48228725, 0.46858316,
        0.45105652])}}
[2021-07-01 15:01:58.194263] (MultiOutputMathAgent_1): Received: {'from':
    ↪'MultiGeneratorAgent_1', 'data': array([0.95105652]), 'senderType':
    ↪'MultiGeneratorAgent', 'channel': 'cosine'}
[2021-07-01 15:01:58.208510] (MonitorAgent_1): Tproc: 0.007011
[2021-07-01 15:01:58.196419] (MultiOutputMathAgent_1): Pack time: 0.001563
[2021-07-01 15:01:58.198945] (MultiOutputMathAgent_1): Sending: {'cosine_minus':_
    ↪array([0.45105652])}
[2021-07-01 15:01:58.201557] (MultiOutputMathAgent_1): Tproc: 0.006677
[2021-07-01 15:01:59.180793] (MultiGeneratorAgent_1): Pack time: 0.000552
[2021-07-01 15:01:59.182349] (MultiGeneratorAgent_1): Sending: [-0.58778525]
[2021-07-01 15:01:59.183520] (MultiOutputMathAgent_1): Received: {'from':
    ↪'MultiGeneratorAgent_1', 'data': array([-0.58778525]), 'senderType':
    ↪'MultiGeneratorAgent', 'channel': 'sine'}
[2021-07-01 15:01:59.190572] (MonitorAgent_1): Received: {'from':
    ↪'MultiOutputMathAgent_1', 'data': {'sine_plus': array([-0.08778525])}, 'senderType':
    ↪'MultiOutputMathAgent', 'channel': 'default'}
[2021-07-01 15:01:59.183271] (MultiGeneratorAgent_1): Pack time: 0.000478
[2021-07-01 15:01:59.184681] (MultiOutputMathAgent_1): Pack time: 0.000554
[2021-07-01 15:01:59.197807] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {
    ↪'sine_plus': array([ 0.5           , 1.08778525, 1.45105652, 1.45105652, 1.08778525,
        0.5           , -0.08778525]), 'cosine_minus': array([0.5           , 0.49802673, 0.
    ↪4921147 , 0.48228725, 0.46858316,
        0.45105652])}}
[2021-07-01 15:01:59.185007] (MultiGeneratorAgent_1): Sending: [0.92977649]
[2021-07-01 15:01:59.186423] (MultiOutputMathAgent_1): Sending: {'sine_plus': array([-_
    ↪0.08778525])}
[2021-07-01 15:01:59.198320] (MonitorAgent_1): Tproc: 0.007246
[2021-07-01 15:01:59.201333] (MonitorAgent_1): Received: {'from':
    ↪'MultiOutputMathAgent_1', 'data': {'cosine_minus': array([0.42977649])}, 'senderType':
    ↪'MultiOutputMathAgent', 'channel': 'default'}
[2021-07-01 15:01:59.186874] (MultiOutputMathAgent_1): Tproc: 0.002855
[2021-07-01 15:01:59.207784] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {
    ↪'sine_plus': array([ 0.5           , 1.08778525, 1.45105652, 1.45105652, 1.08778525,
        0.5           , -0.08778525]), 'cosine_minus': array([0.5           , 0.49802673, 0.
    ↪4921147 , 0.48228725, 0.46858316,
        0.45105652, 0.42977649])}}
[2021-07-01 15:01:59.189887] (MultiOutputMathAgent_1): Received: {'from':
    ↪'MultiGeneratorAgent_1', 'data': array([0.92977649]), 'senderType':
    ↪'MultiGeneratorAgent', 'channel': 'cosine'}
[2021-07-01 15:01:59.208882] (MonitorAgent_1): Tproc: 0.006219
[2021-07-01 15:01:59.192005] (MultiOutputMathAgent_1): Pack time: 0.001011
[2021-07-01 15:01:59.193943] (MultiOutputMathAgent_1): Sending: {'cosine_minus':_
    ↪array([0.42977649])}
[2021-07-01 15:01:59.194633] (MultiOutputMathAgent_1): Tproc: 0.003875
[2021-07-01 15:02:00.181478] (MultiGeneratorAgent_1): Pack time: 0.000776
[2021-07-01 15:02:00.184191] (MultiGeneratorAgent_1): Sending: [-0.95105652]
[2021-07-01 15:02:00.197991] (MultiGeneratorAgent_1): Pack time: 0.013129
[2021-07-01 15:02:00.187946] (MultiOutputMathAgent_1): Received: {'from':
    ↪'MultiGeneratorAgent_1', 'data': array([-0.95105652]), 'senderType':
    ↪'MultiGeneratorAgent', 'channel': 'sine'}
[2021-07-01 15:02:00.207903] (MonitorAgent_1): Received: {'from':
    ↪'MultiOutputMathAgent_1', 'data': {'sine_plus': array([-0.45105652])}, (continues on next page)
    ↪'MultiOutputMathAgent', 'channel': 'default'}
```

(continued from previous page)

```
[2021-07-01 15:02:00.205156] (MultiGeneratorAgent_1): Sending: [0.90482705]
[2021-07-01 15:02:00.190476] (MultiOutputMathAgent_1): Pack time: 0.000718
[2021-07-01 15:02:00.229208] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {
    'sine_plus': array([ 0.5           , 1.08778525, 1.45105652, 1.45105652, 1.08778525,
        0.5           , -0.08778525, -0.45105652]), 'cosine_minus': array([0.5           ,
        0.49802673, 0.4921147 , 0.48228725, 0.46858316,
        0.45105652, 0.42977649])}}
[2021-07-01 15:02:00.229840] (MonitorAgent_1): Tproc: 0.021469
[2021-07-01 15:02:00.196944] (MultiOutputMathAgent_1): Sending: {'sine_plus': array([-0.45105652])}
[2021-07-01 15:02:00.232820] (MonitorAgent_1): Received: {'from':
    'MultiOutputMathAgent_1', 'data': {'cosine_minus': array([0.40482705])}, 'senderType':
    'MultiOutputMathAgent', 'channel': 'default'}
[2021-07-01 15:02:00.201511] (MultiOutputMathAgent_1): Tproc: 0.011616
[2021-07-01 15:02:00.241196] (MonitorAgent_1): Buffer: {'MultiOutputMathAgent_1': {
    'sine_plus': array([ 0.5           , 1.08778525, 1.45105652, 1.45105652, 1.08778525,
        0.5           , -0.08778525, -0.45105652]), 'cosine_minus': array([0.5           ,
        0.49802673, 0.4921147 , 0.48228725, 0.46858316,
        0.45105652, 0.42977649, 0.40482705])}}
[2021-07-01 15:02:00.221224] (MultiOutputMathAgent_1): Received: {'from':
    'MultiGeneratorAgent_1', 'data': array([0.90482705]), 'senderType':
    'MultiGeneratorAgent', 'channel': 'cosine'}
[2021-07-01 15:02:00.241435] (MonitorAgent_1): Tproc: 0.007897
[2021-07-01 15:02:00.223049] (MultiOutputMathAgent_1): Pack time: 0.000661
[2021-07-01 15:02:00.224864] (MultiOutputMathAgent_1): Sending: {'cosine_minus': array([0.40482705])}
[2021-07-01 15:02:00.225436] (MultiOutputMathAgent_1): Tproc: 0.003688
```

## 16.4 Tutorial 4 - A metrological datastream

In this tutorial we introduce the new metrologically enabled agents. We initialize an agent, which generates an infinite sine signal. The signal is generated from the built-in class `MetrologicalSineGenerator` which delivers on each call one timestamp and one value each with associated uncertainties.

The `MetrologicalSineGeneratorAgent` is based on the new class `agentMET4FOF.metrological_agents.MetrologicalAgent`. We only adapt the methods `init_parameters()` and `agent_loop()`. This we need to hand over an instance of the signal generating class and to generate the actual samples. The rest of the buffering and plotting logic is encapsulated inside of the new base classes.

```
[2]: # %load tutorial_4_metrological_streams.py
from agentMET4FOF.agents import AgentNetwork
from agentMET4FOF.metrological_agents import MetrologicalAgent, MetrologicalMonitorAgent
from agentMET4FOF.metrological_streams import (
    MetrologicalDataStreamMET4FOF,
    MetrologicalSineGenerator,
)

class MetrologicalSineGeneratorAgent(MetrologicalAgent):
    """An agent streaming a sine signal

    Takes samples from an instance of :py:class:`MetrologicalSineGenerator` and pushes them sample by sample to connected agents via its output channel.
    """

    def __init__(self, *args, **kwargs):
        super().__init__(*args, **kwargs)
        self.sine_gen = MetrologicalSineGenerator()
        self.datastream = MetrologicalDataStreamMET4FOF(self.sine_gen, self)

    def agent_loop(self):
        while True:
            sample = self.sine_gen.get_sample()
            self.datastream.push_sample(sample)
```

(continues on next page)

(continued from previous page)

```

"""
# The datatype of the stream will be MetrologicalSineGenerator.
_stream: MetrologicalDataStreamMET4FOF

def init_parameters(
    self,
    signal: MetrologicalDataStreamMET4FOF = MetrologicalSineGenerator(),
    **kwargs
):
    """Initialize the input data stream

    Parameters
    -----
    signal : MetrologicalDataStreamMET4FOF
        the underlying signal for the generator
    """
    self._stream = signal
    super().init_parameters()
    self.set_output_data(channel="default", metadata=self._stream.metadata)

def agent_loop(self):
    """Model the agent's behaviour

    On state *Running* the agent will extract sample by sample the input
    datastream's content and push it into its output buffer.
    """
    if self.current_state == "Running":
        self.set_output_data(channel="default", data=[self._stream.next_sample()])
        super().agent_loop()

def demonstrate_metrological_stream():
    # start agent network server
    agent_network = AgentNetwork(dashboard_modules=True)

    # Initialize signal generating class outside of agent framework.
    signal = MetrologicalSineGenerator()

    # Initialize metrologically enabled agent taking name from signal source metadata.
    source_name = signal.metadata["device_id"]
    source_agent = agent_network.add_agent(
        name=source_name, agentType=MetrologicalSineGeneratorAgent
    )
    source_agent.init_parameters(signal)

    # Initialize metrologically enabled plotting agent.
    monitor_agent = agent_network.add_agent(
        "MonitorAgent",
        agentType=MetrologicalMonitorAgent,
        buffer_size=50,
    )

    # Bind agents.
    source_agent.bind_output(monitor_agent)

```

(continues on next page)

(continued from previous page)

```

# Set all agents states to "Running".
agent_network.set_running_state()

# Allow for shutting down the network after execution.
return agent_network

if __name__ == "__main__":
    demonstrate_metrological_stream()

Starting NameServer...
Broadcast server running on 0.0.0.0:9091
NS running on 127.0.0.1:3333 (127.0.0.1)
URI = PYRO:Pyro.NameServer@127.0.0.1:3333

-----
| Your agent network is starting up. Open your browser and visit the agentMET4FOF dashboard on http://127.0.0.1:8050/
| -----
INFO [2021-02-05 19:24:37.900901] (SineGenerator): INITIALIZED
INFO [2021-02-05 19:24:37.939928] (MonitorAgent): INITIALIZED
[2021-02-05 19:24:37.955210] (SineGenerator): Connected output module: MonitorAgent
SET STATE: Running
[2021-02-05 19:24:38.907664] (SineGenerator): Pack time: 0.000336
[2021-02-05 19:24:38.909019] (SineGenerator): Sending: [array([[0.        , 0.        , 0.68494649, 0.25      ]]), <time_series_metadata.scheme.MetaData object at 0x7f424e871730>]
[2021-02-05 19:24:38.910202] (MonitorAgent): Received: {'from': 'SineGenerator', 'data': array([[0.        , 0.        , 0.68494649, 0.25      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f424e822bb0>, 'senderType': 'MetrologicalSineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:24:38.911237] (MonitorAgent): Buffer: {'SineGenerator': {'data': array([[0.        , 0.        , 0.68494649, 0.25      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f424e822bb0>}}
[2021-02-05 19:24:38.911459] (MonitorAgent): Tproc: 0.000968
[2021-02-05 19:24:39.907438] (SineGenerator): Pack time: 0.000403
[2021-02-05 19:24:39.909067] (MonitorAgent): Received: {'from': 'SineGenerator', 'data': array([[0.002      , 0.        , 0.42028269, 0.25      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f424e822c70>, 'senderType': 'MetrologicalSineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:24:39.908668] (SineGenerator): Sending: [array([[0.002      , 0.        , 0.42028269, 0.25      ]]), <time_series_metadata.scheme.MetaData object at 0x7f424e871730>]
[2021-02-05 19:24:39.910652] (MonitorAgent): Buffer: {'SineGenerator': {'data': array([[0.        , 0.        , 0.68494649, 0.25      ], [0.002      , 0.        , 0.42028269, 0.25      ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7f424e822bb0>, <time_series_metadata.scheme.MetaData object at 0x7f424e822c70>]}}
[2021-02-05 19:24:39.911060] (MonitorAgent): Tproc: 0.001731
[2021-02-05 19:24:40.908816] (SineGenerator): Pack time: 0.000738
[2021-02-05 19:24:40.912960] (SineGenerator): Sending: [array([[0.004      , 0.        , 1.54415656, 0.25      ]]), <time_series_metadata.scheme.MetaData object at 0x7f424e871730>]
[2021-02-05 19:24:40.913508] (MonitorAgent): Received: {'from': 'SineGenerator', 'data': array([[0.004      , 0.        , 1.54415656, 0.25      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f424e822ca0>, 'senderType': 'MetrologicalSineGeneratorAgent', 'channel': 'default'}
```

(continues on next page)

(continued from previous page)

```
[2021-02-05 19:24:40.917793] (MonitorAgent): Buffer: {'SineGenerator': {'data': [
    [0.000, 0.0, 0.68494649, 0.25],
    [0.002, 0.0, 0.42028269, 0.25],
    [0.004, 0.0, 1.54415656, 0.25]
]}, 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7f424e822bb0>, <time_series_metadata.scheme.MetaData object at 0x7f424e822c70>, <time_series_metadata.scheme.MetaData object at 0x7f424e822ca0>]}}
[2021-02-05 19:24:40.919608] (MonitorAgent): Tproc: 0.005357
[2021-02-05 19:24:41.907632] (SineGenerator): Pack time: 0.000437
[2021-02-05 19:24:41.909056] (SineGenerator): Sending: [array([[0.006, 0.0, 0.9256774, 0.25]]), <time_series_metadata.scheme.MetaData object at 0x7f424e871730>]
[2021-02-05 19:24:41.909673] (MonitorAgent): Received: {'from': 'SineGenerator', 'data': array([[0.006, 0.0, 0.9256774, 0.25]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7f424e822d00>, 'senderType': 'MetrologicalSineGeneratorAgent', 'channel': 'default']}
[2021-02-05 19:24:41.913785] (MonitorAgent): Buffer: {'SineGenerator': {'data': [
    [0.000, 0.0, 0.68494649, 0.25],
    [0.002, 0.0, 0.42028269, 0.25],
    [0.004, 0.0, 1.54415656, 0.25],
    [0.006, 0.0, 0.9256774, 0.25]
]}, 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7f424e822bb0>, <time_series_metadata.scheme.MetaData object at 0x7f424e822c70>, <time_series_metadata.scheme.MetaData object at 0x7f424e822ca0>, <time_series_metadata.scheme.MetaData object at 0x7f424e822d00>]}}
[2021-02-05 19:24:41.914125] (MonitorAgent): Tproc: 0.004137
[2021-02-05 19:24:42.909007] (SineGenerator): Pack time: 0.000784
[2021-02-05 19:24:42.911438] (SineGenerator): Sending: [array([[0.008, 0.0, 1.12170929, 0.25]]), <time_series_metadata.scheme.MetaData object at 0x7f424e871730>]
[2021-02-05 19:24:42.913822] (MonitorAgent): Received: {'from': 'SineGenerator', 'data': array([[0.008, 0.0, 1.12170929, 0.25]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7f424e822490>, 'senderType': 'MetrologicalSineGeneratorAgent', 'channel': 'default']}
[2021-02-05 19:24:42.920323] (MonitorAgent): Buffer: {'SineGenerator': {'data': [
    [0.000, 0.0, 0.68494649, 0.25],
    [0.002, 0.0, 0.42028269, 0.25],
    [0.004, 0.0, 1.54415656, 0.25],
    [0.006, 0.0, 0.9256774, 0.25],
    [0.008, 0.0, 1.12170929, 0.25]
]}, 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7f424e822bb0>, <time_series_metadata.scheme.MetaData object at 0x7f424e822c70>, <time_series_metadata.scheme.MetaData object at 0x7f424e822ca0>, <time_series_metadata.scheme.MetaData object at 0x7f424e822d00>, <time_series_metadata.scheme.MetaData object at 0x7f424e822490>]}}
[2021-02-05 19:24:42.921078] (MonitorAgent): Tproc: 0.006613
```

## 16.5 Tutorial 5 - Building coalitions

We demonstrate the use of Coalition of agents to group agents together. Rationale of grouping depends on the users and application. For example, we can group sensors which are measuring the same measurand. To this end, the coalition consists of a list of agent names and provides aesthetic differences in the dashboard.

All coalitions visible by the `agent_network` can be accessed via `agent_network.coalitions`.

```
[1]: # %load tutorial_5_coalition.py
from agentMET4FOF.agents import AgentNetwork, MonitorAgent, SineGeneratorAgent

def demonstrate_generator_agent_use():
    # Start agent network server.
    agent_network = AgentNetwork()

    # Initialize agents by adding them to the agent network.
    gen_agent_1 = agent_network.add_agent(agentType=SineGeneratorAgent)
    gen_agent_2 = agent_network.add_agent(agentType=SineGeneratorAgent)
    monitor_agent = agent_network.add_agent(agentType=MonitorAgent)

    # bind generator agents outputs to monitor
    agent_network.bind_agents(gen_agent_1, monitor_agent)
    agent_network.bind_agents(gen_agent_2, monitor_agent)

    # setup health coalition group
    agent_network.add_coalition(
        "REDUNDANT_SENSORS", [gen_agent_1, gen_agent_2, monitor_agent]
    )

    # Set all agents' states to "Running".
    agent_network.set_running_state()

    # Allow for shutting down the network after execution
    return agent_network

if __name__ == "__main__":
    demonstrate_generator_agent_use()

Starting NameServer...
Broadcast server running on 0.0.0.0:9091
NS running on 127.0.0.1:3333 (127.0.0.1)
URI = PYRO:Pyro.NameServer@127.0.0.1:3333

-----
|                               |
| Your agent network is starting up. Open your browser and | 
| visit the agentMET4FOF dashboard on http://127.0.0.1:8050/ | 
|                               |
-----

INFO [2021-02-05 19:34:50.491737] (SineGeneratorAgent_1): INITIALIZED
INFO [2021-02-05 19:34:50.524928] (SineGeneratorAgent_2): INITIALIZED
INFO [2021-02-05 19:34:50.557538] (MonitorAgent_1): INITIALIZED
[2021-02-05 19:34:50.574726] (SineGeneratorAgent_1): Connected output module: ↵
 ↵MonitorAgent_1
[2021-02-05 19:34:50.583164] (SineGeneratorAgent_2): Connected output module: ↵
 ↵MonitorAgent_1
SET STATE: Running
[2021-02-05 19:34:51.499491] (SineGeneratorAgent_1): Pack time: 0.001512
[2021-02-05 19:34:51.502797] (SineGeneratorAgent_1): Sending: [0.]
[2021-02-05 19:34:51.507439] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:34:51.543076] (SineGeneratorAgent_2): Pack time: 0.002763
```

(continues on next page)

(continued from previous page)

```
[2021-02-05 19:34:51.509952] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0.])}  
[2021-02-05 19:34:51.546875] (SineGeneratorAgent_2): Sending: [0.]  
[2021-02-05 19:34:51.511171] (MonitorAgent_1): Tproc: 0.002834  
[2021-02-05 19:34:51.544997] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_  
↪2', 'data': array([0.]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}  
[2021-02-05 19:34:51.554497] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0.]), 'SineGeneratorAgent_2': array([0.])}  
[2021-02-05 19:34:51.555370] (MonitorAgent_1): Tproc: 0.009853  
[2021-02-05 19:34:52.495894] (SineGeneratorAgent_1): Pack time: 0.00018  
[2021-02-05 19:34:52.496930] (SineGeneratorAgent_1): Sending: [0.06279052]  
[2021-02-05 19:34:52.497336] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_  
↪1', 'data': array([0.06279052]), 'senderType': 'SineGeneratorAgent', 'channel':  
↪'default'}  
[2021-02-05 19:34:52.498583] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0. , 0.06279052]), 'SineGeneratorAgent_2': array([0.])}  
[2021-02-05 19:34:52.498796] (MonitorAgent_1): Tproc: 0.001265  
[2021-02-05 19:34:52.528407] (SineGeneratorAgent_2): Pack time: 0.000181  
[2021-02-05 19:34:52.529454] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_  
↪2', 'data': array([0.06279052]), 'senderType': 'SineGeneratorAgent', 'channel':  
↪'default'}  
[2021-02-05 19:34:52.529242] (SineGeneratorAgent_2): Sending: [0.06279052]  
[2021-02-05 19:34:52.530661] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0. , 0.06279052]), 'SineGeneratorAgent_2': array([0. , 0.  
↪06279052])}  
[2021-02-05 19:34:52.530827] (MonitorAgent_1): Tproc: 0.001183  
[2021-02-05 19:34:53.496614] (SineGeneratorAgent_1): Pack time: 0.000331  
[2021-02-05 19:34:53.497841] (SineGeneratorAgent_1): Sending: [0.12533323]  
[2021-02-05 19:34:53.499000] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_  
↪1', 'data': array([0.12533323]), 'senderType': 'SineGeneratorAgent', 'channel':  
↪'default'}  
[2021-02-05 19:34:53.535469] (SineGeneratorAgent_2): Pack time: 0.000494  
[2021-02-05 19:34:53.503180] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0. , 0.06279052, 0.12533323]), 'SineGeneratorAgent_2': array([0.  
↪, 0.06279052])}  
[2021-02-05 19:34:53.537256] (SineGeneratorAgent_2): Sending: [0.12533323]  
[2021-02-05 19:34:53.503676] (MonitorAgent_1): Tproc: 0.004153  
[2021-02-05 19:34:53.541731] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_  
↪2', 'data': array([0.12533323]), 'senderType': 'SineGeneratorAgent', 'channel':  
↪'default'}  
[2021-02-05 19:34:53.545969] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0. , 0.06279052, 0.12533323]), 'SineGeneratorAgent_2': array([0.  
↪, 0.06279052, 0.12533323])}  
[2021-02-05 19:34:53.554543] (MonitorAgent_1): Tproc: 0.011906  
NS shut down.  
[2021-02-05 19:34:54.497690] (SineGeneratorAgent_1): Pack time: 0.000662  
[2021-02-05 19:34:54.504170] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_  
↪1', 'data': array([0.18738131]), 'senderType': 'SineGeneratorAgent', 'channel':  
↪'default'}  
[2021-02-05 19:34:54.502583] (SineGeneratorAgent_1): Sending: [0.18738131]  
[2021-02-05 19:34:54.515421] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':  
↪array([0. , 0.06279052, 0.12533323, 0.18738131]), 'SineGeneratorAgent_2':  
↪array([0. , 0.06279052, 0.12533323])}  
[2021-02-05 19:34:54.528529] (SineGeneratorAgent_2): Pack time: 0.000237  
[2021-02-05 19:34:54.529196] (SineGeneratorAgent_2): Sending: [0.18738131]  
[2021-02-05 19:34:54.519541] (MonitorAgent_1): Tproc: 0.014505  
[2021-02-05 19:34:54.531254] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_  
↪2', 'data': array([0.18738131]), 'senderType': 'SineGeneratorAgent', 'continues on next page'  
↪'default'}
```

(continued from previous page)

```
[2021-02-05 19:34:54.532868] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':_
↪array([0.          , 0.06279052, 0.12533323, 0.18738131]), 'SineGeneratorAgent_2':_
↪array([0.          , 0.06279052, 0.12533323, 0.18738131])}
[2021-02-05 19:34:54.533451] (MonitorAgent_1): Tproc: 0.001834
[2021-02-05 19:34:55.497332] (SineGeneratorAgent_1): Pack time: 0.00057
[2021-02-05 19:34:55.499010] (SineGeneratorAgent_1): Sending: [0.24868989]
[2021-02-05 19:34:55.500133] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.24868989]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:34:55.533920] (SineGeneratorAgent_2): Pack time: 0.001052
[2021-02-05 19:34:55.538313] (SineGeneratorAgent_2): Sending: [0.24868989]
[2021-02-05 19:34:55.503852] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':_
↪array([0.          , 0.06279052, 0.12533323, 0.18738131, 0.24868989]),_
↪'SineGeneratorAgent_2': array([0.          , 0.06279052, 0.12533323, 0.18738131])}
[2021-02-05 19:34:55.504382] (MonitorAgent_1): Tproc: 0.003753
[2021-02-05 19:34:55.538319] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_2', 'data': array([0.24868989]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:34:55.544134] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':_
↪array([0.          , 0.06279052, 0.12533323, 0.18738131, 0.24868989]),_
↪'SineGeneratorAgent_2': array([0.          , 0.06279052, 0.12533323, 0.18738131, 0.24868989])}
[2021-02-05 19:34:55.545007] (MonitorAgent_1): Tproc: 0.005636
[2021-02-05 19:34:56.496439] (SineGeneratorAgent_1): Pack time: 0.000345
[2021-02-05 19:34:56.499405] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.30901699]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:34:56.497380] (SineGeneratorAgent_1): Sending: [0.30901699]
[2021-02-05 19:34:56.503408] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':_
↪array([0.          , 0.06279052, 0.12533323, 0.18738131, 0.24868989,_
↪0.30901699]), 'SineGeneratorAgent_2': array([0.          , 0.06279052, 0.12533323, 0.18738131, 0.24868989])}
[2021-02-05 19:34:56.530998] (SineGeneratorAgent_2): Pack time: 0.000148
[2021-02-05 19:34:56.503616] (MonitorAgent_1): Tproc: 0.003954
[2021-02-05 19:34:56.531354] (SineGeneratorAgent_2): Sending: [0.30901699]
[2021-02-05 19:34:56.532137] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_2', 'data': array([0.30901699]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:34:56.532882] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':_
↪array([0.          , 0.06279052, 0.12533323, 0.18738131, 0.24868989,_
↪0.30901699]), 'SineGeneratorAgent_2': array([0.          , 0.06279052, 0.12533323, 0.18738131, 0.24868989,_
↪0.30901699])}
[2021-02-05 19:34:56.533007] (MonitorAgent_1): Tproc: 0.000751
[2021-02-05 19:34:57.497217] (SineGeneratorAgent_1): Pack time: 0.000607
[2021-02-05 19:34:57.498990] (SineGeneratorAgent_1): Sending: [0.36812455]
[2021-02-05 19:34:57.499886] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.36812455]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:34:57.529841] (SineGeneratorAgent_2): Pack time: 0.000718
[2021-02-05 19:34:57.505595] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1':_
↪array([0.          , 0.06279052, 0.12533323, 0.18738131, 0.24868989,_
↪0.30901699, 0.36812455]), 'SineGeneratorAgent_2': array([0.          , 0.06279052, 0.12533323, 0.18738131, 0.24868989,_
↪0.30901699])}
[2021-02-05 19:34:57.531642] (SineGeneratorAgent_2): Sending: [0.36812455]
[2021-02-05 19:34:57.506484] (MonitorAgent_1): Tproc: 0.006025
```

(continues on next page)

(continued from previous page)

```
[2021-02-05 19:34:57.548550] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_2', 'data': array([0.36812455]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:34:57.568741] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': array([0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699, 0.36812455]), 'SineGeneratorAgent_2': array([0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699, 0.36812455])}
[2021-02-05 19:34:57.570422] (MonitorAgent_1): Tproc: 0.021339
[2021-02-05 19:34:58.495766] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_1', 'data': array([0.42577929]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:34:58.496176] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': array([0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699, 0.36812455]), 'SineGeneratorAgent_2': array([0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699, 0.36812455])}
[2021-02-05 19:34:58.495362] (SineGeneratorAgent_1): Pack time: 7.8e-05
[2021-02-05 19:34:58.496226] (MonitorAgent_1): Tproc: 0.000388
[2021-02-05 19:34:58.495629] (SineGeneratorAgent_1): Sending: [0.42577929]
[2021-02-05 19:34:58.527965] (SineGeneratorAgent_2): Pack time: 9.5e-05
[2021-02-05 19:34:58.528730] (MonitorAgent_1): Received: {'from': 'SineGeneratorAgent_2', 'data': array([0.42577929]), 'senderType': 'SineGeneratorAgent', 'channel': 'default'}
[2021-02-05 19:34:58.528211] (SineGeneratorAgent_2): Sending: [0.42577929]
[2021-02-05 19:34:58.529372] (MonitorAgent_1): Buffer: {'SineGeneratorAgent_1': array([0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699, 0.36812455, 0.42577929]), 'SineGeneratorAgent_2': array([0.06279052, 0.12533323, 0.18738131, 0.24868989, 0.30901699, 0.36812455, 0.42577929])}
[2021-02-05 19:34:58.529423] (MonitorAgent_1): Tproc: 0.000622
```

## 16.6 Tutorial 6 - Using a different backend

By default, “osbrain” backend offers real connectivity between agents (each agent has its own port & IP address) in distributed systems (e.g connecting agents from raspberry pis to PCs, etc), which explains why it is harder to debug.

In the “mesa” backend, there’s only one real timer which is started in the AgentNetwork, and every timer tick will advance the agent actions by calling `step()` which includes `agent_loop` and `on_received_message`. Moreover, in the “mesa” backend, agents do not have their own port and IP addresses, they are simulated objects to emulate the behaviour of distributed agents. Hence, “osbrain” is closer to deployment phase, whereas mesa is suited for the simulation/designing phase. To switch between the backends, simply pass the `backend` parameter to either “mesa” or “osbrain” in the `AgentNetwork` instantiation.

```
[2]: # %load tutorial_6_mesa_backend.py
from agentMET4FOF.agents import AgentNetwork, MonitorAgent, SineGeneratorAgent

def demonstrate_mesa_backend():

    # Start agent network and specify backend via the corresponding keyword parameter.
    _agent_network = AgentNetwork(backend="mesa")

    # Initialize agents by adding them to the agent network.
```

(continues on next page)

(continued from previous page)

```

sine_agent = _agent_network.add_agent(agentType=SineGeneratorAgent)
monitor_agent = _agent_network.add_agent(agentType=MonitorAgent, buffer_size=200)
sine_agent.bind_output(monitor_agent)

# Set all agents states to "Running".
_agent_network.set_running_state()

return _agent_network

if __name__ == "__main__":
    demonstrate_mesa_backend()

```

```

-----
| Your agent network is starting up. Open your browser and
| visit the agentMET4FOF dashboard on http://127.0.0.1:8050/
|
[2021-02-05 19:39:41.143529] (SineGeneratorAgent_1): INITIALIZED
[2021-02-05 19:39:41.143892] (MonitorAgent_1): INITIALIZED
[2021-02-05 19:39:41.143941] (SineGeneratorAgent_1): Connected output module:_
 ↳ MonitorAgent_1
SET STATE: Running

```

## 16.7 Tutorial 7 - Generating signals using a generic metrological agent

In the present tutorial we demonstrate the creation of arbitrary metrologically enabled agents that generate signals according to a given function. agent network with three metrologically enabled agents, two of which are defined as objects of the MetrologicalGeneratorAgent class and the third is a single monitor agent that simultaneously plots the output of the first two agents. The first agent takes an input from an object of the MetrologicalSineGenerator class (ref. Tutorial 4) and the second from a MetrologicalMultiwaveGenerator object, which generates a signal given by a sum of cosines.

The *MetrologicalGeneratorAgent* is based on the *agentMET4FOF.metrological\_agents.MetrologicalAgent* class.

```
[3]: # %load tutorial_7_generic_metrological_agent.py
from agentMET4FOF.agents import AgentNetwork
from agentMET4FOF.metrological_agents import (
    MetrologicalMonitorAgent,
    MetrologicalGeneratorAgent,
)
from agentMET4FOF.metrological_streams import (
    MetrologicalSineGenerator,
    MetrologicalMultiWaveGenerator,
)

def demonstrate.metrological_stream():
    """Demonstrate an agent network with two metrologically enabled agents
```

(continues on next page)

(continued from previous page)

The agents are defined as objects of the :class:`MetrologicalGeneratorAgent` class whose outputs are bound to a single monitor agent.

The metrological agents generate signals from a sine wave and a multiwave generator source.

Returns

-----

```
:class:`AgentNetwork`
    The initialized and running agent network object
"""
# start agent network server
agent_network = AgentNetwork(dashboard_modules=True)

# Initialize metrologically enabled agent with a multiwave (sum of cosines)
# generator as signal source taking name from signal source metadata.
signal_multiwave = MetrologicalMultiWaveGenerator(
    quantity_names="Voltage", quantity_units="V"
)
source_name_multiwave = signal_multiwave.metadata["device_id"]
source_agent_multiwave = agent_network.add_agent(
    name=source_name_multiwave, agentType=MetrologicalGeneratorAgent
)
source_agent_multiwave.init_parameters(signal=signal_multiwave)

# Initialize second metrologically enabled agent with a sine generator as signal
# source taking name from signal source metadata.
signal_sine = MetrologicalSineGenerator()
source_name_sine = signal_sine.metadata["device_id"]
source_agent_sine = agent_network.add_agent(
    name=source_name_sine, agentType=MetrologicalGeneratorAgent
)
source_agent_sine.init_parameters(signal=signal_sine)

# Initialize metrologically enabled plotting agent.
monitor_agent = agent_network.add_agent(
    "MonitorAgent",
    agentType=MetrologicalMonitorAgent,
    buffer_size=50,
)

# Bind agents.
source_agent_multiwave.bind_output(monitor_agent)
source_agent_sine.bind_output(monitor_agent)

# Set all agents states to "Running".
agent_network.set_running_state()

# Allow for shutting down the network after execution.
return agent_network

if __name__ == "__main__":
    demonstrate_metrological_stream()
```

```
Starting NameServer...
Broadcast server running on 0.0.0.0:9091
NS running on 127.0.0.1:3333 (127.0.0.1)
URI = PYRO:Pyro.NameServer@127.0.0.1:3333

-----
| Your agent network is starting up. Open your browser and
| visit the agentMET4FOF dashboard on http://127.0.0.1:8050/
| -----
INFO [2021-06-04 08:55:23.204159] (MultiWaveDataGenerator): INITIALIZED
INFO [2021-06-04 08:55:23.239519] (SineGenerator): INITIALIZED
INFO [2021-06-04 08:55:23.264925] (MonitorAgent): INITIALIZED
[2021-06-04 08:55:23.281027] (MultiWaveDataGenerator): Connected output module: 
    ↳ MonitorAgent
[2021-06-04 08:55:23.287882] (SineGenerator): Connected output module: MonitorAgent
SET STATE: Running

/home/ludwig10/code/agentMET4FOF/agentMET4FOF/metrological_streams.py:135: 
    ↳ UserWarning:

No uncertainty generator function specified. Setting to default (constant).

[2021-06-04 08:55:24.215457] (MultiWaveDataGenerator): Pack time: 0.000883
[2021-06-04 08:55:24.221676] (MultiWaveDataGenerator): Sending: [array([[0.      , 0.28402764, 0.1      ]]), <time_series_metadata.scheme.MetaData object at 0x7fcb3440d3a0>]
[2021-06-04 08:55:24.224453] (MonitorAgent): Received: {'from': 'MultiWaveDataGenerator', 'data': array([[0.      , 0.28402764, 0.1      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fcb34407790>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-06-04 08:55:24.229078] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data': array([[0.      , 0.28402764, 0.1      ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34407790>]}}
[2021-06-04 08:55:24.230706] (MonitorAgent): Tproc: 0.00426
[2021-06-04 08:55:24.244909] (SineGenerator): Pack time: 0.000908
[2021-06-04 08:55:24.246596] (SineGenerator): Sending: [array([[0.      , 0.28402764, 0.1      ]]), <time_series_metadata.scheme.MetaData object at 0x7fcb34352730>]
[2021-06-04 08:55:24.246392] (MonitorAgent): Received: {'from': 'SineGenerator', 'data': array([[0.      , 0.28402764, 0.1      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fcb34412e20>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-06-04 08:55:24.247713] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data': array([[0.      , 0.28402764, 0.1      ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34407790>]}, 'SineGenerator': {'data': array([[0.      , 0.28402764, 0.1      ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34412e20>]}}
[2021-06-04 08:55:24.247870] (MonitorAgent): Tproc: 0.001326
[2021-06-04 08:55:25.208567] (MultiWaveDataGenerator): Pack time: 0.000196
[2021-06-04 08:55:25.209381] (MultiWaveDataGenerator): Sending: [array([[0.002      , 0.85706774, 0.1      ]]), <time_series_metadata.scheme.MetaData object at 0x7fcb3440d3a0>]
[2021-06-04 08:55:25.209775] (MonitorAgent): Received: {'from': 'MultiWaveDataGenerator', 'data': array([[0.002      , 0.85706774, 0.1      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fcb34412520>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
```

(continued from previous page)

```
[2021-06-04 08:55:25.211461] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data': array([[0.          , 0.          , 1.14201382, 0.1        ],  
           [0.002       , 0.          , 0.85706774, 0.1        ]]), 'metadata': <time_series_  
           metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.scheme.  
           MetaData object at 0x7fcb34412520>}}, 'SineGenerator': {'data': array([[0.          ,  
           0.28402764, 0.1        ]]), 'metadata': <time_series_metadata.scheme.  
           MetaData object at 0x7fcb34412e20>}}}  
[2021-06-04 08:55:25.211678] (MonitorAgent): Tproc: 0.001699  
[2021-06-04 08:55:25.242644] (SineGenerator): Pack time: 0.000117  
[2021-06-04 08:55:25.243075] (SineGenerator): Sending: [array([[0.002       , 0.  
           , 0.68388675, 0.1        ]]), <time_series_metadata.scheme.MetaData object at  
           0x7fcb34352730>]  
[2021-06-04 08:55:25.243264] (MonitorAgent): Received: {'from': 'SineGenerator', 'data':  
           array([[0.002       , 0.          , 0.68388675, 0.1        ]]), 'metadata': <time_<br>  
           series_metadata.scheme.MetaData object at 0x7fcb34412f40>, 'senderType':  
           'MetrologicalGeneratorAgent', 'channel': 'default'}  
[2021-06-04 08:55:25.244287] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data':  
           array([[0.          , 0.          , 1.14201382, 0.1        ],  
           [0.002       , 0.          , 0.85706774, 0.1        ]]), 'metadata': <time_series_  
           metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.scheme.  
           MetaData object at 0x7fcb34412520>}}, 'SineGenerator': {'data': array([[0.  
           , 0.28402764, 0.1        ],  
           [0.002       , 0.          , 0.68388675, 0.1        ]]), 'metadata': <time_series_  
           metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.scheme.  
           MetaData object at 0x7fcb34412f40>}}}  
[2021-06-04 08:55:25.244407] (MonitorAgent): Tproc: 0.001012  
NS shut down.  
[2021-06-04 08:55:26.211862] (MultiWaveDataGenerator): Pack time: 0.000771  
[2021-06-04 08:55:26.214571] (MultiWaveDataGenerator): Sending: [array([[0.004       ,  
           0.          , 0.36951548, 0.1        ]]), <time_series_metadata.scheme.MetaData object  
           at 0x7fcb3440d3a0>]  
[2021-06-04 08:55:26.215381] (MonitorAgent): Received: {'from':  
           'MultiWaveDataGenerator', 'data': array([[0.004       , 0.          , 0.36951548, 0.1  
           ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fcb34402160>  
           , 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}  
[2021-06-04 08:55:26.246395] (SineGenerator): Pack time: 0.001739  
[2021-06-04 08:55:26.2226046] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data':  
           array([[0.          , 0.          , 1.14201382, 0.1        ],  
           [0.002       , 0.          , 0.85706774, 0.1        ],  
           [0.004       , 0.          , 0.36951548, 0.1        ]]), 'metadata': <time_series_  
           metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.scheme.  
           MetaData object at 0x7fcb34412520>, <time_series_metadata.scheme.MetaData object at  
           0x7fcb34402160>}}, 'SineGenerator': {'data': array([[0.          , 0.  
           , 0.28402764, 0.1        ],  
           [0.002       , 0.          , 0.68388675, 0.1        ]]), 'metadata': <time_series_  
           metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.scheme.  
           MetaData object at 0x7fcb34412f40>}}}  
[2021-06-04 08:55:26.255335] (SineGenerator): Sending: [array([[0.004       , 0.  
           , 1.07205349, 0.1        ]]), <time_series_metadata.scheme.MetaData object at  
           0x7fcb34352730>]  
[2021-06-04 08:55:26.2226903] (MonitorAgent): Tproc: 0.007832  
[2021-06-04 08:55:26.258551] (MonitorAgent): Received: {'from': 'SineGenerator', 'data':  
           array([[0.004       , 0.          , 1.07205349, 0.1        ]]), 'metadata': <time_<br>  
           series_metadata.scheme.MetaData object at 0x7fcb34402af0>, 'senderType':  
           'MetrologicalGeneratorAgent', 'channel': 'default'}  
[2021-06-04 08:55:26.267521] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data':  
           array([[0.          , 0.          , 1.14201382, 0.1        ]],
```

(continues on next page)

(continued from previous page)

```

[0.002      , 0.          , 0.85706774, 0.1        ],
[0.004      , 0.          , 0.36951548, 0.1        ]]), 'metadata': [<time_series_
˓→metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fcb34412520>, <time_series_metadata.scheme.MetaData object at_.
˓→0x7fcb34402160>]], 'SineGenerator': {'data': array([[0.          , 0.          , 0.
˓→28402764, 0.1        ],
[0.002      , 0.          , 0.68388675, 0.1        ],
[0.004      , 0.          , 1.07205349, 0.1        ]]), 'metadata': [<time_series_
˓→metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fcb34412f40>, <time_series_metadata.scheme.MetaData object at_.
˓→0x7fcb34402af0>]]}
[2021-06-04 08:55:26.268465] (MonitorAgent): Tproc: 0.00931
[2021-06-04 08:55:27.211643] (MultiWaveDataGenerator): Pack time: 0.000733
[2021-06-04 08:55:27.214634] (MultiWaveDataGenerator): Sending: [array([[ 0.006      ,
˓→0.          , -0.23075114, 0.1        ]]), <time_series_metadata.scheme.MetaData_
˓→object at 0x7fcb3440d3a0>]
[2021-06-04 08:55:27.215842] (MonitorAgent): Received: {'from':
˓→'MultiWaveDataGenerator', 'data': array([[ 0.006      , 0.          ,
˓→-0.23075114, 0.1        ]]), 'metadata': <time_series_metadata.scheme.MetaData object at_.
˓→0x7fcb34402b50>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-06-04 08:55:27.245239] (SineGenerator): Pack time: 0.000761
[2021-06-04 08:55:27.248372] (SineGenerator): Sending: [array([[ 0.006      ,
˓→0.          , 1.10758822, 0.1        ]]), <time_series_metadata.scheme.MetaData object at_.
˓→0x7fcb34352730>]
[2021-06-04 08:55:27.232388] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data
˓→': array([[ 0.          , 0.          , 1.14201382, 0.1        ],
[ 0.002      , 0.          , 0.85706774, 0.1        ],
[ 0.004      , 0.          , 0.36951548, 0.1        ],
[ 0.006      , 0.          , -0.23075114, 0.1        ]]), 'metadata': [<time_
˓→series_metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.
˓→scheme.MetaData object at 0x7fcb34412520>, <time_series_metadata.scheme.MetaData_
˓→object at 0x7fcb34402160>, <time_series_metadata.scheme.MetaData object at_.
˓→0x7fcb34402b50>]], 'SineGenerator': {'data': array([[0.          , 0.          ,
˓→0.28402764, 0.1        ],
[0.002      , 0.          , 0.68388675, 0.1        ],
[0.004      , 0.          , 1.07205349, 0.1        ]]), 'metadata': [<time_series_
˓→metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fcb34412f40>, <time_series_metadata.scheme.MetaData object at_.
˓→0x7fcb34402af0>]]}
[2021-06-04 08:55:27.236935] (MonitorAgent): Tproc: 0.020195
[2021-06-04 08:55:27.254223] (MonitorAgent): Received: {'from': 'SineGenerator', 'data
˓→': array([[ 0.006      , 0.          , 1.10758822, 0.1        ]]), 'metadata': <time_
˓→series_metadata.scheme.MetaData object at 0x7fcb34402ac0>, 'senderType':
˓→'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-06-04 08:55:27.277781] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data
˓→': array([[ 0.          , 0.          , 1.14201382, 0.1        ],
[ 0.002      , 0.          , 0.85706774, 0.1        ],
[ 0.004      , 0.          , 0.36951548, 0.1        ],
[ 0.006      , 0.          , -0.23075114, 0.1        ]]), 'metadata': [<time_
˓→series_metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.
˓→scheme.MetaData object at 0x7fcb34412520>, <time_series_metadata.scheme.MetaData_
˓→object at 0x7fcb34402160>, <time_series_metadata.scheme.MetaData object at_.
˓→0x7fcb34402b50>]], 'SineGenerator': {'data': array([[0.          , 0.          ,
˓→0.28402764, 0.1        ],
[0.002      , 0.          , 0.68388675, 0.1        ],
[0.004      , 0.          , 1.07205349, 0.1        ],
[0.006      , 0.          , 1.10758822, 0.1        ]]), 'metadata': [<time_series_
˓→metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fcb34412f40>, <time_series_metadata.scheme.MetaData object at_.
˓→0x7fcb34402af0>]]}

```

(continues on next page)

(continued from previous page)

```
[2021-06-04 08:55:27.278651] (MonitorAgent): Tproc: 0.023881
[2021-06-04 08:55:28.211305] (MultiWaveDataGenerator): Pack time: 0.000477
[2021-06-04 08:55:28.212788] (MultiWaveDataGenerator): Sending: [array([[ 0.008 , -0.83424568,  0.1      ]]), <time_series_metadata.scheme.MetaData object at 0x7fcb3440d3a0>]
[2021-06-04 08:55:28.214757] (MonitorAgent): Received: {'from': 'MultiWaveDataGenerator', 'data': array([[ 0.008 ,  0.        , -0.83424568,  0.1      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fcb344029d0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-06-04 08:55:28.220546] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data': array([[ 0.        ,  0.        ,  1.14201382,  0.1      ],
   [ 0.002 ,  0.        ,  0.85706774,  0.1      ],
   [ 0.004 ,  0.        ,  0.36951548,  0.1      ],
   [ 0.006 ,  0.        , -0.23075114,  0.1      ],
   [ 0.008 ,  0.        , -0.83424568,  0.1      ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412520>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402160>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402b50>, <time_series_metadata.scheme.MetaData object at 0x7fcb344029d0>]}, 'SineGenerator': {'data': array([[ 0.        ,  0.        ,  0.28402764,  0.1      ],
   [ 0.002 ,  0.        ,  0.68388675,  0.1      ],
   [ 0.004 ,  0.        ,  1.07205349,  0.1      ],
   [ 0.006 ,  0.        ,  1.10758822,  0.1      ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412f40>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402af0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402ac0>]}}
[2021-06-04 08:55:28.221139] (MonitorAgent): Tproc: 0.006031
[2021-06-04 08:55:28.243869] (SineGenerator): Pack time: 0.000181
[2021-06-04 08:55:28.244381] (SineGenerator): Sending: [array([[ 0.008 ,  0.        ,
   0.53732789,  0.1      ]]), <time_series_metadata.scheme.MetaData object at 0x7fcb34352730>]
[2021-06-04 08:55:28.246182] (MonitorAgent): Received: {'from': 'SineGenerator', 'data': array([[ 0.008 ,  0.        ,  0.53732789,  0.1      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fcb34402a90>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-06-04 08:55:28.248224] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data': array([[ 0.        ,  0.        ,  1.14201382,  0.1      ],
   [ 0.002 ,  0.        ,  0.85706774,  0.1      ],
   [ 0.004 ,  0.        ,  0.36951548,  0.1      ],
   [ 0.006 ,  0.        , -0.23075114,  0.1      ],
   [ 0.008 ,  0.        , -0.83424568,  0.1      ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412520>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402160>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402b50>, <time_series_metadata.scheme.MetaData object at 0x7fcb344029d0>]}, 'SineGenerator': {'data': array([[ 0.        ,  0.        ,  0.28402764,  0.1      ],
   [ 0.002 ,  0.        ,  0.68388675,  0.1      ],
   [ 0.004 ,  0.        ,  1.07205349,  0.1      ],
   [ 0.006 ,  0.        ,  1.10758822,  0.1      ],
   [ 0.008 ,  0.        ,  0.53732789,  0.1      ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412f40>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402af0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402ac0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402a90>]}}
[2021-06-04 08:55:28.248419] (MonitorAgent): Tproc: 0.002012
[2021-06-04 08:55:29.210769] (MultiWaveDataGenerator): Pack time: 0.00045
[2021-06-04 08:55:29.214621] (MonitorAgent): Received: {'from': 'MultiWaveDataGenerator', 'data': array([[ 0.01      ,  0.        , -0.00045 ,  0.1      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fcb344029d0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
```

(continues on next page)

(continued from previous page)

```
[2021-06-04 08:55:29.211959] (MultiWaveDataGenerator): Sending: [array([[ 0.01      , 0.        , -0.99847908,  0.1       ]]), <time_series_metadata.scheme.MetaData object at 0x7fcb3440d3a0>]
[2021-06-04 08:55:29.221246] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data': array([[ 0.        , 0.        , 1.14201382,  0.1       ],
   [ 0.002      , 0.        , 0.85706774,  0.1       ],
   [ 0.004      , 0.        , 0.36951548,  0.1       ],
   [ 0.006      , 0.        , -0.23075114,  0.1       ],
   [ 0.008      , 0.        , -0.83424568,  0.1       ],
   [ 0.01       , 0.        , -0.99847908,  0.1       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412520>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402160>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402b50>, <time_series_metadata.scheme.MetaData object at 0x7fcb344029d0>, <time_series_metadata.scheme.MetaData object at 0x7fcb344029a0>]}, 'SineGenerator': {'data': array([[0.        , 0.        , 0.28402764,  0.1       ],
   [0.002      , 0.        , 0.68388675,  0.1       ],
   [0.004      , 0.        , 1.07205349,  0.1       ],
   [0.006      , 0.        , 1.10758822,  0.1       ],
   [0.008      , 0.        , 0.53732789,  0.1       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412f40>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402af0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402ac0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402a90>]}}
[2021-06-04 08:55:29.221505] (MonitorAgent): Tproc: 0.006553
[2021-06-04 08:55:29.242710] (SineGenerator): Pack time: 0.000168
[2021-06-04 08:55:29.243189] (SineGenerator): Sending: [array([[0.01      , 0.        ,
   0.00304184,  0.1       ]]), <time_series_metadata.scheme.MetaData object at 0x7fcb34352730>]
[2021-06-04 08:55:29.244172] (MonitorAgent): Received: {'from': 'SineGenerator', 'data': array([[0.01      , 0.        , 0.00304184,  0.1       ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fcb34407a00>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-06-04 08:55:29.246427] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data': array([[ 0.        , 0.        , 1.14201382,  0.1       ],
   [ 0.002      , 0.        , 0.85706774,  0.1       ],
   [ 0.004      , 0.        , 0.36951548,  0.1       ],
   [ 0.006      , 0.        , -0.23075114,  0.1       ],
   [ 0.008      , 0.        , -0.83424568,  0.1       ],
   [ 0.01       , 0.        , -0.99847908,  0.1       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412520>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402160>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402b50>, <time_series_metadata.scheme.MetaData object at 0x7fcb344029d0>, <time_series_metadata.scheme.MetaData object at 0x7fcb344029a0>]}, 'SineGenerator': {'data': array([[0.        , 0.        , 0.28402764,  0.1       ],
   [0.002      , 0.        , 0.68388675,  0.1       ],
   [0.004      , 0.        , 1.07205349,  0.1       ],
   [0.006      , 0.        , 1.10758822,  0.1       ],
   [0.008      , 0.        , 0.53732789,  0.1       ],
   [0.01       , 0.        , 0.00304184,  0.1       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412f40>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402af0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402ac0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402a90>]}}
[2021-06-04 08:55:29.246649] (MonitorAgent): Tproc: 0.002336
```

(continues on next page)

(continued from previous page)

```
[2021-06-04 08:55:30.208630] (MultiWaveDataGenerator): Pack time: 0.000272
[2021-06-04 08:55:30.209391] (MultiWaveDataGenerator): Sending: [array([[ 0.012      , 0.          , -0.82945933,  0.1        ]]), <time_series_metadata.scheme.MetaData object at 0x7fcb3440d3a0>]
[2021-06-04 08:55:30.209873] (MonitorAgent): Received: {'from': 'MultiWaveDataGenerator', 'data': array([[ 0.012      , 0.          , -0.82945933,  0.1        ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fcb34402a60>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-06-04 08:55:30.212460] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data': array([[ 0.          , 0.          , 1.14201382,  0.1        ],
   [ 0.002      , 0.          , 0.85706774,  0.1        ],
   [ 0.004      , 0.          , 0.36951548,  0.1        ],
   [ 0.006      , 0.          , -0.23075114,  0.1        ],
   [ 0.008      , 0.          , -0.83424568,  0.1        ],
   [ 0.01       , 0.          , -0.99847908,  0.1        ],
   [ 0.012      , 0.          , -0.82945933,  0.1        ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412520>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402160>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402b50>, <time_series_metadata.scheme.MetaData object at 0x7fcb344029d0>, <time_series_metadata.scheme.MetaData object at 0x7fcb344029a0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402a60>]}, 'SineGenerator': {'data': array([[0.          , 0.          , 0.28402764,  0.1        ],
   [0.002      , 0.          , 0.68388675,  0.1        ],
   [0.004      , 0.          , 1.07205349,  0.1        ],
   [0.006      , 0.          , 1.10758822,  0.1        ],
   [0.008      , 0.          , 0.53732789,  0.1        ],
   [0.01       , 0.          , 0.00304184,  0.1        ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412f40>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402af0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402ac0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402a90>, <time_series_metadata.scheme.MetaData object at 0x7fcb34407a00>]}}
[2021-06-04 08:55:30.212723] (MonitorAgent): Tproc: 0.002663
[2021-06-04 08:55:30.242541] (SineGenerator): Pack time: 0.000137
[2021-06-04 08:55:30.242887] (SineGenerator): Sending: [array([[ 0.012      , 0.          , -0.62866992,  0.1        ]]), <time_series_metadata.scheme.MetaData object at 0x7fcb34352730>]
[2021-06-04 08:55:30.243528] (MonitorAgent): Received: {'from': 'SineGenerator', 'data': array([[ 0.012      , 0.          , -0.62866992,  0.1        ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fcb34402a00>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-06-04 08:55:30.244778] (MonitorAgent): Buffer: {'MultiWaveDataGenerator': {'data': array([[ 0.          , 0.          , 1.14201382,  0.1        ],
   [ 0.002      , 0.          , 0.85706774,  0.1        ],
   [ 0.004      , 0.          , 0.36951548,  0.1        ],
   [ 0.006      , 0.          , -0.23075114,  0.1        ],
   [ 0.008      , 0.          , -0.83424568,  0.1        ],
   [ 0.01       , 0.          , -0.99847908,  0.1        ],
   [ 0.012      , 0.          , -0.82945933,  0.1        ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fcb34407790>, <time_series_metadata.scheme.MetaData object at 0x7fcb34412520>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402160>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402b50>, <time_series_metadata.scheme.MetaData object at 0x7fcb344029d0>, <time_series_metadata.scheme.MetaData object at 0x7fcb344029a0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402a60>]}, 'SineGenerator': {'data': array([[ 0.          , 0.          , 0.28402764,  0.1        ]],
```

(continues on next page)

(continued from previous page)

```
[ 0.002 , 0. , 0.68388675, 0.1 ],
[ 0.004 , 0. , 1.07205349, 0.1 ],
[ 0.006 , 0. , 1.10758822, 0.1 ],
[ 0.008 , 0. , 0.53732789, 0.1 ],
[ 0.01 , 0. , 0.00304184, 0.1 ],
[ 0.012 , 0. , -0.62866992, 0.1 ]]), 'metadata': [<time_
˓→series_metadata.scheme.MetaData object at 0x7fcb34412e20>, <time_series_metadata.
˓→scheme.MetaData object at 0x7fcb34412f40>, <time_series_metadata.scheme.MetaData_
˓→object at 0x7fcb34402af0>, <time_series_metadata.scheme.MetaData object at
˓→0x7fcb34402ac0>, <time_series_metadata.scheme.MetaData object at 0x7fcb34402a90>,
˓→<time_series_metadata.scheme.MetaData object at 0x7fcb34402a00>, <time_series_
˓→metadata.scheme.MetaData object at 0x7fcb34402a00>]{}}
[2021-06-04 08:55:30.244881] (MonitorAgent): Tproc: 0.001262
```

# CHAPTER 17

---

## Working with signals carrying redundant information

---

### 17.1 Redundancy Agent – Determining redundancy in several similar signals

In this tutorial we generate four signals and supply the data to a Redundancy Agent. The agent calculates the best consistent estimate taking into account the supplied uncertainties. It rejects sensor values that may be erroneous. In this presented use case the sensors directly measure the measurand.

At the start of the main module we define all important parameters. For detailed descriptions of the parameters please refer to the [docstrings of the respective methods](#). Then we define the agents and start the network. The network and the calculated results can be monitored in a browser at the address <http://127.0.0.1:8050/>.

```
[3]: # %load redundancy_agent_four_signals.py
import numpy as np

from agentMET4FOF.agents.metrological_base_agents import (
    MetrologicalMonitorAgent,
)
from agentMET4FOF.agents.metrological_redundancy_agents import RedundancyAgent
from agentMET4FOF.agents.metrological_signal_agents import (
    MetrologicalGeneratorAgent,
)
from agentMET4FOF.network import AgentNetwork
from agentMET4FOF.streams.metrological_signal_streams import (
    MetrologicalMultiWaveGenerator,
)

def demonstrate_redundancy_agent_four_signals():
    batch_size = 10
    n_pr = batch_size
    fsam = 100
    intercept = 10
```

(continues on next page)

(continued from previous page)

```

frequencies = [6, 10, 8, 12]
phases = [1, 2, 3, 4]
amplitudes = [0.3, 0.2, 0.5, 0.4]
exp_unc_abs = 0.2
probability_limit = 0.95

# start agent network server
agent_network: AgentNetwork = AgentNetwork(dashboard_modules=True)

# Initialize signal generating class outside of agent framework.
signal_arr = [
    MetrologicalMultiWaveGenerator(
        sfreq=fsam,
        freq_arr=np.array([frequency]),
        ampl_arr=np.array([amplitude]),
        phase_ini_arr=np.array([phase]),
        intercept=intercept,
        value_unc=exp_unc_abs,
    )
    for frequency, amplitude, phase in zip(frequencies, amplitudes, phases)
]

# Data source agents.
source_agents = []
sensor_key_list = []
for count, signal in enumerate(signal_arr):
    sensor_key_list += ["Sensor" + str(count + 1)]
    source_agents += [
        agent_network.add_agent(
            name=sensor_key_list[-1], agentType=MetrologicalGeneratorAgent
        )
    ]
    source_agents[-1].init_parameters(signal=signal, batch_size=batch_size)

# Redundant data processing agent
redundancy_name1 = "RedundancyAgent1"
redundancy_agent1 = agent_network.add_agent(
    name=redundancy_name1, agentType=RedundancyAgent
)
redundancy_agent1.init_parameters(
    sensor_key_list=sensor_key_list,
    n_pr=n_pr,
    problim=probability_limit,
    calc_type="lcs",
)

# Initialize metrologically enabled plotting agent.
monitor_agent1 = agent_network.add_agent(
    name="MonitorAgent_SensorValues", agentType=MetrologicalMonitorAgent
)
monitor_agent2 = agent_network.add_agent(
    name="MonitorAgent_RedundantEstimate", agentType=MetrologicalMonitorAgent
)

# Bind agents.
for source_agent in source_agents:
    source_agent.bind_output(monitor_agent1)

```

(continues on next page)

(continued from previous page)

```

source_agent.bind_output(redundancy_agent1)

redundancy_agent1.bind_output(monitor_agent2)

# Set all agents states to "Running".
agent_network.set_running_state()

# Allow for shutting down the network after execution.
return agent_network

if __name__ == "__main__":
    demonstrate_redundancy_agent_four_signals()

```

```

Starting NameServer...
Broadcast server running on 0.0.0.0:9091
NS running on 127.0.0.1:3333 (127.0.0.1)
URI = PYRO:Pyro.NameServer@127.0.0.1:3333
INFO [2021-07-07 14:49:18.993883] (Sensor1): INITIALIZED
INFO [2021-07-07 14:49:19.035303] (Sensor2): INITIALIZED
INFO [2021-07-07 14:49:19.072919] (Sensor3): INITIALIZED
INFO [2021-07-07 14:49:19.110387] (Sensor4): INITIALIZED
INFO [2021-07-07 14:49:19.143509] (RedundancyAgent1): INITIALIZED

/home/ludwig10/code/agentMET4FOF/agentMET4FOF/metrological_streams.py:135:_
  ↪UserWarning:

No uncertainty generator function specified. Setting to default (value_unc = constant,
  ↪ time_unc = 0).

```

```

-----
|                               |
| Your agent network is starting up. Open your browser and   |
| visit the agentMET4FOF dashboard on http://127.0.0.1:8050/  |
|                               |
-----

INFO [2021-07-07 14:49:19.188230] (MonitorAgent_SensorValues): INITIALIZED
INFO [2021-07-07 14:49:19.220150] (MonitorAgent_RedundantEstimate): INITIALIZED
[2021-07-07 14:49:19.245339] (Sensor1): Connected output module: MonitorAgent_-
  ↪SensorValues
[2021-07-07 14:49:19.253119] (Sensor1): Connected output module: RedundancyAgent1
[2021-07-07 14:49:19.261596] (Sensor2): Connected output module: MonitorAgent_-
  ↪SensorValues
[2021-07-07 14:49:19.269916] (Sensor2): Connected output module: RedundancyAgent1
[2021-07-07 14:49:19.278184] (Sensor3): Connected output module: MonitorAgent_-
  ↪SensorValues
[2021-07-07 14:49:19.292819] (Sensor3): Connected output module: RedundancyAgent1
[2021-07-07 14:49:19.302562] (Sensor4): Connected output module: MonitorAgent_-
  ↪SensorValues
[2021-07-07 14:49:19.311015] (Sensor4): Connected output module: RedundancyAgent1
[2021-07-07 14:49:19.327098] (RedundancyAgent1): Connected output module:_
  ↪MonitorAgent_RedundantEstimate
SET STATE: Running
[2021-07-07 14:49:20.009515] (Sensor1): Pack time: 0.003875

```

(continues on next page)

(continued from previous page)

```
[2021-07-07 14:49:20.011230] (Sensor1): Sending: [array([[ 0.          , 0.          , 0.          ,
→ 10.05758677, 0.2        ]]), <time_series_metadata.scheme.MetaData object at 0x7fecad47d550>]
[2021-07-07 14:49:20.013703] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
→ array([[ 0.          , 0.          , 10.05758677, 0.2        ]]), 'metadata': <time_
→ series_metadata.scheme.MetaData object at 0x7fecad3d5e20>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:20.014299] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1',
→ 'data': array([[ 0.          , 0.          , 10.05758677, 0.2        ]]), 'metadata':
→ <time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:20.015177] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
→ array([[ 0.          , 0.          , 10.05758677, 0.2        ]]), 'metadata': [<time_
→ series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>]}}
[2021-07-07 14:49:20.014521] (RedundancyAgent1): Buffer: {'Sensor1': array([[ 0.          ,
→ 0.          , 10.05758677, 0.2        ]])}
[2021-07-07 14:49:20.015372] (MonitorAgent_SensorValues): Tproc: 0.000836
[2021-07-07 14:49:20.014668] (RedundancyAgent1): Tproc: 0.000764
[2021-07-07 14:49:20.044422] (MonitorAgent_SensorValues): Received: {'from': 'Sensor2',
→ 'data': array([[0.          , 0.          , 9.81226671, 0.2        ]]), 'metadata':
→ <time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:20.044547] (RedundancyAgent1): Received: {'from': 'Sensor2', 'data':
→ array([[0.          , 0.          , 9.81226671, 0.2        ]]), 'metadata': <time_
→ series_metadata.scheme.MetaData object at 0x7fecad3d5e50>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:20.042673] (Sensor2): Pack time: 0.000218
[2021-07-07 14:49:20.045087] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
→ array([[ 0.          , 0.          , 10.05758677, 0.2        ]]), 'metadata': [<time_
→ series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>]}, 'Sensor2': {'data':
→ array([[ 0.          , 0.          , 9.81226671, 0.2        ]]), 'metadata': [<time_
→ series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>]}}
[2021-07-07 14:49:20.045181] (RedundancyAgent1): Buffer: {'Sensor1': array([[ 0.          ,
→ 0.          , 10.05758677, 0.2        ]]), 'Sensor2': array([[0.          ,
→ 0.          , 9.81226671, 0.2        ]])}
[2021-07-07 14:49:20.043540] (Sensor2): Sending: [array([[0.          , 0.          ,
→ 9.81226671, 0.2        ]]), <time_series_metadata.scheme.MetaData object at 0x7fecad4806d0>]
[2021-07-07 14:49:20.046343] (MonitorAgent_SensorValues): Tproc: 0.001796
[2021-07-07 14:49:20.045304] (RedundancyAgent1): Tproc: 0.000627
[2021-07-07 14:49:20.078476] (Sensor3): Pack time: 0.000241
[2021-07-07 14:49:20.079205] (Sensor3): Sending: [array([[0.          , 0.          ,
→ 9.40049983, 0.2        ]]), <time_series_metadata.scheme.MetaData object at 0x7fecad4826d0>]
[2021-07-07 14:49:20.080191] (RedundancyAgent1): Received: {'from': 'Sensor3', 'data':
→ array([[0.          , 0.          , 9.40049983, 0.2        ]]), 'metadata': <time_
→ series_metadata.scheme.MetaData object at 0x7fecad3d5f40>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:20.081131] (MonitorAgent_SensorValues): Received: {'from': 'Sensor3',
→ 'data': array([[0.          , 0.          , 9.40049983, 0.2        ]]), 'metadata':
→ <time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:20.082066] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
→ array([[ 0.          , 0.          , 10.05758677, 0.2        ]]), 'metadata': [<time_
→ series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>]}, 'Sensor2': {'data':
→ array([[ 0.          , 0.          , 9.81226671, 0.2        ]]), 'metadata': [<time_
→ series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>]}, 'Sensor3': {'data':
→ array([[ 0.          , 0.          , 9.40049983, 0.2        ]]), 'metadata': (continues on next page)
→ <time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>}]}]
```

(continued from previous page)

```
[2021-07-07 14:49:20.081235] (RedundancyAgent1): Buffer: {'Sensor1': array([[ 0.         , 0.05758677, 0.2       ]]), 'Sensor2': array([[0.         , 0.         , 0.         ]]), 'Sensor3': array([[0.         , 0.         , 9.        ]])}
[2021-07-07 14:49:20.082157] (MonitorAgent_SensorValues): Tproc: 0.000925
[2021-07-07 14:49:20.081328] (RedundancyAgent1): Tproc: 0.00101
[2021-07-07 14:49:20.116046] (Sensor4): Pack time: 0.000222
[2021-07-07 14:49:20.116813] (MonitorAgent_SensorValues): Received: {'from': 'Sensor4', 'data': array([[0.         , 0.         , 9.63403863, 0.2       ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:20.116792] (Sensor4): Sending: [array([[0.         , 0.         , 9.63403863, 0.2       ]]), <time_series_metadata.scheme.MetaData object at 0x7fecad482700>]
[2021-07-07 14:49:20.117888] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data': array([[ 0.         , 0.         , 10.05758677, 0.2       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>]}, 'Sensor2': {'data': <array([[0.         , 0.         , 9.81226671, 0.2       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>]}, 'Sensor3': {'data': <array([[0.         , 0.         , 9.40049983, 0.2       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>]}, 'Sensor4': {'data': <array([[0.         , 0.         , 9.63403863, 0.2       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>]}}
[2021-07-07 14:49:20.120198] (RedundancyAgent1): Received: {'from': 'Sensor4', 'data': array([[0.         , 0.         , 9.63403863, 0.2       ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fecad3d5ee0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:20.121533] (RedundancyAgent1): Buffer: {'Sensor1': array([[ 0.         , 0.05758677, 0.2       ]]), 'Sensor2': array([[0.         , 0.         , 0.         ]]), 'Sensor3': array([[0.         , 0.         , 9.        ]])}, 'Sensor4': array([[0.         , 0.         , 9.63403863, 0.2       ]])
[2021-07-07 14:49:20.117995] (MonitorAgent_SensorValues): Tproc: 0.001085
[2021-07-07 14:49:20.121671] (RedundancyAgent1): Tproc: 0.001357
Buffer size is 1, which is less than 10.
Not enough data for redundancy agent evaluation.
[2021-07-07 14:49:21.007073] (Sensor1): Pack time: 0.005616
[2021-07-07 14:49:21.010574] (Sensor1): Sending: [array([[0.01       , 0.         , 9.85659121, 0.2       ]]), <time_series_metadata.scheme.MetaData object at 0x7fecad47d550>]
[2021-07-07 14:49:21.015850] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1', 'data': array([[0.01       , 0.         , 9.85659121, 0.2       ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fecad3cea00>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:21.015851] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data': array([[0.01       , 0.         , 9.85659121, 0.2       ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fecad3d5ee0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:21.050802] (Sensor2): Pack time: 0.004355
[2021-07-07 14:49:21.078180] (Sensor3): Pack time: 0.000268
[2021-07-07 14:49:21.078841] (Sensor3): Sending: [array([[0.01       , 0.         , 9.33105188, 0.2       ]]), <time_series_metadata.scheme.MetaData object at 0x7fecad4826d0>]
[2021-07-07 14:49:21.062134] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data': array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01], [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_metadata.scheme.MetaData object at 0x7fecad3cea00>]}, 'Sensor2': {'data': array([[0.         , 0.         , 9.81226671, 0.2       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>]}, 'Sensor3': {'data': array([[0.         , 0.         , 9.40049983, 0.2       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>]}, 'Sensor4': {'data': array([[0.         , 0.         , 9.63403863, 0.2       ]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>]}}
```

**17.1. Redundancy Agent - Determining redundancy in several similar signals** 83

(continued from previous page)

```
[2021-07-07 14:49:21.030692] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
    ↪0000000e+00, 0.0000000e+00, 1.00575868e+01, 2.0000000e-01],
    ↪[1.0000000e-02, 0.0000000e+00, 9.85659121e+00, 2.0000000e-01]]), 'Sensor2':_
    ↪array([[0.         , 0.         , 9.81226671, 0.2        ],
    ↪       , 0.         , 9.40049983, 0.2        ]]), 'Sensor3': array([[0.
    ↪       , 0.         , 9.63403863, 0.2        ]]),
    ↪       , 9.63403863, 0.2        ]])
[2021-07-07 14:49:21.059748] (Sensor2): Sending: [array([[0.01       , 0.
    ↪62458464, 0.2        ]]), <time_series_metadata.scheme.MetaData object at_
    ↪0x7fecad4806d0>]
[2021-07-07 14:49:21.031615] (RedundancyAgent1): Tproc: 0.01496
[2021-07-07 14:49:21.066776] (MonitorAgent_SensorValues): Tproc: 0.050095
[2021-07-07 14:49:21.053804] (RedundancyAgent1): Received: {'from': 'Sensor2', 'data':
    ↪array([[0.01       , 0.         , 9.62458464, 0.2        ]]), 'metadata': <time_
    ↪series_metadata.scheme.MetaData object at 0x7fecad3d5e80>, 'senderType':
    ↪'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:21.068216] (MonitorAgent_SensorValues): Received: {'from': 'Sensor2
    ↪', 'data': array([[0.01       , 0.         , 9.62458464, 0.2        ]]), 'metadata':
    ↪<time_series_metadata.scheme.MetaData object at 0x7fecad3ceaf0>, 'senderType':
    ↪'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:21.067974] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
    ↪0000000e+00, 0.0000000e+00, 1.00575868e+01, 2.0000000e-01],
    ↪[1.0000000e-02, 0.0000000e+00, 9.85659121e+00, 2.0000000e-01]]), 'Sensor2':_
    ↪array([[0.         , 0.         , 9.81226671, 0.2        ],
    ↪       , 0.         , 9.40049983, 0.2        ]]), 'Sensor3': array([[0.
    ↪       , 0.         , 9.63403863, 0.2        ]]),
    ↪       , 9.63403863, 0.2        ]])
[2021-07-07 14:49:21.075919] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
    ↪array([[0.0000000e+00, 0.0000000e+00, 1.00575868e+01, 2.0000000e-01],
    ↪[1.0000000e-02, 0.0000000e+00, 9.85659121e+00, 2.0000000e-01]]), 'metadata':
    ↪<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
    ↪metadata.scheme.MetaData object at 0x7fecad3cea00>}, 'Sensor2': {'data': array([[0.
    ↪       , 0.         , 9.81226671, 0.2        ],
    ↪       , 0.         , 9.62458464, 0.2        ]]), 'metadata': [<time_series_
    ↪metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_metadata.scheme.
    ↪MetaData object at 0x7fecad3cea00>], 'Sensor3': {'data': array([[0.         ,
    ↪       , 0.         , 9.40049983, 0.2        ]]), 'metadata': [<time_series_metadata.scheme.MetaData_
    ↪object at 0x7fecad3cea30>], 'Sensor4': {'data': array([[0.         ,
    ↪       , 0.         , 9.63403863, 0.2        ]]), 'metadata': [<time_series_metadata.scheme.MetaData_
    ↪object at 0x7fecad3ce730>]}}
[2021-07-07 14:49:21.068204] (RedundancyAgent1): Tproc: 0.008848
[2021-07-07 14:49:21.076217] (MonitorAgent_SensorValues): Tproc: 0.003266
[2021-07-07 14:49:21.115605] (Sensor4): Pack time: 0.000165
[2021-07-07 14:49:21.081931] (RedundancyAgent1): Received: {'from': 'Sensor3', 'data':
    ↪array([[0.01       , 0.         , 9.33105188, 0.2        ]]), 'metadata': <time_
    ↪series_metadata.scheme.MetaData object at 0x7fecad3d5f70>, 'senderType':
    ↪'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:21.081709] (MonitorAgent_SensorValues): Received: {'from': 'Sensor3
    ↪', 'data': array([[0.01       , 0.         , 9.33105188, 0.2        ]]), 'metadata':
    ↪<time_series_metadata.scheme.MetaData object at 0x7fecad3ce700>, 'senderType':
    ↪'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:21.116036] (Sensor4): Sending: [array([[0.01       , 0.
    ↪81544544, 0.2        ]]), <time_series_metadata.scheme.MetaData object at_
    ↪0x7fecad482700>]
[2021-07-07 14:49:21.084608] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
    ↪0000000e+00, 0.0000000e+00, 1.00575868e+01, 2.0000000e-01],
    ↪[1.0000000e-02, 0.0000000e+00, 9.85659121e+00, 2.0000000e-01]]), 'Sensor2':_
    ↪array([[0.         , 0.         , 9.81226671, 0.2        ]],
```

(continues on next page)

(continued from previous page)

```

    [0.01      , 0.      , 9.62458464, 0.2      ]]), 'Sensor3': array([[0.
← , 0.      , 9.40049983, 0.2      ],
    [0.01      , 0.      , 9.33105188, 0.2      ]]), 'Sensor4': array([[0.
← , 0.      , 9.63403863, 0.2      ]])}
[2021-07-07 14:49:21.085668] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
← array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
    [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01]]), 'metadata':
← [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3cea00>]}, 'Sensor2': {'data': array([[0.
← , 0.      , 9.81226671, 0.2      ],
    [0.01      , 0.      , 9.62458464, 0.2      ]]), 'metadata': [<time_series_
metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ceaf0>]}, 'Sensor3': {'data': array([[0.      , 0.
← , 9.40049983, 0.2      ],
    [0.01      , 0.      , 9.33105188, 0.2      ]]), 'metadata': [<time_series_
metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ce700>]}, 'Sensor4': {'data': array([[0.      , 0.
← , 9.63403863, 0.2      ]]), 'metadata': [<time_series_metadata.scheme.MetaData_
object at 0x7fecad3ce730>]}}
[2021-07-07 14:49:21.084815] (RedundancyAgent1): Tproc: 0.002653
[2021-07-07 14:49:21.085823] (MonitorAgent_SensorValues): Tproc: 0.003889
[2021-07-07 14:49:21.119944] (RedundancyAgent1): Received: {'from': 'Sensor4', 'data':
← array([[0.01      , 0.      , 9.81544544, 0.2      ]]), 'metadata': <time_
series_metadata.scheme.MetaData object at 0x7fecad3d5ee0>, 'senderType':
← 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:21.116997] (MonitorAgent_SensorValues): Received: {'from': 'Sensor4
← ', 'data': array([[0.01      , 0.      , 9.81544544, 0.2      ]]), 'metadata':
← <time_series_metadata.scheme.MetaData object at 0x7fecad3ceb20>, 'senderType':
← 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:21.121792] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
← 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
    [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01]]), 'Sensor2':_
array([[0.      , 0.      , 9.81226671, 0.2      ],
    [0.01      , 0.      , 9.62458464, 0.2      ]]), 'Sensor3': array([[0.
← , 0.      , 9.40049983, 0.2      ],
    [0.01      , 0.      , 9.33105188, 0.2      ]]), 'Sensor4': array([[0.
← , 0.      , 9.63403863, 0.2      ],
    [0.01      , 0.      , 9.81544544, 0.2      ]])
[2021-07-07 14:49:21.118684] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
← array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
    [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01]]), 'metadata':
← [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3cea00>]}, 'Sensor2': {'data': array([[0.
← , 0.      , 9.81226671, 0.2      ],
    [0.01      , 0.      , 9.62458464, 0.2      ]]), 'metadata': [<time_series_
metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ceaf0>]}, 'Sensor3': {'data': array([[0.      , 0.
← , 9.40049983, 0.2      ],
    [0.01      , 0.      , 9.33105188, 0.2      ]]), 'metadata': [<time_series_
metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ce700>]}, 'Sensor4': {'data': array([[0.      , 0.
← , 9.63403863, 0.2      ],
    [0.01      , 0.      , 9.81544544, 0.2      ]]), 'metadata': [<time_series_
metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ceb20>]}}
Buffer size is [2021-07-07 14:49:21.121989] (RedundancyAgent1): Tproc: 0.001862
[2021-07-07 14:49:21.118792] (MonitorAgent_SensorValues): Tproc: 0.001691

```

(continues on next page)

(continued from previous page)

```

2 , which is less than 10 .
Not enough data for redundancy agent evaluation.
[2021-07-07 14:49:22.000958] (Sensor1): Pack time: 0.000504
[2021-07-07 14:49:22.003373] (Sensor1): Sending: [array([[0.02      , 0.        , 9.        ,
→ 999462, 0.2      ]]), <time_series_metadata.scheme.MetaData object at 0x7fecad47d550>
→ ]
[2021-07-07 14:49:22.004863] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
→ array([[0.02      , 0.        , 9.999462, 0.2      ]]), 'metadata': <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3d5ee0>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:22.005235] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1
→ ', 'data': array([[0.02      , 0.        , 9.999462, 0.2      ]]), 'metadata': <time_
→ series_metadata.scheme.MetaData object at 0x7fecad3ce8b0>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:22.019157] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
→ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
→ [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
→ [2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01]]), 'metadata':
→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3ce8b0>]}, 'Sensor2': {'data': array([[0.        ,
→ , 9.81226671, 0.2      ],
→ [0.01      , 0.        , 9.62458464, 0.2      ]]), 'metadata': [<time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3ceaf0>]}, 'Sensor3': {'data': array([[0.        ,
→ , 9.40049983, 0.2      ],
→ [0.01      , 0.        , 9.33105188, 0.2      ]]), 'metadata': [<time_series_
→ metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3ce700>]}, 'Sensor4': {'data': array([[0.        ,
→ , 9.63403863, 0.2      ],
→ [0.01      , 0.        , 9.81544544, 0.2      ]]), 'metadata': [<time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ceb20>]}}
[2021-07-07 14:49:22.017290] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
→ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
→ [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
→ [2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01]]), 'Sensor2':_
→ array([[0.        , 0.        , 9.81226671, 0.2      ],
→ [0.01      , 0.        , 9.62458464, 0.2      ]]), 'Sensor3': array([[0.
→ , 0.        , 9.40049983, 0.2      ],
→ [0.01      , 0.        , 9.33105188, 0.2      ]]), 'Sensor4': array([[0.
→ , 0.        , 9.63403863, 0.2      ],
→ [0.01      , 0.        , 9.81544544, 0.2      ]])}
[2021-07-07 14:49:22.019977] (MonitorAgent_SensorValues): Tproc: 0.014061
[2021-07-07 14:49:22.018444] (RedundancyAgent1): Tproc: 0.01276
[2021-07-07 14:49:22.060122] (Sensor2): Pack time: 0.011586
[2021-07-07 14:49:22.082246] (Sensor3): Pack time: 0.001515
[2021-07-07 14:49:22.103090] (MonitorAgent_SensorValues): Received: {'from': 'Sensor2
→ ', 'data': array([[0.02      , 0.        , 9.85543299, 0.2      ]]), 'metadata':
→ <time_series_metadata.scheme.MetaData object at 0x7fecad3cebb0>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:22.052865] (RedundancyAgent1): Received: {'from': 'Sensor2', 'data':
→ array([[0.02      , 0.        , 9.85543299, 0.2      ]]), 'metadata': <time_
→ series_metadata.scheme.MetaData object at 0x7fecad3d5f70>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:22.062683] (Sensor2): Sending: [array([[0.02      , 0.        ,
→ 9.85543299, 0.2      ]]), <time_series_metadata.scheme.MetaData object at
→ 0x7fecad4806d0>]

```

(continues on next page)

(continued from previous page)

```
[2021-07-07 14:49:22.086023] (Sensor3): Sending: [array([[0.02      , 0.      , 9.
˓→72930289, 0.2      ]]), <time_series_metadata.scheme.MetaData object at_˓→0x7fecad4826d0>]
[2021-07-07 14:49:22.119263] (Sensor4): Pack time: 0.000268
[2021-07-07 14:49:22.121752] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
˓→array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
˓→[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
˓→[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01]]), 'metadata':
˓→[<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
˓→metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fecad3ce8b0>]}, 'Sensor2': {'data': array([[0.      , 0.
˓→, 9.81226671, 0.2      ],
˓→[0.01      , 0.      , 9.62458464, 0.2      ],
˓→[0.02      , 0.      , 9.85543299, 0.2      ]]), 'metadata': [<time_series_
˓→metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.MetaData object at_˓→0x7fecad3cebb0>]}, 'Sensor3': {'data': array([[0.      , 0.      , 9.40049983,
˓→0.2      ],
˓→[0.01      , 0.      , 9.33105188, 0.2      ]]), 'metadata': [<time_series_
˓→metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fecad3ce700>]}, 'Sensor4': {'data': array([[0.      , 0.
˓→, 9.63403863, 0.2      ],
˓→[0.01      , 0.      , 9.81544544, 0.2      ]]), 'metadata': [<time_series_
˓→metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fecad3ceb20>]}}
[2021-07-07 14:49:22.116567] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
˓→00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
˓→[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
˓→[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01]]), 'Sensor2':_˓→array([[0.      , 0.      , 9.81226671, 0.2      ],
˓→[0.01      , 0.      , 9.62458464, 0.2      ],
˓→[0.02      , 0.      , 9.85543299, 0.2      ]]), 'Sensor3': array([[0.
˓→, 0.      , 9.40049983, 0.2      ],
˓→[0.01      , 0.      , 9.33105188, 0.2      ]]), 'Sensor4': array([[0.
˓→, 0.      , 9.63403863, 0.2      ],
˓→[0.01      , 0.      , 9.81544544, 0.2      ]])
[2021-07-07 14:49:22.120321] (Sensor4): Sending: [array([[ 0.02      , 0.
˓→10.33981753, 0.2      ]]), <time_series_metadata.scheme.MetaData object at_˓→0x7fecad482700>]
[2021-07-07 14:49:22.123789] (MonitorAgent_SensorValues): Tproc: 0.019983
[2021-07-07 14:49:22.117188] (RedundancyAgent1): Tproc: 0.062733
[2021-07-07 14:49:22.128020] (MonitorAgent_SensorValues): Received: {'from': 'Sensor3
˓→', 'data': array([[0.02      , 0.      , 9.72930289, 0.2      ]]), 'metadata':
˓→<time_series_metadata.scheme.MetaData object at 0x7fecad3cec10>, 'senderType':
˓→'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:22.118922] (RedundancyAgent1): Received: {'from': 'Sensor3', 'data':
˓→array([[0.02      , 0.      , 9.72930289, 0.2      ]]), 'metadata': <time_
˓→series_metadata.scheme.MetaData object at 0x7fecad3d5e80>, 'senderType':
˓→'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:22.133617] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
˓→array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
˓→[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
˓→[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01]]), 'metadata':
˓→[<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
˓→metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fecad3ce8b0>]}, 'Sensor2': {'data': array([[0.      , 0.
˓→, 9.81226671, 0.2      ]],
```

(continues on next page)

(continued from previous page)

```

[0.01      , 0.          , 9.62458464, 0.2      ],
[0.02      , 0.          , 9.85543299, 0.2      ]]), 'metadata': [<time_series_
->metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_metadata.scheme.
->MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.MetaData object at_
->0x7fecad3cebb0>]], 'Sensor3': {'data': array([[0.          , 0.          , 9.40049983,_
->0.2      ],
[0.01      , 0.          , 9.33105188, 0.2      ],
[0.02      , 0.          , 9.72930289, 0.2      ]]), 'metadata': [<time_series_
->metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_metadata.scheme.
->MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.MetaData object at_
->0x7fecad3cec10>]], 'Sensor4': {'data': array([[0.          , 0.          , 9.63403863,_
->0.2      ],
[0.01      , 0.          , 9.81544544, 0.2      ]]), 'metadata': [<time_series_
->metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_metadata.scheme.
->MetaData object at 0x7fecad3ceb20>]}}

Buffer size is [2021-07-07 14:49:22.125997] (RedundancyAgent1): Buffer: {'Sensor1':_
->array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01]]), 'Sensor2':_
->array([[0.          , 0.          , 9.81226671, 0.2      ],
[0.01      , 0.          , 9.62458464, 0.2      ],
[0.02      , 0.          , 9.85543299, 0.2      ]]), 'Sensor3': array([[0.          ,
->, 0.          , 9.40049983, 0.2      ],
[0.01      , 0.          , 9.33105188, 0.2      ],
[0.02      , 0.          , 9.72930289, 0.2      ]]), 'Sensor4': array([[0.          ,
->, 0.          , 9.63403863, 0.2      ],
[0.01      , 0.          , 9.81544544, 0.2      ]])}

[2021-07-07 14:49:22.141930] (MonitorAgent_SensorValues): Tproc: 0.013113
[2021-07-07 14:49:22.130103] (RedundancyAgent1): Tproc: 0.01089
[2021-07-07 14:49:22.142661] (MonitorAgent_SensorValues): Received: {'from': 'Sensor4
->', 'data': array([[ 0.02      , 0.          , 10.33981753, 0.2      ]]), 'metadata':_
-> <time_series_metadata.scheme.MetaData object at 0x7fecad3cec70>, 'senderType':_
->'MetrologicalGeneratorAgent', 'channel': 'default'}
3[2021-07-07 14:49:22.136847] (RedundancyAgent1): Received: {'from': 'Sensor4', 'data
->': array([[ 0.02      , 0.          , 10.33981753, 0.2      ]]), 'metadata': <time_
->series_metadata.scheme.MetaData object at 0x7fecad3d5ee0>, 'senderType':_
->'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:22.153547] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':_
-> array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01]]), 'metadata':_
-> [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
->metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
->MetaData object at 0x7fecad3ce8b0>]], 'Sensor2': {'data': array([[0.          ,
->, 9.81226671, 0.2      ],
[0.01      , 0.          , 9.62458464, 0.2      ],
[0.02      , 0.          , 9.85543299, 0.2      ]]), 'metadata': [<time_series_
->metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_metadata.scheme.
->MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.MetaData object at_
->0x7fecad3cebb0>]], 'Sensor3': {'data': array([[0.          , 0.          , 9.40049983,_
->0.2      ],
[0.01      , 0.          , 9.33105188, 0.2      ],
[0.02      , 0.          , 9.72930289, 0.2      ]]), 'metadata': [<time_series_
->metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_metadata.scheme.
->MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.MetaData object at_
->0x7fecad3cec10>]], 'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
->63403863e+00, 2.00000000e-01]]}

```

(continues on next page)

(continued from previous page)

```

[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3cec70>]}
[2021-07-07 14:49:22.148906] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01]]), 'Sensor2':_
array([[0.      , 0.      , 9.81226671, 0.2      ],
[0.01     , 0.      , 9.62458464, 0.2      ],
[0.02     , 0.      , 9.85543299, 0.2      ]]), 'Sensor3': array([[0.
↳ , 0.      , 9.40049983, 0.2      ],
[0.01     , 0.      , 9.33105188, 0.2      ],
[0.02     , 0.      , 9.72930289, 0.2      ]]), 'Sensor4': array([[0.
↳ 00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01]])
, which is less than [2021-07-07 14:49:22.153718] (MonitorAgent_SensorValues): Tproc:
↳ 0.006877
10[2021-07-07 14:49:22.149517] (RedundancyAgent1): Tproc: 0.012471
.

Not enough data for redundancy agent evaluation.
[2021-07-07 14:49:23.001249] (Sensor1): Pack time: 0.000518
[2021-07-07 14:49:23.003768] (Sensor1): Sending: [array([[ 0.03      , 0.
↳ 10.08057762, 0.2      ]]), <time_series_metadata.scheme.MetaData object at_
↳ 0x7fecad47d550>]
[2021-07-07 14:49:23.004714] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
↳ array([[ 0.03      , 0.      , 10.08057762, 0.2      ]]), 'metadata': <time_
series_metadata.scheme.MetaData object at 0x7fecad3d5ee0>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:23.004796] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1
↳ ', 'data': array([[ 0.03      , 0.      , 10.08057762, 0.2      ]]), 'metadata
↳ ': <time_series_metadata.scheme.MetaData object at 0x7fecad3cea90>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:23.024964] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
↳ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at_
↳ 0x7fecad3cea90>]}, 'Sensor2': {'data': array([[0.      , 0.      , 9.81226671,
↳ 0.2      ],
[0.01     , 0.      , 9.62458464, 0.2      ],
[0.02     , 0.      , 9.85543299, 0.2      ]]), 'metadata': [<time_series_
metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.MetaData object at_
↳ 0x7fecad3cebb0>]}, 'Sensor3': {'data': array([[0.      , 0.      , 9.40049983,
↳ 0.2      ],
[0.01     , 0.      , 9.33105188, 0.2      ],
[0.02     , 0.      , 9.72930289, 0.2      ]]), 'metadata': [<time_series_
metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.MetaData object at_
↳ 0x7fecad3cec10>]}, 'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 63403863e+00, 2.00000000e-01]]}

```

(continues on next page)

(continued from previous page)

```

[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3cec70>]]
[2021-07-07 14:49:23.024965] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01]]), 'Sensor2':_
array([[0.         , 0.         , 9.81226671, 0.2        ],
[0.01        , 0.         , 9.62458464, 0.2        ],
[0.02        , 0.         , 9.85543299, 0.2        ],
[], 0.         , 9.40049983, 0.2        ],
[0.01        , 0.         , 9.33105188, 0.2        ],
[0.02        , 0.         , 9.72930289, 0.2        ]]), 'Sensor3': array([[0.
↳ 00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01]]}
[2021-07-07 14:49:23.047632] (Sensor2): Pack time: 0.001273
[2021-07-07 14:49:23.025808] (MonitorAgent_SensorValues): Tproc: 0.020348
[2021-07-07 14:49:23.025682] (RedundancyAgent1): Tproc: 0.020082
[2021-07-07 14:49:23.061407] (Sensor2): Sending: [array([[ 0.03      , 0.
↳ 10.09273912, 0.2        ]]), <time_series_metadata.scheme.MetaData object at_
0x7fecad4806d0>]
[2021-07-07 14:49:23.078518] (Sensor3): Pack time: 0.000409
[2021-07-07 14:49:23.054290] (MonitorAgent_SensorValues): Received: {'from': 'Sensor2
↳ ', 'data': array([[ 0.03      , 0.         , 10.09273912, 0.2        ]]), 'metadata
↳ ': <time_series_metadata.scheme.MetaData object at 0x7fecad3ced30>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:23.090960] (RedundancyAgent1): Received: {'from': 'Sensor2', 'data':
↳ array([[ 0.03      , 0.         , 10.09273912, 0.2        ]]), 'metadata': <time_
series_metadata.scheme.MetaData object at 0x7fecad3d5e80>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:23.079809] (Sensor3): Sending: [array([[ 0.03      , 0.
↳ 10.13847663, 0.2        ]]), <time_series_metadata.scheme.MetaData object at_
0x7fecad4826d0>]
[2021-07-07 14:49:23.096215] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
↳ array([[ 0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at_
0x7fecad3cea90>]}, 'Sensor2': {'data': array([[ 0.00000000e+00, 0.00000000e+00, 9.
↳ 81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at_
0x7fecad3ced30>]}, 'Sensor3': {'data': array([[ 0.         , 0.         , 9.40049983,
↳ 0.2        ],
[0.01        , 0.         , 9.33105188, 0.2        ],
[0.02        , 0.         , 9.72930289, 0.2        ]]), 'metadata': [<time_series_
metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.MetaData object at_
0x7fecad3cec10>]}, 'Sensor4': {'data': array([[ 0.00000000e+00, 0.00000000e+00, 9.
↳ 63403863e+00, 2.00000000e-01]]}

```

continues on next page

(continued from previous page)

```

[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01]]], 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3cec70>]]
[2021-07-07 14:49:23.098862] (MonitorAgent_SensorValues): Tproc: 0.036086
[2021-07-07 14:49:23.100533] (MonitorAgent_SensorValues): Received: {'from': 'Sensor3
↳ ', 'data': array([[ 0.03      , 0.          , 10.13847663, 0.2      ]]), 'metadata':
↳ ': <time_series_metadata.scheme.MetaData object at 0x7fecad3ced90>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:23.109361] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01]]], 'Sensor2':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01]]], 'Sensor3':_
↳ array([[0.      , 0.      , 9.40049983, 0.2      ],
[0.01    , 0.      , 9.33105188, 0.2      ],
[0.02    , 0.      , 9.72930289, 0.2      ]]), 'Sensor4': array([[0.
↳ 00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01]])
[2021-07-07 14:49:23.110163] (RedundancyAgent1): Tproc: 0.01711
[2021-07-07 14:49:23.112103] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
↳ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01]]}, 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at_
↳ 0x7fecad3cea90>]}, 'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01]]}, 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at_
↳ 0x7fecad3ced30>]}, 'Sensor3': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01]]}, 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at_
↳ 0x7fecad3ced90>]}, 'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01]]}, 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3cec70>]]}

```

(continues on next page)

(continued from previous page)

```
[2021-07-07 14:49:23.115326] (Sensor4): Pack time: 0.000146
[2021-07-07 14:49:23.112999] (RedundancyAgent1): Received: {'from': 'Sensor3', 'data':
↳ array([[ 0.03 , 0. , 10.13847663, 0.2 ]]), 'metadata': <time_
↳ series_metadata.scheme.MetaData object at 0x7fecad3d5f70>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:23.115634] (MonitorAgent_SensorValues): Tproc: 0.012721
[2021-07-07 14:49:23.115816] (Sensor4): Sending: [array([[ 0.03 , 0. ,
↳ 10.63988826, 0.2 ]]), <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad482700>]
[2021-07-07 14:49:23.122295] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01]]), 'Sensor2':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01]]), 'Sensor3':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01]]), 'Sensor4':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01]])}
[2021-07-07 14:49:23.116724] (MonitorAgent_SensorValues): Received: {'from': 'Sensor4
↳ ', 'data': array([[ 0.03 , 0. ,
↳ 10.63988826, 0.2 ]]), 'metadata
↳ ': <time_series_metadata.scheme.MetaData object at 0x7fecad3cedf0>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:23.122456] (RedundancyAgent1): Tproc: 0.008684
[2021-07-07 14:49:23.124353] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
↳ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cea90>], 'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced30>], 'Sensor3': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced90>], 'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01]]}
(continues on next page)
```

(continued from previous page)

```

[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at_
0x7fecad3cedf0>]}
[2021-07-07 14:49:23.124676] (RedundancyAgent1): Received: {'from': 'Sensor4', 'data':
↳ array([[ 0.03      , 0.          , 10.63988826, 0.2        ]]), 'metadata': <time_
series_metadata.scheme.MetaData object at 0x7fecad3d5ee0>, 'senderType':
'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:23.124532] (MonitorAgent_SensorValues): Tproc: 0.00655
[2021-07-07 14:49:23.129010] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01]]), 'Sensor2':__
array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01]]), 'Sensor3':__
array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01]]), 'Sensor4':__
array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01]])}
[2021-07-07 14:49:23.129574] (RedundancyAgent1): Tproc: 0.004748
Buffer size is 4, which is less than 10.
Not enough data for redundancy agent evaluation.
[2021-07-07 14:49:24.000868] (Sensor1): Pack time: 0.000566
[2021-07-07 14:49:24.003067] (Sensor1): Sending: [array([[0.04      , 0.          , 9.
↳ 66887351, 0.2        ]]), <time_series_metadata.scheme.MetaData object at_
0x7fecad47d550>]
[2021-07-07 14:49:24.004152] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
↳ array([[0.04      , 0.          , 9.66887351, 0.2        ]]), 'metadata': <time_
series_metadata.scheme.MetaData object at 0x7fecad46b1c0>, 'senderType':
'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:24.005978] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1
↳ ', 'data': array([[0.04      , 0.          , 9.66887351, 0.2        ]]), 'metadata':_
<time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>, 'senderType':
'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:24.023807] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
↳ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01]]), 'metadata':_
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at_
0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>]},
'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.
↳ 00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],__

```

(continues on next page)

(continued from previous page)

```

[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced30>]], 'Sensor3': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 40049983e+00, 2.00000000e-01],
    [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
    [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
    [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced90>]], 'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 63403863e+00, 2.00000000e-01],
    [1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
    [2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
    [3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cedf0>]}}

[2021-07-07 14:49:24.031224] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
    [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
    [2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
    [3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
    [4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01]]), 'Sensor2':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
    [1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
    [2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
    [3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01]]), 'Sensor3':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
    [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
    [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
    [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01]]), 'Sensor4':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
    [1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
    [2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
    [3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01]]}

[2021-07-07 14:49:24.024723] (MonitorAgent_SensorValues): Tproc: 0.018109
[2021-07-07 14:49:24.031762] (RedundancyAgent1): Tproc: 0.027094
[2021-07-07 14:49:24.053222] (Sensor2): Pack time: 0.008118
NS shut down.

[2021-07-07 14:49:24.055885] (MonitorAgent_SensorValues): Received: {'from': 'Sensor2
↳ ', 'data': array([[0.04      , 0.        , 9.87107856, 0.2      ]]), 'metadata':_
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>, 'senderType':_
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}

[2021-07-07 14:49:24.050573] (RedundancyAgent1): Received: {'from': 'Sensor2', 'data':_
↳ array([[0.04      , 0.        , 9.87107856, 0.2      ]]), 'metadata': <time_
↳ series_metadata.scheme.MetaData object at 0x7fecad46b3d0>, 'senderType':_
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}

[2021-07-07 14:49:24.055786] (Sensor2): Sending: [array([[0.04      , 0.        , 9.
↳ 87107856, 0.2      ]]), <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad4806d0>]

[2021-07-07 14:49:24.080184] (Sensor3): Pack time: 0.000415
[2021-07-07 14:49:24.094510] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':_
↳ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
    [1.00000000e-02, 0.00000000e+00, 9.87107856, 0.2      ]])}

```

(continues on next page)

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>]},
↳ 'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.
↳ 00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>]},
↳ 'Sensor3': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.
↳ 00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced90>]}, 'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cedf0>]}}

[2021-07-07 14:49:24.081616] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01]]), 'Sensor2':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01]]), 'Sensor3':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01]]), 'Sensor4':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01]])}

[2021-07-07 14:49:24.115317] (Sensor4): Pack time: 0.000148
[2021-07-07 14:49:24.081397] (Sensor3): Sending: [array([[ 0.04      , 0.        ,
↳ 10.05755346, 0.2       ]]), <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad4826d0>]
```

(continues on next page)

(continued from previous page)

```
[2021-07-07 14:49:24.096476] (MonitorAgent_SensorValues): Tproc: 0.039947
[2021-07-07 14:49:24.082143] (RedundancyAgent1): Tproc: 0.030634
[2021-07-07 14:49:24.115746] (Sensor4): Sending: [array([[ 0.04      , 0.          , 0.          , 0.          ,
   ↪10.20797569, 0.2        ]]), <time_series_metadata.scheme.MetaData object at 0x7fecad482700>]
[2021-07-07 14:49:24.097377] (MonitorAgent_SensorValues): Received: {'from': 'Sensor3',
   ↪, 'data': array([[ 0.04      , 0.          , 10.05755346, 0.2        ]]), 'metadata':
   ↪: <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>, 'senderType':
   ↪'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:24.086882] (RedundancyAgent1): Received: {'from': 'Sensor3', 'data':
   ↪ array([[ 0.04      , 0.          , 10.05755346, 0.2        ]]), 'metadata': <time_
   ↪series_metadata.scheme.MetaData object at 0x7fecad46b3d0>, 'senderType':
   ↪'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:24.101512] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
   ↪ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
   [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
   [2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
   [3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
   [4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01]]), 'metadata':
   ↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
   ↪metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
   ↪MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
   ↪0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>]},
   ↪'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.
   ↪00000000e-01],
   [1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
   [2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
   [3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
   [4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01]]), 'metadata':
   ↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
   ↪metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
   ↪MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at
   ↪0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>]},
   ↪'Sensor3': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.
   ↪00000000e-01],
   [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
   [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
   [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
   [4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01]]), 'metadata':
   ↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
   ↪metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
   ↪MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
   ↪0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>]},
   ↪'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.
   ↪00000000e-01],
   [1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
   [2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
   [3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01]]), 'metadata':
   ↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
   ↪metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
   ↪MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
   ↪0x7fecad3cedf0>]}}
[2021-07-07 14:49:24.094842] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
   ↪00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
   [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
   [2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
   [3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```

[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01]]], 'Sensor2': [
    ↪array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01]]], 'Sensor3': [
    ↪array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01]]], 'Sensor4': [
    ↪array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01]]})
[2021-07-07 14:49:24.101812] (MonitorAgent_SensorValues): Tproc: 0.004319
[2021-07-07 14:49:24.095046] (RedundancyAgent1): Tproc: 0.007816
Buffer size is [2021-07-07 14:49:24.116662] (MonitorAgent_SensorValues): Received: {
    ↪'from': 'Sensor4', 'data': array([[ 0.04      , 0.          , 10.20797569, 0.2      ],
           ↪ ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
    ↪'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:24.121756] (RedundancyAgent1): Received: {'from': 'Sensor4', 'data':
    ↪ array([[ 0.04      , 0.          , 10.20797569, 0.2      ]]), 'metadata': <time_
    ↪series_metadata.scheme.MetaData object at 0x7fecad46b1c0>, 'senderType':
    ↪'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:24.119812] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
    ↪ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01]]], 'metadata':
    ↪ [ <time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
    ↪metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
    ↪MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
    ↪0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80> ] },
    ↪'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.
    ↪00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01]]], 'metadata':
    ↪ [ <time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
    ↪metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
    ↪MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at
    ↪0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70> ] },
    ↪'Sensor3': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.
    ↪00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01]]], 'metadata':
    ↪ [ <time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
    ↪metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
    ↪MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
    ↪0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80> ] },
    ↪'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.
    ↪00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01]]])

```

(continues on next page)

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01]]), 'metadata':
↪ [〈time_series_metadata.scheme.MetaData object at 0x7fecad3ce730〉, 〈time_series_
↪ metadata.scheme.MetaData object at 0x7fecad3ceb20〉, 〈time_series_metadata.scheme.
↪ MetaData object at 0x7fecad3cec70〉, 〈time_series_metadata.scheme.MetaData object at
↪ 0x7fecad3cedf0〉, 〈time_series_metadata.scheme.MetaData object at 0x7fecad459d60〉]]}
[2021-07-07 14:49:24.126948] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↪ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01]]), 'Sensor2':_
↪ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01]]), 'Sensor3':_
↪ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01]]), 'Sensor4':_
↪ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01]])}
[2021-07-07 14:49:24.119949] (MonitorAgent_SensorValues): Tproc: 0.003144
[2021-07-07 14:49:24.127060] (RedundancyAgent1): Tproc: 0.005193
5 , which is less than 10 .
Not enough data for redundancy agent evaluation.
[2021-07-07 14:49:25.000773] (Sensor1): Pack time: 0.000549
[2021-07-07 14:49:25.003259] (Sensor1): Sending: [array([[0.05      , 0.      , 9.
↪ 71880656, 0.2      ]]), 〈time_series_metadata.scheme.MetaData object at
↪ 0x7fecad47d550〉]
[2021-07-07 14:49:25.004381] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1
↪ ', 'data': array([[0.05      , 0.      , 9.71880656, 0.2      ]]), 'metadata':
↪ 〈time_series_metadata.scheme.MetaData object at 0x7fecad459b20〉, 'senderType':
↪ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:25.004406] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
↪ array([[0.05      , 0.      , 9.71880656, 0.2      ]]), 'metadata': 〈time_
↪ series_metadata.scheme.MetaData object at 0x7fecad46b3d0〉, 'senderType':
↪ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:25.045974] (Sensor2): Pack time: 0.000723
[2021-07-07 14:49:25.027310] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
↪ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01]]), 'metadata':
↪ 〈time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0〉, 〈time_series_
↪ metadata.scheme.MetaData object at 0x7fecad3cea00〉, 〈time_series_metadata.scheme.
↪ MetaData object at 0x7fecad3ce8b0〉, 〈time_series_metadata.scheme.MetaData object at
↪ 0x7fecad3cea90〉, 〈time_series_metadata.scheme.MetaData object at 0x7fecad44fe80〉,
↪ 〈time_series_metadata.scheme.MetaData object at 0x7fecad459b20〉]}, 'Sensor1':_
↪ 'array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
```

(continued from previous page)

```

[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cebb0>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>]},
↳ 'Sensor3': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.
↳ 00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>]},
↳ 'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.
↳ 00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>]}
[2021-07-07 14:49:25.034306] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01]]), 'Sensor2':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01]]), 'Sensor3':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01]]), 'Sensor4':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01]])}
[2021-07-07 14:49:25.081564] (Sensor3): Pack time: 0.001522
[2021-07-07 14:49:25.048315] (Sensor2): Sending: [array([[ 0.05      , 0.
↳ 10.09221065, 0.2        ]]), <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad4806d0>]
[2021-07-07 14:49:25.028520] (MonitorAgent_SensorValues): Tproc: 0.023271
[2021-07-07 14:49:25.035852] (RedundancyAgent1): Tproc: 0.03091
[2021-07-07 14:49:25.084255] (Sensor3): Sending: [array([[ 0.05      , 0.
↳ 10.36796753, 0.2        ]]), <time_series_metadata.scheme.MetaData object continues on next page>
↳ 0x7fecad4826d0>]

```

(continued from previous page)

```
[2021-07-07 14:49:25.116279] (Sensor4): Pack time: 0.000292
[2021-07-07 14:49:25.117125] (Sensor4): Sending: [array([[ 0.05      , 0.          ],
→ 10.04256986, 0.2           ]]), <time_series_metadata.scheme.MetaData object at 0x7fecad482700>]
[2021-07-07 14:49:25.058309] (MonitorAgent_SensorValues): Received: {'from': 'Sensor2',
→ 'data': array([[ 0.05      , 0.          , 10.09221065, 0.2           ]]), 'metadata':
→ ': <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:25.052796] (RedundancyAgent): Received: {'from': 'Sensor2', 'data':
→ array([[ 0.05      , 0.          , 10.09221065, 0.2           ]]), 'metadata': <time_
→ series_metadata.scheme.MetaData object at 0x7fecad46b3d0>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:25.077909] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
→ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01]]), 'Sensor2':
→ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01]]), 'Sensor3':
→ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01]]), 'Sensor4':
→ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01]])
[2021-07-07 14:49:25.101770] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
→ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01]]), 'metadata':
→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
→ 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad459b20>]], 'Sensor2': {'data':
→ ': array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01]]), 'metadata':
→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3ceb00>, <time_series_metadata.scheme.MetaData object at
→ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>]], 'Sensor3': (continues on next page)
→ ': array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
```

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>]],
↳ 'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.
↳ 00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>]}}
Buffer size is [2021-07-07 14:49:25.078517] (RedundancyAgent1): Tproc: 0.025156
[2021-07-07 14:49:25.102277] (MonitorAgent_SensorValues): Tproc: 0.043267
6[2021-07-07 14:49:25.093159] (RedundancyAgent1): Received: {'from': 'Sensor3', 'data
↳ ': array([[ 0.05      , 0.          , 10.36796753, 0.2        ]]), 'metadata': <time_
↳ series_metadata.scheme.MetaData object at 0x7fecad46b1c0>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:25.105473] (MonitorAgent_SensorValues): Received: {'from': 'Sensor3
↳ ', 'data': array([[ 0.05      , 0.          , 10.36796753, 0.2        ]]), 'metadata
↳ ': <time_series_metadata.scheme.MetaData object at 0x7fecad459970>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
, which is less than 10[2021-07-07 14:49:25.118593] (RedundancyAgent1): Buffer: {
↳ 'Sensor1': array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01]]), 'Sensor2':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01]]), 'Sensor3':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01]]), 'Sensor4':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01]])}
[2021-07-07 14:49:25.125922] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
↳ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
<0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
<time_series_metadata.scheme.MetaData object at 0x7fecad459b20>]], 'Sensor2': {'data
': array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at
<0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
<time_series_metadata.scheme.MetaData object at 0x7fecad459af0>]], 'Sensor3': {'data
': array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
<0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
<time_series_metadata.scheme.MetaData object at 0x7fecad459970>]], 'Sensor4': {'data
': array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
<0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>]}}
.[2021-07-07 14:49:25.11823] (RedundancyAgent1): Tproc: 0.025122

[2021-07-07 14:49:25.127248] (MonitorAgent_SensorValues): Tproc: 0.021354
Not enough data for redundancy agent evaluation.[2021-07-07 14:49:25.119880]
↳ (RedundancyAgent1): Received: {'from': 'Sensor4', 'data': array([[ 0.05      ,  0.         ,
10.04256986,  0.2       ]]), 'metadata': <time_series_metadata.scheme.
MetaData object at 0x7fecad46b1c0>, 'senderType': 'MetrologicalGeneratorAgent',
'channel': 'default'}
[2021-07-07 14:49:25.128182] (MonitorAgent_SensorValues): Received: {'from': 'Sensor4
', 'data': array([[ 0.05      ,  0.         , 10.04256986,  0.2       ]]), 'metadata
': <time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>, 'senderType':
'MetrologicalGeneratorAgent', 'channel': 'default'}

[2021-07-07 14:49:25.128032] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```

[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01]]], 'Sensor2': [
    ↪array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01]]), 'Sensor3': [
    ↪array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01]]), 'Sensor4': [
    ↪array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01]]})
[2021-07-07 14:49:25.133657] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
    ↪ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01]]}, 'metadata':
    ↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
        ↪ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
        ↪ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at_.
        ↪ 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
        ↪ <time_series_metadata.scheme.MetaData object at 0x7fecad459b20>]], 'Sensor2': {'data
    ↪ ': array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01]]}, 'metadata':
    ↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
        ↪ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
        ↪ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at_.
        ↪ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
        ↪ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>]], 'Sensor3': {'data
    ↪ ': array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01]]}, 'metadata':
    ↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
        ↪ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
        ↪ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at_.
        ↪ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
        ↪ <time_series_metadata.scheme.MetaData object at 0x7fecad459970>]], 'Sensor4': {'data
    ↪ ': array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01]]})

```

(continues on next page)

(continued from previous page)

```

[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
<time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>]}}
[2021-07-07 14:49:25.128168] (RedundancyAgent1): Tproc: 0.008096
[2021-07-07 14:49:25.133884] (MonitorAgent_SensorValues): Tproc: 0.00555
[2021-07-07 14:49:25.9998685] (Sensor1): Pack time: 0.000196
[2021-07-07 14:49:25.9999185] (Sensor1): Sending: [array([[0.06       , 0.           , 9.
↳ 70455528, 0.2        ]]), <time_series_metadata.scheme.MetaData object at
0x7fecad47d550>]
[2021-07-07 14:49:26.000340] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1'
↳ , 'data': array([[0.06       , 0.           , 9.70455528, 0.2        ]]), 'metadata':
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad3ce4c0>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:26.000331] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
↳ array([[0.06       , 0.           , 9.70455528, 0.2        ]]), 'metadata': <time_
series_metadata.scheme.MetaData object at 0x7fecad46b1c0>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:26.004294] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01]]), 'Sensor2':__
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01]]), 'Sensor3':__
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01]]), 'Sensor4':__
↳ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01]])}
[2021-07-07 14:49:26.004583] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
↳ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
<time_series_metadata.scheme.MetaData object at 0x7fecad459b20>, <time_series_
metadata.scheme.MetaData object at 0x7fecad459c40>], 'Sensor1': {'data': array([[0.
↳ 00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01]]}, 'continues on next page
104 Chapter 17. Working with signals carrying redundant information

```

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01]]), 'metadata':
→ [〈time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0〉, 〈time_series_
← metadata.scheme.MetaData object at 0x7fecad3ceaf0〉, 〈time_series_metadata.scheme.
← MetaData object at 0x7fecad3ceb0〉, 〈time_series_metadata.scheme.MetaData object at
← 0x7fecad3ced30〉, 〈time_series_metadata.scheme.MetaData object at 0x7fecad459c70〉,
← 〈time_series_metadata.scheme.MetaData object at 0x7fecad459af0〉]], 'Sensor3': {'data
→ ': array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01]]), 'metadata':
→ [〈time_series_metadata.scheme.MetaData object at 0x7fecad3cea30〉, 〈time_series_
← metadata.scheme.MetaData object at 0x7fecad3ce700〉, 〈time_series_metadata.scheme.
← MetaData object at 0x7fecad3cec10〉, 〈time_series_metadata.scheme.MetaData object at
← 0x7fecad3ced90〉, 〈time_series_metadata.scheme.MetaData object at 0x7fecad459b80〉,
← 〈time_series_metadata.scheme.MetaData object at 0x7fecad459970〉]], 'Sensor4': {'data
→ ': array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01]]), 'metadata':
→ [〈time_series_metadata.scheme.MetaData object at 0x7fecad3ce730〉, 〈time_series_
← metadata.scheme.MetaData object at 0x7fecad3ceb20〉, 〈time_series_metadata.scheme.
← MetaData object at 0x7fecad3cec70〉, 〈time_series_metadata.scheme.MetaData object at
← 0x7fecad3cedf0〉, 〈time_series_metadata.scheme.MetaData object at 0x7fecad459d60〉,
← 〈time_series_metadata.scheme.MetaData object at 0x7fecad459bb0〉]]}
[2021-07-07 14:49:26.004392] (RedundancyAgent1): Tproc: 0.00391
[2021-07-07 14:49:26.004709] (MonitorAgent_SensorValues): Tproc: 0.004226
[2021-07-07 14:49:26.041176] (Sensor2): Pack time: 0.000134
[2021-07-07 14:49:26.041835] (MonitorAgent_SensorValues): Received: {'from': 'Sensor2
→ ', 'data': array([[ 0.06      , 0.          , 10.17661344,  0.2        ]]), 'metadata
→ ': 〈time_series_metadata.scheme.MetaData object at 0x7fecad3ce670〉, 'senderType':
← 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:26.041503] (Sensor2): Sending: [array([[ 0.06      , 0.          ,
→ 10.17661344,  0.2        ]]), 〈time_series_metadata.scheme.MetaData object at
← 0x7fecad4806d0〉]
[2021-07-07 14:49:26.046772] (RedundancyAgent1): Received: {'from': 'Sensor2', 'data':
→ array([[ 0.06      , 0.          , 10.17661344,  0.2        ]]), 'metadata': 〈time_
← series_metadata.scheme.MetaData object at 0x7fecad46b1c0〉, 'senderType':
← 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:26.045984] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
→ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01]]), 'metadata':
→ [〈time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0〉, 〈time_series_
← metadata.scheme.MetaData object at 0x7fecad3cea00〉, 〈time_series_metadata.scheme.
← MetaData object at 0x7fecad3ce8b0〉, 〈time_series_metadata.scheme.MetaData object at
← 0x7fecad3cea90〉, 〈time_series_metadata.scheme.MetaData object at 0x7fecad459b20〉, 〈time_series_
← metadata.scheme.MetaData object at 0x7fecad3ce4c0〉]], 'Sensor2': {'data': array([[0.
→ 0.00000000e+00, 0.00000000e+00, 9.122001e+00, 2.00000000e-01], 17.1 Redundancy Agent - Determining redundancy in several similar signals 105
continues on next page]
```

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cebb0>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce670>]}, 'Sensor3': {'data': array([[0.
↳ 00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459970>]}, 'Sensor4': {'data
↳ ': array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>]}}
[2021-07-07 14:49:26.048356] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01]]), 'Sensor2':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01]]), 'Sensor3':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01]]), 'Sensor4':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01]]]
```

(continues on next page)

(continued from previous page)

```
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01]]})}
```

[2021-07-07 14:49:26.046153] (MonitorAgent\_SensorValues): Tproc: 0.00423

[2021-07-07 14:49:26.048471] (RedundancyAgent1): Tproc: 0.001597

[2021-07-07 14:49:26.076987] (Sensor3): Pack time: 0.00014

[2021-07-07 14:49:26.077908] (RedundancyAgent1): Received: {'from': 'Sensor3', 'data': array([[ 0.06 , 0. , 10.48463468, 0.2 ]]), 'metadata': <time\_series\_metadata.scheme.MetaData object at 0x7fecad46b3d0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}

[2021-07-07 14:49:26.077584] (MonitorAgent\_SensorValues): Received: {'from': 'Sensor3', 'data': array([[ 0.06 , 0. , 10.48463468, 0.2 ]]), 'metadata': <time\_series\_metadata.scheme.MetaData object at 0x7fecad3ce8e0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}

[2021-07-07 14:49:26.077343] (Sensor3): Sending: [array([[ 0.06 , 0. , 10.48463468, 0.2 ]]), <time\_series\_metadata.scheme.MetaData object at 0x7fecad4826d0>]

[2021-07-07 14:49:26.080354] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01]]), 'Sensor2': array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01]]), 'Sensor3': array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01]]), 'Sensor4': array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01]]})}

[2021-07-07 14:49:26.080207] (MonitorAgent\_SensorValues): Buffer: {'Sensor1': {'data': array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01]]), 'metadata': <time\_series\_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time\_series\_metadata.scheme.MetaData object at 0x7fecad3cea00>, <time\_series\_metadata.scheme.MetaData object at 0x7fecad3ce8b0>, <time\_series\_metadata.scheme.MetaData object at 0x7fecad3cea90>, <time\_series\_metadata.scheme.MetaData object at 0x7fecad459b20>, <time\_series\_metadata.scheme.MetaData object at 0x7fecad3ce4c0>}}, 'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.1226671e+00, 2.00000000e-01],

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01]]), 'metadata':
↪ [〈time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0〉, 〈time_series_
↪ metadata.scheme.MetaData object at 0x7fecad3ceaf0〉, 〈time_series_metadata.scheme.
↪ MetaData object at 0x7fecad3cebb0〉, 〈time_series_metadata.scheme.MetaData object at
↪ 0x7fecad3ced30〉, 〈time_series_metadata.scheme.MetaData object at 0x7fecad459c70〉,
↪ 〈time_series_metadata.scheme.MetaData object at 0x7fecad459af0〉, 〈time_series_
↪ metadata.scheme.MetaData object at 0x7fecad3ce670〉]], 'Sensor3': {'data': array([[0.
↪ 00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01]]), 'metadata':
↪ [〈time_series_metadata.scheme.MetaData object at 0x7fecad3cea30〉, 〈time_series_
↪ metadata.scheme.MetaData object at 0x7fecad3ce700〉, 〈time_series_metadata.scheme.
↪ MetaData object at 0x7fecad3cec10〉, 〈time_series_metadata.scheme.MetaData object at
↪ 0x7fecad3ced90〉, 〈time_series_metadata.scheme.MetaData object at 0x7fecad459b80〉,
↪ 〈time_series_metadata.scheme.MetaData object at 0x7fecad459970〉, 〈time_series_
↪ metadata.scheme.MetaData object at 0x7fecad3ce8e0〉]], 'Sensor4': {'data': array([[0.
↪ 00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01]]), 'metadata':
↪ [〈time_series_metadata.scheme.MetaData object at 0x7fecad3ce730〉, 〈time_series_
↪ metadata.scheme.MetaData object at 0x7fecad3ceb20〉, 〈time_series_metadata.scheme.
↪ MetaData object at 0x7fecad3cec70〉, 〈time_series_metadata.scheme.MetaData object at
↪ 0x7fecad3cedf0〉, 〈time_series_metadata.scheme.MetaData object at 0x7fecad459d60〉,
↪ 〈time_series_metadata.scheme.MetaData object at 0x7fecad459bb0〉]]}
[2021-07-07 14:49:26.080303] (MonitorAgent_SensorValues): Tproc: 0.002634
[2021-07-07 14:49:26.080417] (RedundancyAgent1): Tproc: 0.002434
[2021-07-07 14:49:26.115261] (Sensor4): Pack time: 0.000242
[2021-07-07 14:49:26.116660] (RedundancyAgent1): Received: {'from': 'Sensor4', 'data':
↪ array([[0.06      , 0.        , 9.7540184, 0.2      ]]), 'metadata': 〈time_series_
↪ metadata.scheme.MetaData object at 0x7fecad46b3d0〉, 'senderType':
↪ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:26.116479] (MonitorAgent_SensorValues): Received: {'from': 'Sensor4
↪ ', 'data': array([[0.06      , 0.        , 9.7540184, 0.2      ]]), 'metadata': 〈time_
↪ series_metadata.scheme.MetaData object at 0x7fecad3cee50〉, 'senderType':
↪ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:26.115684] (Sensor4): Sending: [array([[0.06      , 0.        , 9.
↪ 7540184, 0.2      ]]), 〈time_series_metadata.scheme.MetaData object at
↪ 0x7fecad482700〉]
[2021-07-07 14:49:26.118065] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↪ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```

[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01]]), 'Sensor2': [
    ↪array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
           [6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01]]), 'Sensor3': [
    ↪array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
           [6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01]]), 'Sensor4': [
    ↪array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
           [6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01]])
[2021-07-07 14:49:26.119262] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
    ↪ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
           [6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01]]), 'metadata':
    ↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
        ↪ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
        ↪ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
        ↪ 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
        ↪ <time_series_metadata.scheme.MetaData object at 0x7fecad459b20>, <time_series_
        ↪ metadata.scheme.MetaData object at 0x7fecad3ce4c0>]}, 'Sensor2': {'data': array([[0.
        ↪ 00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
           [6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01]]), 'metadata':
    ↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
        ↪ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
        ↪ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at
        ↪ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
        ↪ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
        ↪ metadata.scheme.MetaData object at 0x7fecad3ce670>]}, 'Sensor3': {'data': array([[0.
        ↪ 00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
           [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
           [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
           [4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
           [5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
           [6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01]]), 'metadata':
    ↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
        ↪ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
        ↪ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
        ↪ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
        ↪ <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>, <time_series_
        ↪ metadata.scheme.MetaData object at 0x7fecad3ce8e0>]}, 'Sensor4': {'data': array([[0.
        ↪ 00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
           [1.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01]])

```

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3cee50>]}
[2021-07-07 14:49:26.119350] (MonitorAgent_SensorValues): Tproc: 0.002783
[2021-07-07 14:49:26.118130] (RedundancyAgent1): Tproc: 0.001394
Buffer size is 7 , which is less than 10 .
Not enough data for redundancy agent evaluation.
[2021-07-07 14:49:27.007522] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1
↳ ', 'data': array([[0.07      , 0.          , 9.64395692, 0.2        ]]), 'metadata':
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad3ceeb0>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:27.003888] (Sensor1): Pack time: 0.000931
[2021-07-07 14:49:27.007780] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
↳ array([[0.07      , 0.          , 9.64395692, 0.2        ]]), 'metadata': <time_
↳ series_metadata.scheme.MetaData object at 0x7fecad46b3d0>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:27.006537] (Sensor1): Sending: [array([[0.07      , 0.          , 9.
↳ 64395692, 0.2        ]]), <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad47d550>]
[2021-07-07 14:49:27.064438] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
↳ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad3ce4c0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceeb0>], 'Sensor2': {'data': array([[0.00000000e+00, 0.
↳ 00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce670>], 'Sensor3': {'data': array([[0.
↳ 00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01], (continues on next page)

```

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459970>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce8e0>]}, 'Sensor4': {'data': array([[0.
↳ 00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3cee50>]}}
[2021-07-07 14:49:27.049495] (Sensor2): Pack time: 0.00217
[2021-07-07 14:49:27.082978] (Sensor3): Pack time: 0.000381
[2021-07-07 14:49:27.093177] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.704395692e+00, 2.00000000e-01]]), 'Sensor2':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01]]), 'Sensor3':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01]]), 'Sensor4':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01]])}
```

(continues on next page)

(continued from previous page)

```
[2021-07-07 14:49:27.065373] (MonitorAgent_SensorValues): Tproc: 0.051613
[2021-07-07 14:49:27.053082] (Sensor2): Sending: [array([[ 0.07      , 0.          ,
→ 10.10629053, 0.2        ]]), <time_series_metadata.scheme.MetaData object at
→ 0x7fecad4806d0>]
[2021-07-07 14:49:27.086959] (Sensor3): Sending: [array([[ 0.07      , 0.          ,
→ 10.39382334, 0.2        ]]), <time_series_metadata.scheme.MetaData object at
→ 0x7fecad4826d0>]
[2021-07-07 14:49:27.096507] (RedundancyAgent1): Tproc: 0.088083
[2021-07-07 14:49:27.085681] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
→ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01]]), 'metadata':
→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
→ 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad459b20>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ce4c0>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3ceeb0>]}, 'Sensor2': {'data': array([[0.00000000e+00, 0.
→ 00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01]]), 'metadata':
→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at
→ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ce670>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3cecd0>]}, 'Sensor3': {'data': array([[0.00000000e+00, 0.
→ 00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01]]), 'metadata':
→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
→ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad459970>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ce8e0>]}, 'Sensor4': {'data': array([[0.
→ 00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```

[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
<time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>, <time_series_
metadata.scheme.MetaData object at 0x7fecad3cee50>]}]
[2021-07-07 14:49:27.097338] (RedundancyAgent1): Received: {'from': 'Sensor2', 'data':
↳ array([[ 0.07      , 0.          , 10.10629053, 0.2        ]]), 'metadata': <time_
series_metadata.scheme.MetaData object at 0x7fecad46b3d0>, 'senderType':
'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:27.073893] (MonitorAgent_SensorValues): Received: {'from': 'Sensor2
↳ ', 'data': array([[ 0.07      , 0.          , 10.10629053, 0.2        ]]), 'metadata
↳ ': <time_series_metadata.scheme.MetaData object at 0x7fecad3cecd0>, 'senderType':
'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:27.108499] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01]]), 'Sensor2':_u
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01]]), 'Sensor3':_u
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01]]), 'Sensor4':_u
↳ array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01]])}
[2021-07-07 14:49:27.085880] (MonitorAgent_SensorValues): Tproc: 0.011452
[2021-07-07 14:49:27.108738] (RedundancyAgent1): Tproc: 0.011242
[2021-07-07 14:49:27.087157] (MonitorAgent_SensorValues): Received: {'from': 'Sensor3
↳ ', 'data': array([[ 0.07      , 0.          , 10.39382334, 0.2        ]]), 'metadata
↳ ': <time_series_metadata.scheme.MetaData object at 0x7fecad3ceb80>, 'senderType':
'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:27.116905] (Sensor4): Pack time: 0.000174
[2021-07-07 14:49:27.110424] (RedundancyAgent1): Received: {'from': 'Sensor3', 'data':
↳ array([[ 0.07      , 0.          , 10.39382334, 0.2        ]]), 'metadata': <time_
series_metadata.scheme.MetaData object at 0x7fecad46b1c0>, 'senderType':
'MetrologicalGeneratorAgent', 'channel': 'default'}

```

(continues on next page)

(continued from previous page)

```
[2021-07-07 14:49:27.095596] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
    ↳ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
        [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
        [2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
        [3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
        [4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
        [5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
        [6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
        [7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01]]), 'metadata':
    ↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
        ↳ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
        ↳ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at_ 
        ↳ 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
        ↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459b20>, <time_series_
        ↳ metadata.scheme.MetaData object at 0x7fecad3ce4c0>, <time_series_metadata.scheme.
        ↳ MetaData object at 0x7fecad3ceeb0>]], 'Sensor2': {'data': array([[0.00000000e+00, 0.
        ↳ 00000000e+00, 9.81226671e+00, 2.00000000e-01],
            [1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
            [2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
            [3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
            [4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
            [5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
            [6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
            [7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01]]), 'metadata':
    ↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
        ↳ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
        ↳ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at_ 
        ↳ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
        ↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
        ↳ metadata.scheme.MetaData object at 0x7fecad3ce670>, <time_series_metadata.scheme.
        ↳ MetaData object at 0x7fecad3cecd0>], 'Sensor3': {'data': array([[0.00000000e+00, 0.
        ↳ 00000000e+00, 9.40049983e+00, 2.00000000e-01],
            [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
            [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
            [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
            [4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
            [5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
            [6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],
            [7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01]]), 'metadata':
    ↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
        ↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
        ↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at_ 
        ↳ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
        ↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459970>, <time_series_
        ↳ metadata.scheme.MetaData object at 0x7fecad3ce8e0>, <time_series_metadata.scheme.
        ↳ MetaData object at 0x7fecad3ceb80>], 'Sensor4': {'data': array([[0.00000000e+00, 0.
        ↳ 00000000e+00, 9.63403863e+00, 2.00000000e-01],
            [1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
            [2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
            [3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
            [4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
            [5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
            [6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01]]), 'metadata':
    ↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
        ↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
        ↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at_ 
        ↳ 0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
        ↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>, <time (continues on next page)
        ↳ metadata.scheme.MetaData object at 0x7fecad3cee50>]}}}
```

(continued from previous page)

```
[2021-07-07 14:49:27.117323] (Sensor4): Sending: [array([[0.07      , 0.      , 9.5119209, 0.2      ]]), <time_series_metadata.scheme.MetaData object at 0x7fecad482700>]
[2021-07-07 14:49:27.113833] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.0000000e+00, 0.0000000e+00, 1.00575868e+01, 2.0000000e-01],
   [1.0000000e-02, 0.0000000e+00, 9.85659121e+00, 2.0000000e-01],
   [2.0000000e-02, 0.0000000e+00, 9.99946200e+00, 2.0000000e-01],
   [3.0000000e-02, 0.0000000e+00, 1.00805776e+01, 2.0000000e-01],
   [4.0000000e-02, 0.0000000e+00, 9.66887351e+00, 2.0000000e-01],
   [5.0000000e-02, 0.0000000e+00, 9.71880656e+00, 2.0000000e-01],
   [6.0000000e-02, 0.0000000e+00, 9.70455528e+00, 2.0000000e-01],
   [7.0000000e-02, 0.0000000e+00, 9.64395692e+00, 2.0000000e-01]]), 'Sensor2': array([[0.0000000e+00, 0.0000000e+00, 9.81226671e+00, 2.0000000e-01],
   [1.0000000e-02, 0.0000000e+00, 9.62458464e+00, 2.0000000e-01],
   [2.0000000e-02, 0.0000000e+00, 9.85543299e+00, 2.0000000e-01],
   [3.0000000e-02, 0.0000000e+00, 1.00927391e+01, 2.0000000e-01],
   [4.0000000e-02, 0.0000000e+00, 9.87107856e+00, 2.0000000e-01],
   [5.0000000e-02, 0.0000000e+00, 1.00922106e+01, 2.0000000e-01],
   [6.0000000e-02, 0.0000000e+00, 1.01766134e+01, 2.0000000e-01],
   [7.0000000e-02, 0.0000000e+00, 1.01062905e+01, 2.0000000e-01]]), 'Sensor3': array([[0.0000000e+00, 0.0000000e+00, 9.40049983e+00, 2.0000000e-01],
   [1.0000000e-02, 0.0000000e+00, 9.33105188e+00, 2.0000000e-01],
   [2.0000000e-02, 0.0000000e+00, 9.72930289e+00, 2.0000000e-01],
   [3.0000000e-02, 0.0000000e+00, 1.01384766e+01, 2.0000000e-01],
   [4.0000000e-02, 0.0000000e+00, 1.00575535e+01, 2.0000000e-01],
   [5.0000000e-02, 0.0000000e+00, 1.03679675e+01, 2.0000000e-01],
   [6.0000000e-02, 0.0000000e+00, 1.04846347e+01, 2.0000000e-01],
   [7.0000000e-02, 0.0000000e+00, 1.03938233e+01, 2.0000000e-01]]), 'Sensor4': array([[0.0000000e+00, 0.0000000e+00, 9.63403863e+00, 2.0000000e-01],
   [1.0000000e-02, 0.0000000e+00, 9.81544544e+00, 2.0000000e-01],
   [2.0000000e-02, 0.0000000e+00, 1.03398175e+01, 2.0000000e-01],
   [3.0000000e-02, 0.0000000e+00, 1.06398883e+01, 2.0000000e-01],
   [4.0000000e-02, 0.0000000e+00, 1.02079757e+01, 2.0000000e-01],
   [5.0000000e-02, 0.0000000e+00, 1.00425699e+01, 2.0000000e-01],
   [6.0000000e-02, 0.0000000e+00, 9.75401840e+00, 2.0000000e-01]])}
[2021-07-07 14:49:27.095824] (MonitorAgent_SensorValues): Tproc: 0.008473
[2021-07-07 14:49:27.114747] (RedundancyAgent1): Tproc: 0.004163
[2021-07-07 14:49:27.118762] (MonitorAgent_SensorValues): Received: {'from': 'Sensor4', 'data': array([[0.07      , 0.      , 9.5119209, 0.2      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fecad3cefa0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:27.118666] (RedundancyAgent1): Received: {'from': 'Sensor4', 'data': array([[0.07      , 0.      , 9.5119209, 0.2      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fecad46b1c0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:27.127116] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data': array([[0.0000000e+00, 0.0000000e+00, 1.00575868e+01, 2.0000000e-01],
   [1.0000000e-02, 0.0000000e+00, 9.85659121e+00, 2.0000000e-01],
   [2.0000000e-02, 0.0000000e+00, 9.99946200e+00, 2.0000000e-01],
   [3.0000000e-02, 0.0000000e+00, 1.00805776e+01, 2.0000000e-01],
   [4.0000000e-02, 0.0000000e+00, 9.66887351e+00, 2.0000000e-01],
   [5.0000000e-02, 0.0000000e+00, 9.71880656e+00, 2.0000000e-01],
   [6.0000000e-02, 0.0000000e+00, 9.70455528e+00, 2.0000000e-01],
   [7.0000000e-02, 0.0000000e+00, 9.64395692e+00, 2.0000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b20>, <time_series_metadata.scheme.MetaData object at 0x7fecad3ce4c0>, <time_series_metadata.scheme.MetaData object at 0x7fecad3ce5e0>}, 'Sensor2': {'data': array([[0.0000000e+00, 0.81226671e+00, 2.0000000e-01],
```

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cebb0>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce670>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cecd0>]], 'Sensor3': {'data': array([[0.00000000e+00, 0.
↳ 00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459970>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce8e0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ceb80>]], 'Sensor4': {'data': array([[0.00000000e+00, 0.
↳ 00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.51192090e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad3cee50>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cef0>]]}
[2021-07-07 14:49:27.122042] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01]]), 'Sensor2':_array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01]]], 'Sensor3': [
array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01]]], 'Sensor4': [
array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.51192090e+00, 2.00000000e-01]])}
[2021-07-07 14:49:27.127213] (MonitorAgent_SensorValues): Tproc: 0.00831
[2021-07-07 14:49:27.122187] (RedundancyAgent1): Tproc: 0.003364
Buffer size is 8, which is less than 10 .
Not enough data for redundancy agent evaluation.
[2021-07-07 14:49:27.998756] (Sensor1): Pack time: 0.000271
[2021-07-07 14:49:27.999481] (Sensor1): Sending: [array([[0.08      , 0.          , 9.
˓→9701676, 0.2      ]]), <time_series_metadata.scheme.MetaData object at
˓→0x7fecad47d550>]
[2021-07-07 14:49:28.000684] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
˓→ array([[0.08      , 0.          , 9.9701676, 0.2      ]]), 'metadata': <time_series_
˓→metadata.scheme.MetaData object at 0x7fecad46b1c0>, 'senderType':
˓→'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:28.002045] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1
˓→', 'data': array([[0.08      , 0.          , 9.9701676, 0.2      ]]), 'metadata': <time_
˓→series_metadata.scheme.MetaData object at 0x7fecad459d00>, 'senderType':
˓→'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:28.008939] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
˓→ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 9.97016760e+00, 2.00000000e-01]]), 'metadata':
˓→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
˓→metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
˓→0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
˓→<time_series_metadata.scheme.MetaData object at 0x7fecad459b20>, <time_series_
˓→metadata.scheme.MetaData object at 0x7fecad3ce4c0>, <time_series_metadata.scheme.
˓→MetaData object at 0x7fecad3ceeb0>, <time_series_metadata.scheme.MetaData object at
˓→0x7fecad459d00>]}, 'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
˓→81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at_
↳ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce670>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cecd0>], 'Sensor3': {'data': array([[0.00000000e+00, 0.
↳ 00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at_
↳ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459970>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce8e0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ceb80>], 'Sensor4': {'data': array([[0.00000000e+00, 0.
↳ 00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.51192090e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at_
↳ 0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3cee50>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cef0>]}
[2021-07-07 14:49:28.010147] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 9.97016760e+00, 2.00000000e-01]]), 'Sensor2':_.
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```

[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01]]], 'Sensor3':_  

↪array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],  

[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],  

[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],  

[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],  

[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],  

[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],  

[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],  

[7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01]]], 'Sensor4':_  

↪array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],  

[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],  

[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],  

[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],  

[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],  

[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],  

[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01],  

[7.00000000e-02, 0.00000000e+00, 9.51192090e+00, 2.00000000e-01]]})  

[2021-07-07 14:49:28.009079] (MonitorAgent_SensorValues): Tproc: 0.006906  

[2021-07-07 14:49:28.011280] (RedundancyAgent1): Tproc: 0.010427  

[2021-07-07 14:49:28.041395] (Sensor2): Pack time: 0.000193  

[2021-07-07 14:49:28.042955] (MonitorAgent_SensorValues): Received: {'from': 'Sensor2'  

↪, 'data': array([[ 0.08      , 0.          , 10.3098588, 0.2        ]]), 'metadata':  

↪<time_series_metadata.scheme.MetaData object at 0x7fecad3f0130>, 'senderType':  

↪'MetrologicalGeneratorAgent', 'channel': 'default'}  

[2021-07-07 14:49:28.041970] (Sensor2): Sending: [array([[ 0.08      , 0.          , 10.  

↪3098588, 0.2        ]]), <time_series_metadata.scheme.MetaData object at_  

↪0x7fecad4806d0>]  

[2021-07-07 14:49:28.044622] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':  

↪ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],  

[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],  

[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],  

[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],  

[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],  

[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],  

[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],  

[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01],  

[8.00000000e-02, 0.00000000e+00, 9.97016760e+00, 2.00000000e-01]]), 'metadata':  

↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_  

↪ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.  

↪ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at_  

↪ 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,  

↪ <time_series_metadata.scheme.MetaData object at 0x7fecad459b20>, <time_series_  

↪ metadata.scheme.MetaData object at 0x7fecad3ce4c0>, <time_series_metadata.scheme.  

↪ MetaData object at 0x7fecad3ceeb0>, <time_series_metadata.scheme.MetaData object at_  

↪ 0x7fecad459d00>]}, 'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.  

↪81226671e+00, 2.00000000e-01],  

[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],  

[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],  

[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],  

[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],  

[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],  

[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],  

[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01],  

[8.00000000e-02, 0.00000000e+00, 1.03098588e+01, 2.00000000e-01]]), 'metadata':  

↪ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_  

↪ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.  

↪ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at_  

↪ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,  

↪ <time_series_metadata.scheme.MetaData object at 0x7fecad459a10>, <time_series_  

↪ metadata.scheme.MetaData object at 0x7fecad3ce670>, <time_series_metadata.scheme.  

↪ MetaData object at 0x7fecad3cecd0>, <time_series_metadata.scheme.MetaData object at_  

↪ 0x7fecad3f0130>]}, 'Sensor3': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.  

↪

```

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459970>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce8e0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ceb80>]], 'Sensor4': {'data': array([[0.00000000e+00, 0.
↳ 00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.51192090e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at
↳ 0x7fecad3cdf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3cee50>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cef0>]}}

[2021-07-07 14:49:28.045903] (RedundancyAgent1): Received: {'from': 'Sensor2', 'data':
↳ array([[ 0.08      , 0.        , 10.3098588, 0.2      ]]), 'metadata': <time_
↳ series_metadata.scheme.MetaData object at 0x7fecad46b1c0>, 'senderType':
↳ 'MetrologicalGeneratorAgent', 'channel': 'default'}

[2021-07-07 14:49:28.048715] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 9.97016760e+00, 2.00000000e-01]]), 'Sensor2':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 1.03098588e+01, 2.00000000e-01]]), 'Sensor3':_
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```

[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01]]], 'Sensor4': [
→array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.51192090e+00, 2.00000000e-01]]}
[2021-07-07 14:49:28.044681] (MonitorAgent_SensorValues): Tproc: 0.001629
[2021-07-07 14:49:28.048806] (RedundancyAgent1): Tproc: 0.002818
[2021-07-07 14:49:28.076686] (Sensor3): Pack time: 0.000103
[2021-07-07 14:49:28.076910] (Sensor3): Sending: [array([[ 0.08      , 0.          ,
→10.53250935, 0.2        ]]), <time_series_metadata.scheme.MetaData object at
→0x7fecad4826d0>]
[2021-07-07 14:49:28.077554] (RedundancyAgent1): Received: {'from': 'Sensor3', 'data':
→ array([[ 0.08      , 0.          , 10.53250935, 0.2        ]]), 'metadata': <time_
→series_metadata.scheme.MetaData object at 0x7fecad46b3d0>, 'senderType':
→'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:28.080638] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
→00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 9.97016760e+00, 2.00000000e-01]]), 'Sensor2': [
→array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 1.03098588e+01, 2.00000000e-01]]), 'Sensor3': [
→array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 1.05325093e+01, 2.00000000e-01]]), 'Sensor4': [
→array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.51192090e+00, 2.00000000e-01]]]}

```

(continues on next page)

(continued from previous page)

```
[2021-07-07 14:49:28.080717] (RedundancyAgent1): Tproc: 0.003086
[2021-07-07 14:49:28.077555] (MonitorAgent_SensorValues): Received: {'from': 'Sensor3
˓→', 'data': array([[ 0.08       , 0.          , 10.53250935, 0.2       ]]), 'metadata
˓→': <time_series_metadata.scheme.MetaData object at 0x7fecad3f0070>, 'senderType':
˓→'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:28.080644] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
˓→ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
˓→ [1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
˓→ [2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
˓→ [3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
˓→ [4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
˓→ [5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
˓→ [6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
˓→ [7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01],
˓→ [8.00000000e-02, 0.00000000e+00, 9.97016760e+00, 2.00000000e-01]]), 'metadata':
˓→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
˓→ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
˓→ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at
˓→ 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
˓→ <time_series_metadata.scheme.MetaData object at 0x7fecad459b20>, <time_series_
˓→ metadata.scheme.MetaData object at 0x7fecad3ce4c0>, <time_series_metadata.scheme.
˓→ MetaData object at 0x7fecad3ceeb0>, <time_series_metadata.scheme.MetaData object at
˓→ 0x7fecad459d00>]}, 'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
˓→ 81226671e+00, 2.00000000e-01],
˓→ [1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
˓→ [2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
˓→ [3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
˓→ [4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
˓→ [5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
˓→ [6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
˓→ [7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01],
˓→ [8.00000000e-02, 0.00000000e+00, 1.03098588e+01, 2.00000000e-01]]), 'metadata':
˓→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
˓→ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
˓→ MetaData object at 0x7fecad3ceb0>, <time_series_metadata.scheme.MetaData object at
˓→ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459c70>,
˓→ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
˓→ metadata.scheme.MetaData object at 0x7fecad3ce670>, <time_series_metadata.scheme.
˓→ MetaData object at 0x7fecad3cecd0>, <time_series_metadata.scheme.MetaData object at
˓→ 0x7fecad3f0130>]}, 'Sensor3': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
˓→ 40049983e+00, 2.00000000e-01],
˓→ [1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
˓→ [2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
˓→ [3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
˓→ [4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
˓→ [5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
˓→ [6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],
˓→ [7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01],
˓→ [8.00000000e-02, 0.00000000e+00, 1.05325093e+01, 2.00000000e-01]]), 'metadata':
˓→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
˓→ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
˓→ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at
˓→ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
˓→ <time_series_metadata.scheme.MetaData object at 0x7fecad459970>, <time_series_
˓→ metadata.scheme.MetaData object at 0x7fecad3ce8e0>, <time_series_metadata.scheme.
˓→ MetaData object at 0x7fecad3ceb80>, <time_series_metadata.scheme.MetaData object at
˓→ 0x7fecad3f0070>]}, 'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
˓→ 63403863e+00, 2.00000000e-01],
˓→ (continues on next page)
˓→ ]])]
```

(continued from previous page)

```

[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.51192090e+00, 2.00000000e-01]], 'metadata':
→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at 
→ 0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3cee50>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3cefa0>]}
[2021-07-07 14:49:28.080716] (MonitorAgent_SensorValues): Tproc: 0.00308
[2021-07-07 14:49:28.114989] (Sensor4): Pack time: 0.00015
[2021-07-07 14:49:28.115411] (Sensor4): Sending: [array([[0.08      , 0.      , 9.
→ 83409251, 0.2      ]]), <time_series_metadata.scheme.MetaData object at 
→ 0x7fecad482700>]
[2021-07-07 14:49:28.116198] (RedundancyAgent1): Received: {'from': 'Sensor4', 'data':
→ array([[0.08      , 0.      , 9.83409251, 0.2      ]]), 'metadata': <time_
→ series_metadata.scheme.MetaData object at 0x7fecad46b3d0>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:28.116198] (MonitorAgent_SensorValues): Received: {'from': 'Sensor4
→ ', 'data': array([[0.08      , 0.      , 9.83409251, 0.2      ]]), 'metadata':
→ <time_series_metadata.scheme.MetaData object at 0x7fecad3f0040>, 'senderType':
→ 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 14:49:28.119805] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
→ array([[0.00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 9.97016760e+00, 2.00000000e-01]]), 'metadata':
→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce6a0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3cea00>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3ce8b0>, <time_series_metadata.scheme.MetaData object at 
→ 0x7fecad3cea90>, <time_series_metadata.scheme.MetaData object at 0x7fecad44fe80>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad3ce4c0>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3ceeb0>, <time_series_metadata.scheme.MetaData object at 
→ 0x7fecad459d00>]}, 'Sensor2': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
→ 81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 1.03098588e+01, 2.00000000e-01]]), 'metadata':
→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3cebb0>, <time_series_metadata.scheme.MetaData object at 
→ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459e70>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ce670>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3cecd0>, <time_series_metadata.scheme.MetaData object at 
→ 0x7fecad3f0130>]}, 'Sensor3': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
→ 40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 1.03098588e+01, 2.00000000e-01]]), 'metadata':
→ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3cebb0>, <time_series_metadata.scheme.MetaData object at 
→ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459e70>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ce670>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3cecd0>, <time_series_metadata.scheme.MetaData object at 
→ 0x7fecad3f0130>]}], 'metadata': <time_series_metadata.scheme.MetaData object at 0x7fecad459e70>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad3ce7f0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ceaf0>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3cebb0>, <time_series_metadata.scheme.MetaData object at 
→ 0x7fecad3ced30>, <time_series_metadata.scheme.MetaData object at 0x7fecad459e70>,
→ <time_series_metadata.scheme.MetaData object at 0x7fecad459af0>, <time_series_
→ metadata.scheme.MetaData object at 0x7fecad3ce670>, <time_series_metadata.scheme.
→ MetaData object at 0x7fecad3cecd0>, <time_series_metadata.scheme.MetaData object at 
→ 0x7fecad3f0130>]}

```

(continued from previous page)

```
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 1.05325093e+01, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3cea30>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce700>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec10>, <time_series_metadata.scheme.MetaData object at_.
↳ 0x7fecad3ced90>, <time_series_metadata.scheme.MetaData object at 0x7fecad459b80>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459970>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ce8e0>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3ceb80>, <time_series_metadata.scheme.MetaData object at_.
↳ 0x7fecad3f0070>]], 'Sensor4': {'data': array([[0.00000000e+00, 0.00000000e+00, 9.
↳ 63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.51192090e+00, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 9.83409251e+00, 2.00000000e-01]]), 'metadata':
↳ [<time_series_metadata.scheme.MetaData object at 0x7fecad3ce730>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3ceb20>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cec70>, <time_series_metadata.scheme.MetaData object at_.
↳ 0x7fecad3cedf0>, <time_series_metadata.scheme.MetaData object at 0x7fecad459d60>,
↳ <time_series_metadata.scheme.MetaData object at 0x7fecad459bb0>, <time_series_
↳ metadata.scheme.MetaData object at 0x7fecad3cee50>, <time_series_metadata.scheme.
↳ MetaData object at 0x7fecad3cefa0>, <time_series_metadata.scheme.MetaData object at_.
↳ 0x7fecad3f0040>]}}

[2021-07-07 14:49:28.119751] (RedundancyAgent1): Buffer: {'Sensor1': array([[0.
↳ 00000000e+00, 0.00000000e+00, 1.00575868e+01, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.85659121e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.99946200e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00805776e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.66887351e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 9.71880656e+00, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.70455528e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.64395692e+00, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 9.97016760e+00, 2.00000000e-01]]), 'Sensor2':_.
↳ array([[0.00000000e+00, 0.00000000e+00, 9.81226671e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.62458464e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.85543299e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.00927391e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 9.87107856e+00, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00922106e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.01766134e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.01062905e+01, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 1.03098588e+01, 2.00000000e-01]]), 'Sensor3':_.
↳ array([[0.00000000e+00, 0.00000000e+00, 9.40049983e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.33105188e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 9.72930289e+00, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.01384766e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.00575535e+01, 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```
[5.00000000e-02, 0.00000000e+00, 1.03679675e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 1.04846347e+01, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 1.03938233e+01, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 1.05325093e+01, 2.00000000e-01]]], 'Sensor4': [
array([[0.00000000e+00, 0.00000000e+00, 9.63403863e+00, 2.00000000e-01],
[1.00000000e-02, 0.00000000e+00, 9.81544544e+00, 2.00000000e-01],
[2.00000000e-02, 0.00000000e+00, 1.03398175e+01, 2.00000000e-01],
[3.00000000e-02, 0.00000000e+00, 1.06398883e+01, 2.00000000e-01],
[4.00000000e-02, 0.00000000e+00, 1.02079757e+01, 2.00000000e-01],
[5.00000000e-02, 0.00000000e+00, 1.00425699e+01, 2.00000000e-01],
[6.00000000e-02, 0.00000000e+00, 9.75401840e+00, 2.00000000e-01],
[7.00000000e-02, 0.00000000e+00, 9.51192090e+00, 2.00000000e-01],
[8.00000000e-02, 0.00000000e+00, 9.83409251e+00, 2.00000000e-01]])}
[2021-07-07 14:49:28.120010] (MonitorAgent_SensorValues): Tproc: 0.003683
[2021-07-07 14:49:28.119848] (RedundancyAgent1): Tproc: 0.003522
Buffer size is 9, which is less than 10.
Not enough data for redundancy agent evaluation.
Buffer size is 9, which is less than 10.
Not enough data for redundancy agent evaluation.
```

## 17.2 Redundancy Agent – Determining redundancy in one single signal

In this tutorial we generate a single signal containing redundant, correlated information and supply it to the Redundancy Agent. The agent uses the redundancy in the data vector together with some prior knowledge in order to calculate the best consistent estimate with associated uncertainty, respecting all provided input uncertainties. It rejects sensor values that may be erroneous. In this presented use case the sensors do not directly measure the measurand, but the measurand is linked to the sensor values by means of four linear equations. The fact that there are four equations and not just one is the cause of the redundancy.

At the start of the main module we define all important parameters. For detailed descriptions of the parameters please refer to the [docstrings of the respective methods](#). Then we define the agents and start the network. The network and the calculated results can be monitored in a browser at the address <http://127.0.0.1:8050/>.

```
[2]: # %load redundancy_agent_one_signal.py
import numpy as np

from agentMET4FOF.agents.metrological_redundancy_agents import RedundancyAgent
from agentMET4FOF.agents.metrological_base_agents import (
    MetrologicalMonitorAgent,
)
from agentMET4FOF.agents.metrological_signal_agents import (
    MetrologicalGeneratorAgent,
)
from agentMET4FOF.network import AgentNetwork
from agentMET4FOF.streams.metrological_signal_streams import (
    MetrologicalMultiWaveGenerator,
)

def demonstrate_redundancy_agent_onesignal():
    batch_size = 10
    n_pr = batch_size
```

(continues on next page)

(continued from previous page)

```

sampling_frequency = 40
signal_1_frequency = 6
signal_2_frequency = 10
signal_1_initial_phase = 1
signal_2_initial_phase = 2
signal_1_amplitude = 230
signal_2_amplitude = 20
exp_unc_abs = 0.2 # absolute expanded uncertainty
probability_limit = 0.95

# start agent network server
agent_network = AgentNetwork(dashboard_modules=True)

# Initialize signal generating class outside of agent framework.
signall = MetrologicalMultiWaveGenerator(
    sfreq=sampling_frequency,
    freq_arr=np.array([signal_1_frequency, signal_2_frequency]),
    ampl_arr=np.array([signal_1_amplitude, signal_2_amplitude]),
    phase_ini_arr=np.array([signal_1_initial_phase, signal_2_initial_phase]),
    value_unc=exp_unc_abs,
)
# signall.init_parameters(batch_size=batch_size)

# Data source agents.
source_name1 = "Sensor1" # signall.metadata["device_id"]
source_agent1 = agent_network.add_agent(
    name=source_name1, agentType=MetrologicalGeneratorAgent
)
source_agent1.init_parameters(signal=signall, batch_size=batch_size)

# Redundant data processing agent
sensor_key_list = [source_name1]
redundancy_name1 = "RedundancyAgent1" # Name cannot contain spaces!!
redundancy_agent1 = agent_network.add_agent(
    name=redundancy_name1, agentType=RedundancyAgent
)
redundancy_agent1.init_parameters(
    sensor_key_list=sensor_key_list,
    calc_type="lcss",
    n_pr=n_pr,
    problim=probability_limit,
)
# prior knowledge needed for redundant evaluation of the data
redundancy_agent1.init_lcss_parameters(
    fsam=sampling_frequency,
    f1=signal_1_frequency,
    f2=signal_2_frequency,
    ampl_ratio=signal_1_amplitude / signal_2_amplitude,
    phi1=signal_1_initial_phase,
    phi2=signal_2_initial_phase,
)

# Initialize metrologically enabled plotting agent.
monitor_agent1 = agent_network.add_agent(
    name="MonitorAgent_SensorValues", agentType=MetrologicalMonitorAgent
)
monitor_agent2 = agent_network.add_agent(

```

(continues on next page)

(continued from previous page)

```

        name="MonitorAgent_RedundantEstimate", agentType=MetrologicalMonitorAgent
    )

    # Bind agents.
    source_agent1.bind_output(monitor_agent1)
    source_agent1.bind_output(redundancy_agent1)
    redundancy_agent1.bind_output(monitor_agent2)

    # Set all agents states to "Running".
    agent_network.set_running_state()

    # Allow for shutting down the network after execution.
    return agent_network

```

```
if __name__ == "__main__":
    demonstrate_redundancy_agent_onesignal()
```

Starting NameServer...  
Broadcast server running on 0.0.0.0:9091  
NS running on 127.0.0.1:3333 (127.0.0.1)  
URI = PYRO:Pyro.NameServer@127.0.0.1:3333

```
-----
| Your agent network is starting up. Open your browser and
| visit the agentMET4FOF dashboard on http://127.0.0.1:8050/
|
```

```

INFO [2021-07-07 15:01:10.413429] (Sensor1): INITIALIZED
INFO [2021-07-07 15:01:10.450809] (RedundancyAgent1): INITIALIZED
INFO [2021-07-07 15:01:10.484041] (MonitorAgent_SensorValues): INITIALIZED
INFO [2021-07-07 15:01:10.524346] (MonitorAgent_RedundantEstimate): INITIALIZED
[2021-07-07 15:01:10.546007] (Sensor1): Connected output module: MonitorAgent_
↪SensorValues
[2021-07-07 15:01:10.559178] (Sensor1): Connected output module: RedundancyAgent1
[2021-07-07 15:01:10.574231] (RedundancyAgent1): Connected output module: ↪
↪MonitorAgent_RedundantEstimate

```

```
/home/ludwig10/code/agentMET4FOF/agentMET4FOF/metrological_streams.py:135: ↪
↪UserWarning:
```

No uncertainty generator function specified. Setting to default (value\_unc = constant,  
↪ time\_unc = 0).

```

SET STATE: Running
[2021-07-07 15:01:11.424478] (Sensor1): Pack time: 0.001013
[2021-07-07 15:01:11.428880] (Sensor1): Sending: [array([[ 0.        , 0.        ,
↪115.89771535, 0.2       ]]), <time_series_metadata.scheme.MetaData object at
↪0x7f4d32e7be50>]
[2021-07-07 15:01:11.440180] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
↪array([[ 0.        , 0.        , 115.89771535, 0.2       ]]), 'metadata':
↪<time_series_metadata.scheme.MetaData object at 0x7f4d32e917c0>, 'senderType':
↪'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 15:01:11.451151] (RedundancyAgent1): Buffer: {'Sensor1': array([[ 0.        ,
↪, 0.        , 115.89771535, 0.2       ]])}
```

(continues on next page)

(continued from previous page)

```

Buffer size is [2021-07-07 15:01:11.453337] (MonitorAgent_SensorValues): Received: {
    ↪'from': 'Sensor1', 'data': array([[ 0.          , 0.          , 115.89771535,  0.2       ],
    ↪      ]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f4d32e933d0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 15:01:11.451664] (RedundancyAgent1): Tproc: 0.003382
1 [2021-07-07 15:01:11.456280] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
    ↪': array([[ 0.          , 0.          , 115.89771535,  0.2       ]]), 'metadata': [
    ↪<time_series_metadata.scheme.MetaData object at 0x7f4d32e933d0>]}
    , which is less than [2021-07-07 15:01:11.456832] (MonitorAgent_SensorValues): Tproc:
    ↪ 0.002794
10 .
Not enough data for redundancy agent evaluation.
[2021-07-07 15:01:12.419936] (Sensor1): Pack time: 0.000606
[2021-07-07 15:01:12.422322] (Sensor1): Sending: [array([[ 2.50000000e-02,  0.
    ↪00000000e+00, -1.01535705e+02,
        2.00000000e-01]]), <time_series_metadata.scheme.MetaData object at 0x7f4d32e7be50>]
[2021-07-07 15:01:12.423682] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
    ↪ array([[ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
        2.00000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f4d32e917c0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'
    ↪'}
[2021-07-07 15:01:12.423671] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1',
    ↪ 'data': array([[ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
        2.00000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f4d32e93490>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default
    ↪'}
Buffer size is [2021-07-07 15:01:12.428294] (MonitorAgent_SensorValues): Buffer: {
    ↪'Sensor1': {'data': array([[ 0.00000000e+00,  0.00000000e+00,  1.15897715e+02,
        2.00000000e-01],
        [ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
        2.00000000e-01]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7f4d32e933d0>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e93490>
    ↪]}}
[2021-07-07 15:01:12.426791] (RedundancyAgent1): Buffer: {'Sensor1': array([[ 0.
    ↪00000000e+00,  0.00000000e+00,  1.15897715e+02,
        2.00000000e-01],
        [ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
        2.00000000e-01]])}
2 [2021-07-07 15:01:12.428951] (MonitorAgent_SensorValues): Tproc: 0.003767
    , which is less than [2021-07-07 15:01:12.427470] (RedundancyAgent1): Tproc: 0.
    ↪003275
10 .
Not enough data for redundancy agent evaluation.
NS shut down.
[2021-07-07 15:01:13.420547] (Sensor1): Pack time: 0.000617
[2021-07-07 15:01:13.422979] (Sensor1): Sending: [array([[ 5.00000000e-02,  0.
    ↪00000000e+00, -2.14017298e+02,
        2.00000000e-01]]), <time_series_metadata.scheme.MetaData object at 0x7f4d32e7be50>]
[2021-07-07 15:01:13.423901] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
    ↪ array([[ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
        2.00000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f4d32e722b0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default
    ↪'}
Buffer size is [2021-07-07 15:01:13.424103] (MonitorAgent_SensorValues): Received: {
    ↪'from': 'Sensor1', 'data': array([[ 5.00000000e-02,  0.00000000e+00, -2.
    ↪14017298e+02,
        2.00000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f4d32e722b0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default
    ↪'}

```

(continues on next page)

(continued from previous page)

```

    2.00000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object_
↪at 0x7f4d32e72070>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default
↪'}

[2021-07-07 15:01:13.427524] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data
↪': array([[ 0.00000000e+00,  0.00000000e+00,  1.15897715e+02,
    2.00000000e-01],
    [ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
    2.00000000e-01],
    [ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
    2.00000000e-01]]}, 'metadata': [<time_series_metadata.scheme.MetaData object_
↪at 0x7f4d32e933d0>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e93490>,
↪<time_series_metadata.scheme.MetaData object at 0x7f4d32e72070>]})

3[2021-07-07 15:01:13.435063] (RedundancyAgent1): Buffer: {'Sensor1': array([[ 0.
↪00000000e+00,  0.00000000e+00,  1.15897715e+02,
    2.00000000e-01],
    [ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
    2.00000000e-01],
    [ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
    2.00000000e-01]])}

, which is less than [2021-07-07 15:01:13.427924] (MonitorAgent_SensorValues): Tproc:
↪ 0.003115

10. [2021-07-07 15:01:13.435851] (RedundancyAgent1): Tproc: 0.010717

```

Not enough data for redundancy agent evaluation.

```

[2021-07-07 15:01:14.419976] (Sensor1): Pack time: 0.000621
[2021-07-07 15:01:14.422191] (Sensor1): Sending: [array([[ 7.50000000e-02,  0.
↪00000000e+00, -1.59767167e+02,
    2.00000000e-01]]), <time_series_metadata.scheme.MetaData object at_
↪0x7f4d32e7be50>]

[2021-07-07 15:01:14.423266] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
↪ array([[ 7.50000000e-02,  0.00000000e+00, -1.59767167e+02,
    2.00000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object_
↪at 0x7f4d32e722b0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default
↪'}

[2021-07-07 15:01:14.423510] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1
↪', 'data': array([[ 7.50000000e-02,  0.00000000e+00, -1.59767167e+02,
    2.00000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object_
↪at 0x7f4d32e72580>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default
↪'}

[2021-07-07 15:01:14.431719] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
↪ array([[ 0.00000000e+00,  0.00000000e+00,  1.15897715e+02,
    2.00000000e-01],
    [ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
    2.00000000e-01],
    [ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
    2.00000000e-01],
    [ 7.50000000e-02,  0.00000000e+00, -1.59767167e+02,
    2.00000000e-01]]}, 'metadata': [<time_series_metadata.scheme.MetaData object_
↪at 0x7f4d32e933d0>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e93490>,
↪<time_series_metadata.scheme.MetaData object at 0x7f4d32e72070>, <time_series_
↪metadata.scheme.MetaData object at 0x7f4d32e72580>]})

Buffer size is [2021-07-07 15:01:14.427207] (RedundancyAgent1): Buffer: {'Sensor1':_
↪array([[ 0.00000000e+00,  0.00000000e+00,  1.15897715e+02,
    2.00000000e-01],
    [ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
    2.00000000e-01],
    [ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
    2.00000000e-01]])}

```

(continues on next page)

(continued from previous page)

```

    2.00000000e-01],
    [ 7.50000000e-02,  0.00000000e+00, -1.59767167e+02,
    2.00000000e-01]]})}
[2021-07-07 15:01:14.432797] (MonitorAgent_SensorValues): Tproc: 0.008584
4 [2021-07-07 15:01:14.428017] (RedundancyAgent1): Tproc: 0.003956
, which is less than 10 .
Not enough data for redundancy agent evaluation.
[2021-07-07 15:01:15.419689] (Sensor1): Pack time: 0.000506
[2021-07-07 15:01:15.421859] (Sensor1): Sending: [array([[0.1      , 0.      , 4.97982699, 0.2      ]]), <time_series_metadata.scheme.MetaData object at 0x7f4d32e7be50>]
[2021-07-07 15:01:15.423037] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1',
'from': 'Sensor1', 'data': array([[0.1      , 0.      , 4.97982699, 0.2      ]]), 'metadata':
<time_series_metadata.scheme.MetaData object at 0x7f4d32e7a5b0>, 'senderType':
'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 15:01:15.423106] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data':
array([[0.1      , 0.      , 4.97982699, 0.2      ]]), 'metadata': <time_
series_metadata.scheme.MetaData object at 0x7f4d32e722b0>, 'senderType':
'MetrologicalGeneratorAgent', 'channel': 'default'}
Buffer size is [2021-07-07 15:01:15.428496] (RedundancyAgent1): Buffer: {'Sensor1': [
array([[ 0.00000000e+00,  0.00000000e+00,  1.15897715e+02,
2.00000000e-01],
[ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
2.00000000e-01],
[ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
2.00000000e-01],
[ 7.50000000e-02,  0.00000000e+00, -1.59767167e+02,
2.00000000e-01],
[ 1.00000000e-01,  0.00000000e+00,  4.97982699e+00,
2.00000000e-01]])}
5[2021-07-07 15:01:15.429141] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
array([[ 0.00000000e+00,  0.00000000e+00,  1.15897715e+02,
2.00000000e-01],
[ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
2.00000000e-01],
[ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
2.00000000e-01],
[ 7.50000000e-02,  0.00000000e+00, -1.59767167e+02,
2.00000000e-01],
[ 1.00000000e-01,  0.00000000e+00,  4.97982699e+00,
2.00000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f4d32e933d0>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e93490>,
<time_series_metadata.scheme.MetaData object at 0x7f4d32e72070>, <time_series_
metadata.scheme.MetaData object at 0x7f4d32e72580>, <time_series_metadata.scheme.
MetaData object at 0x7f4d32e7a5b0>]}
, which is less than [2021-07-07 15:01:15.429139] (RedundancyAgent1): Tproc: 0.
005354
10 .
[2021-07-07 15:01:15.430533] (MonitorAgent_SensorValues): Tproc: 0.006765
Not enough data for redundancy agent evaluation.
[2021-07-07 15:01:16.421513] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1',
'from': 'Sensor1', 'data': array([[1.2500000e-01, 0.0000000e+00, 1.7541884e+02, 2.0000000e-01]]),
'metadata': <time_series_metadata.scheme.MetaData object at 0x7f4d32e7a5e0>,
'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 15:01:16.423369] (MonitorAgent_SensorValues): Buffer: {'Sensor1': {'data':
array([[ 0.00000000e+00,  0.00000000e+00,  1.15897715e+02,
2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```

[ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
 2.00000000e-01],
[ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
 2.00000000e-01],
[ 7.50000000e-02,  0.00000000e+00, -1.59767167e+02,
 2.00000000e-01],
[ 1.00000000e-01,  0.00000000e+00,  4.97982699e+00,
 2.00000000e-01],
[ 1.25000000e-01,  0.00000000e+00,  1.75418840e+02,
 2.00000000e-01]]), 'metadata': [<time_series_metadata.scheme.MetaData object at 0x7f4d32e933d0>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e93490>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e72070>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e72580>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e7a5b0>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e7a5e0>]}}
[2021-07-07 15:01:16.422533] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data': array([[1.2500000e-01, 0.0000000e+00, 1.7541884e+02, 2.0000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f4d32e722b0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 15:01:16.419512] (Sensor1): Pack time: 0.000535
[2021-07-07 15:01:16.423744] (MonitorAgent_SensorValues): Tproc: 0.002008
[2021-07-07 15:01:16.428532] (RedundancyAgent1): Buffer: {'Sensor1': array([[ 0.00000000e+00,  0.00000000e+00,  1.15897715e+02,
 2.00000000e-01],
 [ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
 2.00000000e-01],
 [ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
 2.00000000e-01],
 [ 7.50000000e-02,  0.00000000e+00, -1.59767167e+02,
 2.00000000e-01],
 [ 1.00000000e-01,  0.00000000e+00,  4.97982699e+00,
 2.00000000e-01],
 [ 1.25000000e-01,  0.00000000e+00,  1.75418840e+02,
 2.00000000e-01]])}
[2021-07-07 15:01:16.425628] (Sensor1): Sending: [array([[1.2500000e-01, 0.0000000e+00, 1.7541884e+02, 2.0000000e-01]]), <time_series_metadata.scheme.MetaData object at 0x7f4d32e7be50>]
[2021-07-07 15:01:16.428746] (RedundancyAgent1): Tproc: 0.00601
Buffer size is 6 , which is less than 10 .
Not enough data for redundancy agent evaluation.
[2021-07-07 15:01:17.440260] (RedundancyAgent1): Received: {'from': 'Sensor1', 'data': array([[1.5000000e-01, 0.0000000e+00, 2.2239348e+02, 2.0000000e-01]]), 'metadata': <time_series_metadata.scheme.MetaData object at 0x7f4d32e722b0>, 'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
Buffer size is [2021-07-07 15:01:17.450576] (RedundancyAgent1): Buffer: {'Sensor1': array([[ 0.00000000e+00,  0.00000000e+00,  1.15897715e+02,
 2.00000000e-01],
 [ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
 2.00000000e-01],
 [ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
 2.00000000e-01],
 [ 7.50000000e-02,  0.00000000e+00, -1.59767167e+02,
 2.00000000e-01],
 [ 1.00000000e-01,  0.00000000e+00,  4.97982699e+00,
 2.00000000e-01],
 [ 1.25000000e-01,  0.00000000e+00,  1.75418840e+02,
 2.00000000e-01],
```

(continues on next page)

(continued from previous page)

```

[ 1.50000000e-01,  0.00000000e+00,  2.22393480e+02,
  2.00000000e-01]]})}

[2021-07-07 15:01:17.446961] (Sensor1): Pack time: 0.02075
[2021-07-07 15:01:17.453076] (MonitorAgent_SensorValues): Received: {'from': 'Sensor1',
↪', 'data': array([[1.5000000e-01, 0.0000000e+00, 2.2239348e+02, 2.0000000e-01]]),
↪'metadata': <time_series_metadata.scheme.MetaData object at 0x7f4d32e7a880>,
↪'senderType': 'MetrologicalGeneratorAgent', 'channel': 'default'}
[2021-07-07 15:01:17.463997] (RedundancyAgent1): Tproc: 0.016613
7 [2021-07-07 15:01:17.463909] (Sensor1): Sending: [array([[1.5000000e-01, 0.
↪0000000e+00, 2.2239348e+02, 2.0000000e-01]]), <time_series_metadata.scheme.MetaData_
↪object at 0x7f4d32e7be50>]
, which is less than [2021-07-07 15:01:17.463269] (MonitorAgent_SensorValues):_
↪Buffer: {'Sensor1': {'data': array([[ 0.00000000e+00,  0.00000000e+00,  1.
↪15897715e+02,
  2.00000000e-01],
[ 2.50000000e-02,  0.00000000e+00, -1.01535705e+02,
  2.00000000e-01],
[ 5.00000000e-02,  0.00000000e+00, -2.14017298e+02,
  2.00000000e-01],
[ 7.50000000e-02,  0.00000000e+00, -1.59767167e+02,
  2.00000000e-01],
[ 1.00000000e-01,  0.00000000e+00,  4.97982699e+00,
  2.00000000e-01],
[ 1.25000000e-01,  0.00000000e+00,  1.75418840e+02,
  2.00000000e-01],
[ 1.50000000e-01,  0.00000000e+00,  2.22393480e+02,
  2.00000000e-01]]}), 'metadata': [<time_series_metadata.scheme.MetaData object_
↪at 0x7f4d32e933d0>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e93490>,
↪<time_series_metadata.scheme.MetaData object at 0x7f4d32e72070>, <time_series_
↪metadata.scheme.MetaData object at 0x7f4d32e72580>, <time_series_metadata.scheme.
↪MetaData object at 0x7f4d32e7a5b0>, <time_series_metadata.scheme.MetaData object at_
↪0x7f4d32e7a5e0>, <time_series_metadata.scheme.MetaData object at 0x7f4d32e7a880>] {}}
10 [2021-07-07 15:01:17.463567] (MonitorAgent_SensorValues): Tproc: 0.010296
.

Not enough data for redundancy agent evaluation.

```

# CHAPTER 18

---

## agentMET4FOF agents

---

### 18.1 Base agents

```
class agentMET4FOF.agents.base_agents.AgentMET4FOF(name='', host=None, se-  
rializer=None, trans-  
port=None, attributes=None,  
backend='osbrain',  
mesa_model=None)
```

Base class for all agents with specific functions to be overridden/supplied by user.

Behavioral functions for users to provide are init\_parameters, agent\_loop and on\_received\_message. Communicative functions are bind\_output, unbind\_output and send\_output.

`_bind_output(output_agent, channel='default')`

Internal method which implements the logic for connecting this agent, to the *output\_agent*.

`_convert_matplotlib_fig(fig: matplotlib.figure.Figure, mode: str = 'image')`

Convert matplotlib figure to be rendered by the dashboard

`_convert_to_plotly(matplotlib_fig: matplotlib.figure.Figure)`

Internal method to convert matplotlib figure to plotly figure

**Parameters** `matplotlib_fig(plt.Figure)` – Matplotlib figure to be converted

`_fig_to_uri(matplotlib_fig: matplotlib.figure.Figure)`

Internal method to convert matplotlib figure to base64 uri image for display

**Parameters** `matplotlib_fig(plt.Figure)` – Matplotlib figure to be converted

`_get_metadata(data)`

Internal helper function for getting the data type & dimensions of data. This is for update\_output\_channels\_info()

`_is_type_message(data)`

Internal method to check if the data carries signature of an agent message type

**Parameters** `data` – Data to be checked for type

**Returns result**

**Return type** boolean

**\_remove\_methods (cls)**

Remove methods from the other backends base class from the current agent

**\_update\_output\_channels\_info (data, channel)**

Internal method to update the dict of output\_channels\_info. This is used in conjunction with send\_output().

Checks and records data type & dimension and channel name If the data is nested within dict, then it will search deeper and subsequently record the info of each inner hierarchy

**Parameters**

- **data** – data to be checked for type & dimension
- **channel (str)** – name of channel to be recorded

**agent\_loop ()**

User defined method for the agent to execute for *loop\_wait* seconds specified either in *self.loop\_wait* or explicitly via *init\_agent\_loop(loop\_wait)*

To start a new loop, call *init\_agent\_loop(loop\_wait)* on the agent. Example of usage is to check the *current\_state* of the agent and send data periodically.

**bind\_output (output\_agent, channel='default')**

Forms Output connection with another agent

Any call on send\_output will reach this newly binded agent. Adds the agent to its list of Outputs.

**Parameters**

- **output\_agent (AgentMET4FOF or list)** – Agent(s) to be binded to this agent's output channel
- **channel (str or list of str)** – Specific name of the channel(s) to be subscribed to. (Default = “data”)

**buffer\_clear (agent\_name: Optional[str] = None)**

Empties buffer which is a dict indexed by the *agent\_name*.

**Parameters agent\_name (str, optional)** – Key of the memory dict, which can be the name of input agent, or self.name. If not supplied (default), we assume to clear the entire memory.

**buffer\_filled (agent\_name=None)**

Checks whether the internal buffer has been filled to the maximum allowed specified by *self.buffer\_size*

**Parameters agent\_name (str)** – Index of the buffer which is the name of input agent.

**Returns status of buffer filled**

**Return type** boolean

**buffer\_store (agent\_from: str, data=None, concat\_axis=0)**

Updates data stored in *self.buffer* with the received message

Checks if sender agent has sent any message before If it did,then append, otherwise create new entry for it

**Parameters**

- **agent\_from (str)** – Name of agent sender
- **data** – Any supported data which can be stored in dict as buffer. See AgentBuffer for more information.

**get\_attr**(attr)

Return the specified attribute of the agent.

**Parameters** `name` – Name of the attribute to be retrieved.

**handle\_process\_data**(message)

Internal method to handle incoming message before calling `on_received_message`

If `current_state` is either Stop or Reset, it will terminate early before entering `on_received_message`.

**init\_agent**(buffer\_size=1000, log\_mode=True)

Internal initialization to setup the agent: mainly on setting the dictionary of Inputs, Outputs, PubAddr. Calls user-defined `init_parameters()` upon finishing.

**Inputs**

Dictionary of Agents connected to its input channels. Messages will arrive from agents in this dictionary. Automatically updated when `bind_output()` function is called

**Type** `dict`

**Outputs**

Dictionary of Agents connected to its output channels. Messages will be sent to agents in this dictionary. Automatically updated when `bind_output()` function is called

**Type** `dict`

**PubAddr\_alias**

Name of Publish address socket

**Type** `str`

**PubAddr**

Publish address socket handle

**Type** `str`

**AgentType**

Name of class

**Type** `str`

**current\_state**

Current state of agent. Can be used to define different states of operation such as “Running”, “Idle”, “Stop”, etc.. Users will need to define their own flow of handling each type of `self.current_state` in the `agent_loop`

**Type** `str`

**loop\_wait**

The interval to wait between loop. Call `init_agent_loop` to restart the timer or set the value of `loop_wait` in `init_parameters` when necessary.

**Type** `int`

**buffer\_size**

The total number of elements to be stored in the agent buffer When total elements exceeds this number, the latest elements will be replaced with the incoming data elements

**Type** `int`

**init\_agent\_loop**(loop\_wait: *Optional[int]* = None)

Initiates the agent loop, which iterates every `loop_wait` seconds

Stops every timers and initiate a new loop.

**Parameters** `loop_wait`(`int`, *optional*) – The wait between each iteration of the loop

**init\_buffer**(buffer\_size)

A method to initialise the buffer. By overriding this method, user can provide a custom buffer, instead

of the regular AgentBuffer. This can be used, for example, to provide a MetrologicalAgentBuffer in the metrological agents.

**init\_parameters()**

User provided function to initialize parameters of choice.

**log\_info(message)**

Prints logs to be saved into logfile with Logger Agent

**Parameters** **message** (*str*) – Message to be logged to the internal Logger Agent

**on\_connect\_output(output\_agent)**

This method is called whenever an agent is connected to its output

This can be for example, to send *metadata* or *ping* to the output agent.

**on\_received\_message(message)**

User-defined method and is triggered to handle the message passed by Input.

**Parameters** **message** (*Dictionary*) – The message received is in form {‘from’:agent\_name, ‘data’: data, ‘senderType’: agent\_class, ‘channel’:channel\_name}. agent\_name is the name of the Input agent which sent the message data is the actual content of the message.

**pack\_data(data, channel=’default’)**

Internal method to pack the data content into a dictionary before sending out.

Special case : if the *data* is already a *message*, then the *from* and *senderType* will be altered to this agent, without altering the *data* and *channel* within the message this is used for more succinct data processing and passing.

**Parameters**

- **data** (*argument*) – Data content to be packed before sending out to agents.
- **channel** (*str*) – Key of dictionary which stores data

**Returns**

- **Packed message data** (*dict of the form {‘from’:agent\_name, ‘data’: data, ‘senderType’: agent\_class, ‘channel’:channel\_name}.*)

**reset()**

This method will be called on all agents when the global *reset\_agents* is called by the AgentNetwork and when the Reset button is clicked on the dashboard.

Method to reset the agent’s states and parameters. User can override this method to reset the specific parameters.

**respond\_reply\_attr\_(message\_data)**

Response to a *reply* of setting attribute

**respond\_request\_attr\_(attribute: str)**

Response to a *request* of *attribute* from input agents.

This agent reply with the requested *attribute* if it has it.

**respond\_request\_method\_(message\_data: dict)**

Response to a *request* of executing *method* from input agents.

This agent will execute the method with the provided parameters of the method.

**send\_output(data, channel=’default’)**

Sends message data to all connected agents in self.Outputs.

Output connection can first be formed by calling bind\_output. By default calls pack\_data(data) before sending out. Can specify specific channel as opposed to ‘default’ channel.

#### Parameters

- **data** (*argument*) – Data content to be sent out
- **channel** (*str*) – Key of *message* dictionary which stores data

**Returns** **message** – {‘from’:agent\_name, ‘data’: data, ‘senderType’: agent\_class, ‘channel’:channel\_name}.

#### Return type *dict*

**send\_plot** (*fig*: Union[*matplotlib.figure.Figure*, *Dict*[*str*, *matplotlib.figure.Figure*]], *mode*: *str* = ‘image’)

Sends plot to agents connected to this agent’s Output channel.

This method is different from send\_output which will be sent to through the ‘plot’ channel to be handled.

Tradeoffs between “image” and “plotly” modes are that “image” are more stable and “plotly” are interactive. Note not all (complicated) matplotlib figures can be converted into a plotly figure.

#### Parameters

- **fig** (*matplotlib.figure.Figure* or *dict* of *matplotlib.figure.Figure*) – Alternatively, multiple figures can be nested in a dict (with any preferred keys) e.g {“Temperature”:matplotlib.Figure, “Acceleration”:matplotlib.Figure}
- **mode** (*str*) – “image” - converts into image via encoding at base64 string. “plotly” - converts into plotly figure using *mpl\_to\_plotly* Default: “image”

#### Returns *graph*

**Return type** *str* or plotly figure or dict of one of those converted figure(s)

**send\_request\_attribute** (*attribute*: *str*)

Send a *request* of *attribute* to output agents.

Output agents will reply with the requested *attribute* if they have.

**send\_request\_method** (*method*: *str*, \*\**method\_params*)

Send a *request* of executing methods to output agents.

Output agents will respond by calling the method.

**send\_set\_attr** (*attr*: *str*, *value*)

Sends a message to set the *attr* of another agent to that of *value*.

#### Parameters

- **attr** (*str*) – The variable name of the output agent to be set.
- **value** – The value of the variable to be set

**set\_attr** (\*\**kwargs*)

Set object attributes.

**Parameters** **kwargs** ([*name*, *value*]) – Keyword arguments will be used to set the object attributes.

**shutdown** ()

Cleanly stop and shut down the agent assuming the agent is running.

Will let the main thread do the tear down.

**step()**

Used for MESA backend only. Behaviour on every update step.

**stop\_agent\_loop()**

Stops agent\_loop from running

Note that the agent will still be responding to messages.

**unbind\_output(*output\_agent*)**

Remove existing output connection with another agent

This reverses the bind\_output method.

**Parameters** **output\_agent** ([AgentMET4FOF](#)) – Agent binded to this agent's output channel

```
class agentMET4FOF.agents.base_agents.DataStreamAgent (name='', host=None, serializer=None, trans-  
port=None, attributes=None, backend='osbrain', mesa_model=None)
```

Able to simulate generation of datastream by loading a given DataStreamMET4FOF

Can be used in incremental training or batch training mode. To simulate batch training mode, set *pretrain\_size=-1*, otherwise, set *pretrain\_size* and *batch\_size* for the respective. See *DataStreamMET4FOF* on loading your own data set as a data stream.

**agent\_loop()**

User defined method for the agent to execute for *loop\_wait* seconds specified either in *self.loop\_wait* or explicitly via *init\_agent\_loop(loop\_wait)*

To start a new loop, call *init\_agent\_loop(loop\_wait)* on the agent. Example of usage is to check the *current\_state* of the agent and send data periodically.

```
init_parameters (stream=<agentMET4FOF.streams.base_streamsDataStreamMET4FOF object>, pretrain_size=None, batch_size=1, loop_wait=1, randomize=False)
```

**Parameters**

- **stream** ([DataStreamMET4FOF](#)) – A DataStreamMET4FOF object which provides the sample data
- **pretrain\_size** ([int](#)) – The number of sample data to send through in the first loop cycle, and subsequently, the *batch\_size* will be used
- **batch\_size** ([int](#)) – The number of sample data to send in every loop cycle
- **loop\_wait** ([int](#)) – The duration to wait (seconds) at the end of each loop cycle before going into the next cycle
- **randomize** ([bool](#)) – Determines if the dataset should be shuffled before streaming

**reset()**

This method will be called on all agents when the global *reset\_agents* is called by the AgentNetwork and when the Reset button is clicked on the dashboard.

Method to reset the agent's states and parameters. User can override this method to reset the specific parameters.

```
class agentMET4FOF.agents.base_agents.MonitorAgent (name='', host=None, se-  
rializer=None, trans-  
port=None, attributes=None, backend='osbrain', mesa_model=None)
```

Unique Agent for storing plots and data from messages received from input agents.

The dashboard searches for Monitor Agents' *buffer* and *plots* to draw the graphs “plot” channel is used to receive base64 images from agents to plot on dashboard

**plots**

Dictionary of format *{agent1\_name : agent1\_plot, agent2\_name : agent2\_plot}*

**Type** `dict`

**plot\_filter**

List of keys to filter the ‘data’ upon receiving message to be saved into memory Used to specifically select only a few keys to be plotted

**Type** list of str

**custom\_plot\_function**

a custom plot function that can be provided to handle the data in the monitor agents buffer (see [AgentMET4FOF](#) for details). The function gets provided with the content (value) of the buffer and with the string of the sender agent’s name as stored in the buffer’s keys. Additionally any other parameters can be provided as a dict in `custom_plot_parameters`.

**Type** callable

**custom\_plot\_parameters**

a custom dictionary of parameters that shall be provided to each call of the `custom_plot_function`

**Type** `dict`

**init\_parameters** (*plot\_filter: Optional[List[str]] = None, custom\_plot\_function: Optional[Callable[[...], plotly.graph\_objs.\_scatter.Scatter]] = None, \*\*kwargs*)

Initialize the monitor agent’s parameters

**Parameters**

- **plot\_filter** (*list of str, optional*) – List of keys to filter the ‘data’ upon receiving message to be saved into memory. Used to specifically select only a few keys to be plotted
- **custom\_plot\_function** (*callable, optional*) – a custom plot function that can be provided to handle the data in the monitor agents buffer (see [AgentMET4FOF](#) for details). The function gets provided with the content (value) of the buffer and with the string of the sender agent’s name as stored in the buffer’s keys. Additionally any other parameters can be provided as a dict in `custom_plot_parameters`. By default the data gets plotted as shown in the various tutorials.
- **kwargs** (*Any*) – custom key word parameters that shall be provided to each call of the `custom_plot_function`

**on\_received\_message** (*message*)

Handles incoming data from ‘default’ and ‘plot’ channels.

Stores ‘default’ data into `buffer` and ‘plot’ data into `plots`

**Parameters** `message (dict)` – Acceptable channel values are ‘default’ or ‘plot’

**reset()**

This method will be called on all agents when the global `reset_agents` is called by the AgentNetwork and when the Reset button is clicked on the dashboard.

Method to reset the agent’s states and parameters. User can override this method to reset the specific parameters.

```
update_plot_memory (message: Dict[str, Any])
```

Updates plot figures stored in `self.plots` with the received message

**Parameters** `message` (`dict`) – Standard message format specified by AgentMET4FOF class

Message['data'] needs to be base64 image string and can be nested in dictionary for multiple plots. Only the latest plot will be shown kept and does not keep a history of the plots.

## 18.2 Signal agents

```
class agentMET4FOF.agents.signal_agents.SineGeneratorAgent (name='', host=None,  
serializer=None,  
transport=None,  
attributes=None,  
backend='osbrain',  
mesa_model=None)
```

An agent streaming a sine signal

Takes samples from the `SineGenerator` and pushes them sample by sample to connected agents via its output channel.

```
agent_loop()
```

Model the agent's behaviour

On state *Running* the agent will extract sample by sample the input data streams content and push it via invoking `AgentMET4FOF.send_output()`.

```
init_parameters (sfreq=500, sine_freq=5, amplitude=1, initial_phase=0)
```

Initialize the input data

Initialize the input data stream as an instance of the `SineGenerator` class.

**Parameters**

- `sfreq` (`int`) – sampling frequency for the underlying signal
- `sine_freq` (`float`) – frequency of the generated sine wave
- `amplitude` (`float`) – amplitude of the generated sine wave
- `initial_phase` (`float`) – initial phase (at t=0) of the generated sine wave

## 18.3 Metrologically enabled base agents

```
class agentMET4FOF.agents.metrological_base_agents.MetrologicalAgent (name='',  
host=None,  
serial-  
izer=None,  
trans-  
port=None,  
at-  
tributes=None,  
back-  
end='osbrain',  
mesa_model=None)
```

```
_input_data = None
```

Input dictionary of all incoming data including metadata:

```
dict like {
    <from>: {
        "buffer": TimeSeriesBuffer(maxlen=buffer_size),
        "metadata": MetaData(**kwargs).metadata,
    }
}
```

**\_output\_data = None**

Output dictionary of all outgoing data including metadata:

```
dict like {
    <from>: {
        "buffer": TimeSeriesBuffer(maxlen=buffer_size),
        "metadata": MetaData(**kwargs).metadata,
    }
}
```

**agent\_loop()**

User defined method for the agent to execute for *loop\_wait* seconds specified either in *self.loop\_wait* or explicitly via *init\_agent\_loop(loop\_wait)*

To start a new loop, call *init\_agent\_loop(loop\_wait)* on the agent. Example of usage is to check the *current\_state* of the agent and send data periodically.

**init\_parameters(*input\_data maxlen=25, output\_data maxlen=25*)**

User provided function to initialize parameters of choice.

**on\_received\_message(*message*)**

User-defined method and is triggered to handle the message passed by Input.

**Parameters** **message** (*Dictionary*) – The message received is in form {‘from’:agent\_name, ‘data’: data, ‘senderType’: agent\_class, ‘channel’:channel\_name}. agent\_name is the name of the Input agent which sent the message data is the actual content of the message.

**pack\_data(*data, channel='default'*)**

Internal method to pack the data content into a dictionary before sending out.

Special case : if the *data* is already a *message*, then the *from* and *senderType* will be altered to this agent, without altering the *data* and *channel* within the message this is used for more succinct data processing and passing.

**Parameters**

- **data** (*argument*) – Data content to be packed before sending out to agents.
- **channel** (*str*) – Key of dictionary which stores data

**Returns**

- **Packed message data** (*dict of the form {‘from’:agent\_name, ‘data’: data, ‘senderType’: agent\_class, ‘channel’:channel\_name}.*)
- **’senderType’** (*agent\_class, ‘channel’:channel\_name.*)

```
class agentMET4FOF.agents.metrological_base_agents.MetrologicalMonitorAgent(name="",
                                                                           host=None,
                                                                           se-
                                                                           ri-
                                                                           al-
                                                                           izer=None,
                                                                           trans-
                                                                           port=None,
                                                                           at-
                                                                           tributes=None,
                                                                           back-
                                                                           end='osbrain',
                                                                           mesa_model=None)
```

**init\_parameters** (\*args, \*\*kwargs)  
User provided function to initialize parameters of choice.

**on\_received\_message** (message)  
Handles incoming data from default and plot channels  
Feeds default data into the buffer as a dictionary:  
dict like { “data”: message[“data”], “metadata”: message[“metadata”],  
}  
and hands over ‘plot’ data to plot memory.

**Parameters** **message** (*dict*) – Acceptable channel values are default or plot

**reset** ()  
This method will be called on all agents when the global *reset\_agents* is called by the AgentNetwork and when the Reset button is clicked on the dashboard.  
Method to reset the agent’s states and parameters. User can override this method to reset the specific parameters.

**update\_plot\_memory** (message)  
Updates plot figures stored in *self.plots* with the received message

**Parameters** **message** (*dict*) – Standard message format specified by AgentMET4FOF class  
Message[‘data’] needs to be base64 image string and can be nested in dictionary for multiple plots Only the latest plot will be shown kept and does not keep a history of the plots.

## 18.4 Metrological agents to reduce redundancy

```
class agentMET4FOF.agents.metrological_redundancy_agents.RedundancyAgent (name=”,  

    host=None,  

    se-  

    ri-  

    al-  

    izer=None,  

    trans-  

    port=None,  

    at-  

    tributes=None,  

    back-  

    end=’osbrain’,  

    mesa_model=None)
```

This is the main Redundancy Agent class

*Redundancy* means that there is more than one way to derive the value of the measurand Y from the values of the sensor data X\_i. Following main cases are considered in the agent:

- Redundant measurement of the measurand Y by independent sensors directly measuring Y
- Redundant measurement of the measurand Y by correlated sensors directly measuring Y
- Redundant measurement of the measurand Y by correlated sensors X\_i indirectly measuring Y, with a linear relationship  $y = a + A * x$  between the vector x of sensor values and the vector y containing the various (redundant) estimates of the measurand Y, where a is a vector and A a matrix both of appropriate size.

Main calculations are performed in `calc_lcs()` and `calc_lcsls()`. Usage of the `RedundancyAgent` is relatively straightforward. Note that all static functions have their own test functions illustrating their usage. Details of the different methods are presented in their respective docstrings.

Please refer to other sections in this documentation for more information. A scientific publication explaining the ideas behind this agent can be found in [Kok2020\_1]. Related work can be found in [Kok2020\_2].

The usage of the Redundancy Agent is illustrated with two examples contained in *two tutorials*.

### References

- Kok and Harris [Kok2020\_1]
- Kok and Harris [Kok2020\_2]

#### `agent_loop()`

Model the agent’s behaviour

On state *Running* the agent will extract sample by sample the input data streams content and push it via invoking `send_output`.

#### `calc_best_est_lin_sys(a_arr, a_arr2d, x_arr, vx_arr2d, problem)`

Calculate the best estimate of a linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$

Additionally determine if the inputs are consistent in view of *problem*.

#### Parameters

- `a_arr` (`np.ndarray` of shape (*n\_estimates*)) – vector **a** of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$

- **a\_arr2d** (*np.ndarray of shape (n\_estimates, n\_sensors)*) – matrix A of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$
- **x\_arr** (*np.ndarray of shape (n\_sensors)*) – vector with sensor values, vector  $\mathbf{x}$  of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$
- **vx\_arr2d** (*np.ndarray of shape (n\_sensors, n\_sensors)*) – uncertainty matrix associated with vector  $\mathbf{x}_{\text{arr}}$
- **problim** (*float*) – probability limit used for consistency evaluation. Typically 0.95.

**Returns**

- **isconsist** (*bool*) – indicator whether provided estimates are consistent in view of *problim*
- **ybest** (*float*) – best estimate
- **uybest** (*float*) – standard uncertainty of best estimate
- **chi2obs** (*float*) – observed chi-squared value

**static calc\_best\_estimate** (*y\_arr, vy\_arr2d, problim*)

Calculate the best estimate for a set of estimates with uncertainties

Additionally determine if the set of estimates are consistent using a provided limit probability.

**Parameters**

- **y\_arr** (*np.ndarray of shape (n)*) – vector of estimates of a measurand Y
- **vy\_arr2d** (*np.ndarray of shape (n, n)*) – uncertainty matrix associated with *y\_arr*
- **problim** (*float*) – probability limit used for assessing the consistency of the estimates. Typically, *problim* equals 0.95.

**Returns**

- **isconsist** (*bool*) – indicator whether provided estimates are consistent in view of *problim*
- **ybest** (*float*) – best estimate of measurand
- **uybest** (*float*) – uncertainty associated with *ybest*
- **chi2obs** (*float*) – observed value of chi-squared, used for consistency evaluation

**static calc\_consistent\_estimates\_no\_corr** (*y\_arr2d, uy\_arr2d, prob\_lim*)

Calculation of consistent estimate for sets of estimates  $y_{ij}$

The  $y_{ij}$  (contained in *y\_arr2d*) are the elements of Y, where each set contains *n\_estims* estimates. The uncertainties are assumed to be independent and given in *uy\_arr2d*. The consistency test is using limit probability limit *prob\_lim*. For each set of estimates, the best estimate, uncertainty, observed chi-2 value and a flag if the provided estimates were consistent given the model are given as output.

**Parameters**

- **y\_arr2d** (*np.ndarray of size (n\_rows, n\_estimates)*) – each row contains  $m=n_{\text{estimates}}$  independent estimates of a measurand
- **uy\_arr2d** (*np.ndarray of size (n\_rows, n\_estimates)*) – each row contains the standard uncertainty  $u(y_{ij})$  of  $y_{ij} = y_{\text{arr2d}}[i,j]$
- **prob\_lim** (*float*) – limit probability used in consistency test. Typically 0.95.

**Returns**

- **isconsist\_arr** (*bool array of shape (n\_rows)*) – indicates for each row if the n\_estimates are consistent or not
- **ybest\_arr** (*float or np.ndarray of float in shape (n\_rows)*) – contains the best estimate for each row of individual estimates
- **uybest\_arr** (*float or np.ndarray of float in shape (n\_rows)*) – contains the uncertainty associated with each best estimate for each row of *y\_arr2d*
- **chi2obs\_arr** (*np.ndarray of float in shape (n\_rows)*) – observed chi-squared value for each row

**calc\_lcs** (*y\_arr, vy\_arr2d, problim*)

Calculate the best estimate of a measurand with associated uncertainty matrix

**Parameters**

- **y\_arr** (*np.ndarray of shape (n)*) – vector with estimates of the measurand
- **vy\_arr2d** (*np.ndarray of shape (n, n)*) – uncertainty matrix of the vector *y\_arr*
- **problim** (*float*) – limit probability used in the consistency evaluation. Typically 0.95.

**Returns**

- **n\_solutions** (*int or np.ndarray of ints*) – number of solutions
- **ybest** (*float or np.ndarray of floats*) – best estimate
- **uybest** (*float or np.ndarray of floats*) – standard uncertainty of best estimate
- **chi2obs** (*float or np.ndarray of floats*) – observed chi-squared value
- **indkeep** (*np.ndarray of shape (n) or (n\_sols, n)*) – indices of kept estimates

**calc\_lcsts** (*a\_arr, a\_arr2d, x\_arr, vx\_arr2d, problim*)

Calculation of the largest consistent subset of sensor values

Additionally the implied best estimate is returned.

**Parameters**

- **a\_arr** (*np.ndarray of shape (n\_estimates)*) – vector **a** of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$
- **a\_arr2d** (*np.ndarray of shape (n\_estimates, n\_sensors)*) – matrix  $\mathbf{A}$  of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$
- **x\_arr** (*np.ndarray of shape (n\_sensors)*) – vector with sensor values vector **x** of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$
- **vx\_arr2d** (*np.ndarray of shape (n\_sensors, n\_sensors)*) – uncertainty matrix associated with vector *x\_arr*
- **problim** (*float*) – probability limit used for consistency evaluation. Typically 0.95

**Returns**

- **n\_solutions** (*int or np.ndarray of ints*) – number of solutions
- **isconsist** (*bool or np.ndarray of bool*) – indicator whether provided estimates are consistent in view of *problim*
- **ybest** (*float or np.ndarray of floats*) – best estimate
- **uybest** (*float or np.ndarray of floats*) – standard uncertainty of best estimate

- **chi2obs** (*float or np.ndarray of floats*) – observed chi-squared value

**static get\_combination** (*values, n\_keep, certain\_combinations\_index*)

Return a certain subset of *n\_keep* elements in a given array

#### Parameters

- **values** (*np.ndarray*) – original values
- **n\_keep** (*int*) – number of elements in subset
- **certain\_combinations\_index** (*int*) – the index of the desired combination as a result of a call of `combinations(values, n_keep)`

**static ind\_reduce\_a** (*a\_arr2d, epszero*)

Returns the index of a linear dependent row of a matrix A

The motivation for this is, that this row does not contribute any new information to the system.

#### Parameters

- **a\_arr2d** (*np.ndarray*) – The matrix to be reduced as 2-dimensional array
- **epszero** (*float*) – some small constant used for checking equality to zero

**Returns** the index of the last row that can be taken out

**Return type** *int*

**init\_lcsc\_parameters** (*fsam, f1, f2, ampl\_ratio, phi1, phi2*)

Additional parameters used for this particular example

Provides the prior knowledge needed to make the information contained in the data redundant. This method sets up the vector **a** and matrix **A** for the system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$ .

#### Parameters

- **fsam** (*float*) – sampling frequency
- **f1** (*float*) – first frequency of interest in signal
- **f2** (*float*) – second frequency of interest in signal
- **ampl\_ratio** (*float*) – ratio of the amplitudes of the two frequency components
- **phi1** (*float*) – initial phase of first frequency component
- **phi2** (*float*) – initial phase of second frequency component

**init\_parameters** (*input\_data maxlen: int = 25, output\_data maxlen: int = 25, sensor\_key\_list: list = None, n\_pr: int = 1, problim: float = 0.9, calc\_type: str = 'lcs'*)

Initialize the redundancy agent

#### Parameters

- **input\_data maxlen** (*int, optional*) – Defaults to 25
- **output\_data maxlen** (*int, optional*) – Defaults to 25
- **sensor\_key\_list** (*list of str, optional*) – list containing the names of the sensors that should feed data to the Redundancy Agent. Defaults to None
- **n\_pr** (*int, optional*) – size of the batch of data that is handled at a time by the Redundancy Agent. Defaults to 1
- **problim** (*float, optional*) – limit probability used for consistency evaluation. Defaults to .9
- **calc\_type** (*str, optional*) – calculation type: ‘lcs’ or ‘lcss’. Defaults to ‘lcs’

**on\_received\_message** (*message*)  
Handle incoming data from ‘default’ channels  
Store ‘default’ data into an internal buffer.

**Parameters** **message** (*dict*) – Only acceptable channel value is ‘default’.

**static print\_input\_lcss** (*x\_arr*, *vx\_arr2d*, *a\_arr*, *a\_arr2d*, *problim*)  
Prints the input parameters of the method

#### Parameters

- **x\_arr** (*np.ndarray* of shape (*n\_sensors*)) – vector with sensor values, vector  $\mathbf{x}$  of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$
- **vx\_arr2d** (*np.ndarray* of shape (*n\_sensors*, *n\_sensors*)) – uncertainty matrix associated with vector *x\_arr*
- **a\_arr** (*np.ndarray* of shape (*n\_estimates*)) – vector  $\mathbf{a}$  of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$
- **a\_arr2d** (*np.ndarray* of shape (*n\_estimates*, *n\_sensors*)) – matrix  $\mathbf{A}$  of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$
- **problim** (*float*) – probability limit used for consistency evaluation. Typically 0.95

**print\_output\_cbe** (*isconsist\_arr*, *ybest\_arr*, *uybest\_arr*, *chi2obs\_arr*)  
Function to print the full output of calc\_best\_estimate.

#### Parameters

- **isconsist\_arr** (*bool array* of shape (*n\_rows*)) – indicates for each row if the *n\_estimates* are consistent or not
- **ybest\_arr** (*np.ndarray* of floats in shape (*n\_rows*)) – contains the best estimate for each row of individual estimates
- **uybest\_arr** (*np.ndarray* of floats in shape (*n\_rows*)) – contains the uncertainty associated with each best estimate for each row of *y\_arr2d*
- **chi2obs\_arr** (*np.ndarray* of floats in shape (*n\_rows*)) – observed chi-squared value for each row

**static print\_output\_lcs** (*n\_solutions*, *ybest*, *uybest*, *chi2obs*, *indkeep*, *y\_arr*)  
Method to print the output of the method *calc\_lcs()*

#### Parameters

- **n\_solutions** (*int*) – number of best solutions
- **ybest** (*float* or *np.ndarray* of shape (*n\_sols*)) – best estimate or vector of best estimates
- **uybest** (*float* or *np.ndarray* of shape (*n\_sols*)) – standard uncertainty of best estimate or vector with standard uncertainty of best estimates
- **chi2obs** (*float*) – observed chi-squared value of all best solutions
- **indkeep** (*np.ndarray* of shape (*n*) or (*n\_sols*, *n*)) – indices of retained estimates of *y\_arr* for the calculation of the best estimate *ybest*
- **y\_arr** (*np.ndarray* of shape (*n*)) – individual estimates of measurand

**static print\_output\_lcoss** (*n\_solutions*, *ybest*, *uybest*, *chi2obs*, *indkeep*, *x\_arr*, *a\_arr2d*)  
Prints the outputs of the method *calc\_lcoss()*

**Parameters**

- **n\_solutions** (*int* or *np.ndarray* of *ints*) – number of solutions
- **ybest** (*float* or *np.ndarray* of *floats*) – best estimate
- **uybest** (*float* or *np.ndarray* of *floats*) – standard uncertainty of best estimate
- **chi2obs** (*float* or *np.ndarray* of *floats*) – observed chi-squared value
- **indkeep** (*np.ndarray* of *int*) – indices of kept estimates
- **x\_arr** (*np.ndarray* of shape *(n\_estimates)*) – vector **a** of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$
- **a\_arr2d** (*np.ndarray* of shape *(n\_estimates, n\_sensors)*) – matrix **A** of linear system  $\mathbf{y} = \mathbf{a} + \mathbf{A} * \mathbf{x}$

**Returns****Return type** *None***static print\_output\_single** (*isconsist*, *ybest*, *uybest*, *chi2obs*)

Print the output of a single row of the calculate\_best\_estimate function

**Parameters**

- **isconsist** (*bool*) – Indicates if provided estimates were consistent
- **ybest** (*float*) – best estimate
- **uybest** (*float*) – uncertainty of best estimate
- **chi2obs** (*float*) – observed value of chi-squared

**static reduce\_vx** (*x\_arr*, *vx\_arr2d*, *a\_arr*, *a\_arr2d*, *epszero*)

Reduce the system if matrix Vx is not of full rank

This might be ambiguous, as constant sensor values or offsets have to be estimated and are not known.

**Parameters**

- **x\_arr** (*np.ndarray*) – The vector **x** to be reduced
- **vx\_arr2d** (*np.ndarray*) – The matrix **Vx** to be reduced as 2-dimensional array
- **a\_arr** (*np.ndarray*) – The vector **a** to be reduced
- **a\_arr2d** (*np.ndarray*) – The matrix **A** to be reduced as 2-dimensional array
- **epszero** (*float*) – some small constant used for checking equality to zero

**Returns** The reduced matrices and vectors xred\_arr, vxred\_arr2d, ared\_arr, ared\_arr2d**Return type** *np.ndarray*, *np.ndarray*, *np.ndarray*, *np.ndarray*

## 18.5 Metrologically enabled signal agents

```
class agentMET4FOF.agents.metrological_signal_agents.MetrologicalGeneratorAgent(name="",
    host=None,
    se-
    ri-
    al-
    izer=None,
    trans-
    port=None,
    at-
    tributes=None,
    back-
    end='osbrain',
    mesa_model=N
```

An agent streaming a specified signal

Takes samples from an instance of `MetrologicalDataStreamMET4FOF` with sampling frequency `sfreq` and signal frequency `sine_freq` and pushes them sample by sample to connected agents via its output channel.

**agent\_loop()**

Model the agent's behaviour

On state *Running* the agent will extract sample by sample the input datastream's content and push it into its output buffer.

**init\_parameters** (`signal: agentMET4FOF.streams.metrological_base_streams.MetrologicalDataStreamMET4FOF = <agentMET4FOF.streams.metrological_signal_streams.MetrologicalSineGenerator object>, **kwargs`)

Initialize the input data stream

**Parameters** `signal` (`MetrologicalDataStreamMET4FOF`) – the underlying signal for the generator (defaults to `MetrologicalSineGenerator`)



# CHAPTER 19

---

## agentMET4FOF streams

---

### 19.1 Base streams

```
class agentMET4FOF.streams.base_streams.DataStreamMET4FOF
Abstract class for creating datastreams
```

Data can be fetched sequentially using `next_sample()` or all at once `all_samples()`. This increments the internal sample index `_sample_idx`.

For sensors data, we assume:

- The format shape for 2D data stream (timesteps, n\_sensors)
- The format shape for 3D data stream (num\_cycles, timesteps, n\_sensors)

To create a new DataStreamMET4FOF class, inherit this class and call `set_metadata()` in the constructor. Choose one of two types of datastreams to be created:

- from dataset file (`set_data_source()`), or
- a waveform generator function (`set_generator_function()`).

Alternatively, override the `next_sample()` function if neither option suits the application. For generator functions, `sfreq` is a required variable to be set on `init` which sets the sampling frequency and the time-step which occurs when `next_sample()` is called.

For an example implementation of using generator function, see the built-in `SineGenerator` class. See tutorials for more implementations.

#### `_quantities`

Measured quantities such as sensors readings

**Type** Union[List, DataFrame, np.ndarray]

#### `_target`

Target label in the context of machine learning. This can be Remaining Useful Life in predictive maintenance application. Note this can be an unobservable variable in real-time and applies only for validation during offline analysis.

**Type** Union[List, DataFrame, np.ndarray]

**\_time**  
dtype can be either float or datetime64 to indicate the time when the *\_quantities* were measured.

**Type** Union[List, DataFrame, np.ndarray]

**\_current\_sample\_quantities**  
Last returned measured quantities from a call to `next_sample()`

**Type** Union[List, DataFrame, np.ndarray]

**\_current\_sample\_target**  
Last returned target labels from a call to `next_sample()`

**Type** Union[List, DataFrame, np.ndarray]

**\_current\_sample\_time**  
dtype can be either float or datetime64 to indicate the time when the *\_current\_sample\_quantities* were measured.

**Type** Union[List, DataFrame, np.ndarray]

**\_sample\_idx**  
Current sample index

**Type** int

**\_n\_samples**  
Total number of samples

**Type** int

**\_data\_source\_type**  
Explicitly account for the data source type: either “function” or “dataset”

**Type** str

**\_generator\_function**  
A generator function which takes in at least one argument `time` which will be used in `next_sample()`

**Type** Callable

**\_generator\_parameters**  
Any additional keyword arguments to be supplied to the generator function. The generator function call for every sample will be supplied with the `*generator_parameters`.

**Type** Dict

**`sfreq`**  
Sampling frequency

**Type** int

**\_metadata**  
The quantities metadata as `time_series_metadata.scheme.MetaData`

**Type** MetaData

**\_default\_generator\_function(`time`)**  
This is the default generator function used, if none was specified

**Parameters** `time` (`Union[List, DataFrame, np.ndarray]`) -

---

`_next_sample_data_source(batch_size: int = 1) → Dict[str, Union[List[T], pandas.core.frame.DataFrame, numpy.ndarray]]`

Internal method for fetching latest samples from a dataset.

**Parameters** `batch_size (int)` – number of batches to get from data stream

**Returns** `samples` – { 'quantities':current\_sample\_quantities, 'target': current\_sample\_target}

**Return type** Dict

`_next_sample_generator(batch_size: int = 1) → Dict[str, numpy.ndarray]`

Internal method for generating a batch of samples from the generator function.

`_set_data_source_type(dt_type: str = 'function')`

To explicitly account for the type of data source: either from dataset, or a generator function.

**Parameters** `dt_type (str)` – Either “function” or “dataset”

`all_samples() → Dict[str, Union[List[T], pandas.core.frame.DataFrame, numpy.ndarray]]`

Returns all the samples in the data stream

**Returns** `samples` – { 'x': current\_sample\_x, 'y': current\_sample\_y}

**Return type** Dict

`next_sample(batch_size: int = 1)`

Fetches the latest `batch_size` samples from the iterables: `quantities`, `time` and `target`. This advances the internal pointer `_sample_idx` by `batch_size`.

**Parameters** `batch_size (int)` – number of batches to get from data stream

**Returns** `samples` – { 'time':current\_sample\_time, 'quantities': current\_sample\_quantities, 'target':current\_sample\_target}

**Return type** Dict

`randomize_data()`

Randomizes the provided quantities, useful in machine learning contexts

`set_data_source(quantities: Union[List[T], pandas.core.frame.DataFrame, numpy.ndarray] = None, target: Union[List[T], pandas.core.frame.DataFrame, numpy.ndarray, None] = None, time: Union[List[T], pandas.core.frame.DataFrame, numpy.ndarray, None] = None)`

This sets the data source by providing up to three iterables: `quantities`, `time` and `target` which are assumed to be aligned.

For sensors data, we assume: The format shape for 2D data stream (`timesteps, n_sensors`) The format shape for 3D data stream (`num_cycles, timesteps, n_sensors`)

#### Parameters

- `quantities (Union[List, DataFrame, np.ndarray])` – Measured quantities such as sensors readings.
- `target (Optional[Union[List, DataFrame, np.ndarray]])` – Target label in the context of machine learning. This can be Remaining Useful Life in predictive maintenance application. Note this can be an unobservable variable in real-time and applies only for validation during offline analysis.
- `time (Optional[Union[List, DataFrame, np.ndarray]])` – `dtype` can be either `float` or `datetime64` to indicate the time when the `quantities` were measured.

**set\_generator\_function**(*generator\_function: Callable = None, sfreq: int = None, \*\*kwargs*)

Sets the data source to a generator function. By default, this function resorts to a sine wave generator function. Initialisation of the generator's parameters should be done here such as setting the sampling frequency and wave frequency. For setting it with a dataset instead, see [set\\_data\\_source\(\)](#).

#### Parameters

- **generator\_function** (*Callable*) – A generator function which takes in at least one argument *time* which will be used in [next\\_sample\(\)](#). Parameters of the function can be fixed by providing additional arguments such as the wave frequency.
- **sfreq** (*int*) – Sampling frequency.
- **\*\*kwargs** (*Any*) – Any additional keyword arguments to be supplied to the generator function. The **\*\*kwargs** will be saved as *\_generator\_parameters*. The generator function call for every sample will be supplied with the **\*generator\_parameters**.

**set\_metadata**(*device\_id: str, time\_name: str, time\_unit: str, quantity\_names: Union[str, Tuple[str, ...]], quantity\_units: Union[str, Tuple[str, ...]], misc: Optional[Any] = None*)

Set the quantities metadata as a *MetaData* object

Details you find in the [time\\_series\\_metadata.scheme.MetaData](#) documentation.

#### Parameters

- **device\_id** (*str*) – Name of the represented generator
- **time\_name** (*str*) – Name for the time dimension
- **time\_unit** (*str*) – Unit for the time
- **quantity\_names** (*iterable of str or str*) – A string or an iterable of names of the represented quantities' values
- **quantity\_units** (*iterable of str or str*) – An iterable of units for the quantities' values
- **misc** (*Any, optional*) – This parameter can take any additional metadata which will be handed over to the corresponding attribute of the created *MetaData* object

## 19.2 Signal streams

```
class agentMET4FOF.streams.signal_streams.SineGenerator(sfreq=500, sine_freq=50,  
                                                       amplitude: float = 1.0, ini-  
                                                       tial_phase: float = 0.0)
```

Built-in class of sine wave generator which inherits all methods and attributes from *DataStreamMET4FOF*. [sine\\_wave\\_function\(\)](#) is a custom defined function which has a required keyword *time* as argument and any number of optional additional arguments (e.g *F*) to be supplied to the [DataStreamMET4FOF.set\\_generator\\_function\(\)](#).

#### Parameters

- **sfreq** (*int*) – sampling frequency which determines the time step when [next\\_sample\(\)](#) is called
- **sine\_freq** (*float*) – frequency of wave function
- **amplitude** (*float, optional*) – Amplitude of the wave function. Defaults to 1.
- **initial\_phase** (*float, optional*) – Initial phase of the wave function. Defaults to 0.0.

```
sine_wave_function(time, sine_freq, amplitude, initial_phase)
```

A simple sine wave generator

```
class agentMET4FOF.streams.signal_streams.CosineGenerator(sfreq=500, co-  
sine_freq=50, am-  
plitude: float = 1,  
initial_phase: float =  
0)
```

Built-in class of cosine wave generator which inherits all methods and attributes from `DataStreamMET4FOF`. `cosine_wave_function()` is a custom defined function which has a required keyword `time` as argument and any number of optional additional arguments (e.g `cosine_freq`) to be supplied to the `DataStreamMET4FOF.set_generator_function()`.

#### Parameters

- **sfreq** (`int`) – sampling frequency which determines the time step when `next_sample()` is called
- **cosine\_freq** (`int`) – frequency of wave function
- **amplitude** (`float, optional`) – Amplitude of the wave function. Defaults to 1.0.
- **initial\_phase** (`float, optional`) – Initial phase of the wave function. Defaults to 0.0.

```
cosine_wave_function(time, cosine_freq, amplitude, initial_phase)
```

A simple cosine wave generator

## 19.3 Metrologically enabled base streams

```
class agentMET4FOF.streams.metrological_base_streams.MetrologicalDataStreamMET4FOF(value_unc:  
Op-  
tional[float]  
=  
0.0,  
time_unc:  
Op-  
tional[float]  
=  
0.0,  
exp_unc:  
Op-  
tional[float]  
=  
None,  
cov_factor:  
Op-  
tional[float]  
=  
1.0)
```

Abstract class for creating datastreams with metrological information. Inherits from the `DataStreamMET4FOF` class

To create a new `MetrologicalDataStreamMET4FOF` class, inherit this class and call `set_metadata()` in the constructor. Choose one of two types of datastreams to be created:

- from dataset file (`set_data_source()`), or

- a waveform generator function (`set_generator_function()`).

Alternatively, override the `next_sample()` function if neither option suits the application. For generator functions, `sfreq` is a required variable to be set on `init` which sets the sampling frequency and the time-step which occurs when `next_sample()` is called.

For an example implementation of using generator function, see the built-in `MetrologicalSineGenerator` class. See tutorials for more implementations.

#### `_generator_function_unc`

A generator function for the time and quantity uncertainties which takes in at least one argument `time` which will be used in `next_sample()`. The return value must be a 2-tuple of time and value uncertainties each of one of the three types:

- `np.ndarray`
- `pandas DataFrame`
- `list`

**Type** Callable

#### `_uncertainty_parameters`

Any additional keyword arguments to be supplied to the generator function. Both the calls of the value generator function and of the uncertainty generator function will be supplied with the `**uncertainty_parameters`.

**Type** Dict

`_default_uncertainty_generator`(`time: Union[List[T], pandas.core.frame.DataFrame, numpy.ndarray]`, `values: Union[List[T], pandas.core.frame.DataFrame, numpy.ndarray]`) → Tuple[numpy.ndarray, numpy.ndarray]

Default (standard) uncertainty generator function

#### Parameters

- **time** (`Union[List, DataFrame, np.ndarray]`) – timestamps
- **values** (`Union[List, DataFrame, np.ndarray]`) – values corresponding to timestamps

**Returns** constant time and value uncertainties each of the same shape as `time`

**Return type** Tuple[np.ndarray, np.ndarray]

`_next_sample_generator`(`batch_size: int = 1`) → numpy.ndarray

Internal method for generating a batch of samples from the generator function. Overrides `DataStreamMET4FOF._next_sample_generator()`. Adds time uncertainty `ut` and measurement uncertainty `uv` to sample

`set_generator_function`(`generator_function: Callable = None, uncertainty_generator: Callable = None, sfreq: int = None, **kwargs`) → Callable

Set value and uncertainty generators based on user-defined functions. By default, this function resorts to a sine wave generator function and a constant (zero) uncertainty. Initialisation of the generator's parameters should be done here such as setting the sampling frequency and wave frequency. For setting it with a dataset instead, see `set_data_source()`. Overwrites the default `DataStreamMET4FOF.set_generator_function()` method.

#### Parameters

- **generator\_function** (`callable`) – A generator function which takes in at least one argument `time` which will be used in `next_sample()`.

- **uncertainty\_generator** (*callable*) – An uncertainty generator function which takes in at least one argument `time` which will be used in `next_sample()`.
- **sfreq** (*int*) – Sampling frequency.
- **\*\*kwargs** (*Optional[Dict[str, Any]]*) – Any additional keyword arguments to be supplied to the generator function. The `**kwargs` will be saved as `_uncertainty_parameters`. Both the calls of the value generator function and of the uncertainty generator function will be supplied with the `**uncertainty_parameters`.

**Returns** The uncertainty generator function

**Return type** Callable

**time\_unc**

uncertainties associated with timestamps

**Type** Union[float, Iterable[float]]

**value\_unc**

uncertainties associated with the values

**Type** Union[float, Iterable[float]]



## 19.4 Metrologically enabled signal streams

```
class agentMET4FOF.streams.metrological_signal_streams.MetrologicalMultiWaveGenerator(sfreq:  
int  
=  
500,  
freq_a  
numpy  
=ar-  
ray([5  
am-  
pli-  
tude_a  
numpy  
=ar-  
ray([1.  
ini-  
tial_ph  
numpy  
=ar-  
ray([0  
in-  
ter-  
cept:  
float  
=0,  
de-  
vice_id  
str  
='Mul-  
ti-  
Wave-  
Data-  
Gen-  
er-  
a-  
tor',  
time_n  
str  
='time',  
time_u  
str  
='s',  
quan-  
tity_na  
Union,  
Tu-  
ple[str  
...])  
='Leng  
'Mass  
quan-
```

Values with associated uncertainty are returned.

#### Parameters

- **sfreq** (`float`) – sampling frequency which determines the time step when next\_sample is called.
- **intercept** (`float`) – constant intercept of the signal
- **freq\_arr** (`np.ndarray of float`) – array with frequencies of components included in the signal
- **amplitude\_arr** (`np.ndarray of float`) – array with amplitudes of components included in the signal
- **initial\_phase\_arr** (`np.ndarray of float`) – array with initial phases of components included in the signal
- **noisy** (`bool`) – boolean to determine whether the generated signal should be noisy or “clean” defaults to True

```
class agentMET4FOF.streams.metrological_signal_streams.MetrologicalSineGenerator(sfreq:  
    int  
    =  
    500,  
    sine_freq:  
    float  
    =  
    50,  
    ampli-  
    tude:  
    float  
    =  
    1.0,  
    ini-  
    tial_phase:  
    float  
    =  
    0.0,  
    de-  
    vice_id:  
    str  
    =  
    'Si-  
    ne-  
    Gen-  
    er-  
    a-  
    tor',  
    time_name:  
    str  
    =  
    'time',  
    time_unit:  
    str  
    =  
    's',  
    quan-  
    tity_names:  
    Union[str,  
    Tu-  
    ple[str,  
    ...]]  
    =  
    'Vol-  
    age',  
    quan-  
    tity_units:  
    Union[str,  
    Tu-  
    ple[str,  
    ...]]  
    =  
    'V',  
    misc:  
    Op-  
    tional[Any]  
    =  
    'Sim-  
    ple'
```

Built-in class of sine wave generator

#### Parameters

- **sfreq** (*int, optional*) – Sampling frequency which determines the time step when `next_sample()` is called. Defaults to 500.
- **sine\_freq** (*float, optional*) – Frequency of the wave function. Defaults to 50.0.
- **amplitude** (*float, optional*) – Amplitude of the wave function. Defaults to 1.0.
- **initial\_phase** (*float, optional*) – Initial phase of the wave function. Defaults to 0.0.
- **device\_id** (*str, optional*) – Name of the represented generator. Defaults to ‘Sine-Generator’.
- **time\_name** (*str, optional*) – Name for the time dimension. Defaults to ‘time’.
- **time\_unit** (*str, optional*) – Unit for the time. Defaults to ‘s’.
- **quantity\_names** (*iterable of str or str, optional*) – An iterable of names of the represented quantities’ values. Defaults to (‘Voltage’)
- **quantity\_units** (*iterable of str or str, optional*) – An iterable of units for the quantities’ values. Defaults to (‘V’)
- **misc** (*Any, optional*) – This parameter can take any additional metadata which will be handed over to the corresponding attribute of the created `Metadata` object. Defaults to ‘Simple sine wave generator’.
- **value\_unc** (*iterable of floats or float, optional*) – standard uncertainty(ies) of the quantity values. Defaults to 0.1.
- **time\_unc** (*iterable of floats or float, optional*) – standard uncertainty of the time stamps. Defaults to 0.0.

`_sine_wave_function(time, sine_freq, amplitude, initial_phase)`

A simple sine wave generator

# CHAPTER 20

---

## agentMET4FOF dashboard

---

```
class agentMET4FOF.dashboard.Dashboard.AgentDashboard(dashboard_modules=[],  
                                                    dashboard_layouts=[], dashboard_update_interval=3,  
                                                    max_monitors=10,  
                                                    ip_addr='0.0.0.0',  
                                                    port=8050, agent=  
                                                    Network='127.0.0.1',  
                                                    agent_ip_addr=3333,  
                                                    agent_port=None, net=  
                                                    work_stylesheet=[],  
                                                    hide_default_edge=True,  
                                                    **kwargs)
```

Class for the web dashboard which runs with the AgentNetwork object, which by default are on the same IP. Optional to run the dashboard on a separate IP by providing the right parameters. See example for an implementation of a separate run of dashboard to connect to an existing agent network. If there is no existing agent network, error will show up. An internal \_Dashboard\_Control object is instantiated inside this object, which manages access to the AgentNetwork.

### \_show\_startup\_message ()

This method prints the startup message of the webserver/dashboard

### init\_app\_layout (update\_interval\_seconds=3, max\_monitors=10, dashboard\_layouts=[], net-work\_stylesheet=[], hide\_default\_edge=True, \*\*kwargs)

Initialises the overall dash app “layout” which has two sub-pages (Agent network and ML experiment)

#### Parameters

- **update\_interval\_seconds** (*float or int*) – Auto refresh rate which the app queries the states of Agent Network to update the graphs and display
- **max\_monitors** (*int*) – Due to complexity in managing and instantiating dynamic figures, a maximum number of monitors is specified first and only the each Monitor Agent will occupy one of these figures. It is not ideal, but will undergo changes for the better.

#### Returns **app**

**Return type** Dash app object

**is\_port\_available(ip\_addr, port)**

Check if desired ip and port are available.

**run()**

This is actually executed on calling start() and brings up the server

```
class agentMET4FOF.dashboard.Dashboard.AgentDashboardProcess (dashboard_modules=[],  
                                                               dash-  
                                                               board_layouts=[],  
                                                               dash-  
                                                               board_update_interval=3,  
                                                               max_monitors=10,  
                                                               ip_addr='0.0.0.0',  
                                                               port=8050,  
                                                               agentNet-  
                                                               work='127.0.0.1',  
                                                               agent_ip_addr=3333,  
                                                               agent_port=None,  
                                                               net-  
                                                               work_stylesheet=[],  
                                                               hide_default_edge=True,  
                                                               **kwargs)
```

Represents an agent dashboard for the osBrain backend

**terminate()**

This is shutting down the application server serving the web interface

```
class agentMET4FOF.dashboard.Dashboard.AgentDashboardThread (dashboard_modules=[],  
                                                               dash-  
                                                               board_layouts=[],  
                                                               dash-  
                                                               board_update_interval=3,  
                                                               max_monitors=10,  
                                                               ip_addr='127.0.0.1',  
                                                               port=8050,  
                                                               agentNet-  
                                                               work='127.0.0.1',  
                                                               agent_ip_addr=3333,  
                                                               agent_port=None,  
                                                               **kwargs)
```

Represents an agent dashboard for the Mesa backend

**run()**

This is actually executed on calling start() and brings up the server

**terminate()**

This is shutting down the application server serving the web interface



# CHAPTER 21

## agentMET4FOF agent network

---

```
class agentMET4FOF.network.AgentNetwork(ip_addr='0.0.0.0', port=3333, connect=False, log_filename='log_file.csv', dashboard_modules=True, dashboard_extensions=[], dashboard_update_interval=3, dashboard_max_monitors=10, dashboard_port=8050, backend='osbrain', mesa_update_interval=0.1, network_stylesheet=[{'selector': 'node', 'style': {'label': 'data(id)', 'shape': 'rectangle', 'text-align': 'center', 'text-halign': 'center', 'color': '#FFF', 'text-outline-width': 1.5, 'text-outline-color': '#000232'}}, {'selector': 'edge', 'style': {'curve-style': 'unbundled-bezier', 'mid-target-arrow-shape': 'triangle', 'arrow-scale': 2, 'line-color': '#4287f5', 'mid-target-arrow-color': '#4287f5', 'label': 'data(channel)', 'text-outline-width': 1.5, 'text-outline-color': '#000232', 'color': '#FFF', 'text-margin-x': '10px', 'text-margin-y': '20px'}}, {'selector': '.rectangle', 'style': {'shape': 'rectangle'}}, {'selector': '.triangle', 'style': {'shape': 'triangle'}}, {'selector': '.octagon', 'style': {'shape': 'octagon'}}, {'selector': '.ellipse', 'style': {'shape': 'ellipse'}}, {'selector': '.bluebackground', 'style': {'background-color': '#c4fdff'}}, {'selector': '.blue', 'style': {'background-color': '#006db5'}}, {'selector': '.coalition', 'style': {'background-color': '#c4fdff', 'text-align': 'top', 'text-halign': 'center'}}, {'selector': '.coalition-edge', 'style': {'line-style': 'dashed'}}, {'selector': '.outline', 'style': {'color': '#fff', 'text-outline-color': '#888', 'text-outline-width': 2}}], **dashboard_kwargs)
```

Object for starting a new Agent Network or connect to an existing Agent Network

An existing Agent Network can be specified by ip & port. Provides function to add agents, (un)bind agents, query agent network state, set global agent states Interfaces with an internal \_AgentController which is hidden from user.

**class Coalition**(*name='Coalition'*, *agents=[]*)

A special class for grouping agents.

It is rendered as a parent group on the dashboard, along with its member agents.

**class MesaModel**

A MESA Model

**shutdown()**

Shutdown entire MESA model with all agents and schedulers

**step()**

Advance the model by one step.

**class \_AgentController**(*name=""*, *host=None*, *serializer=None*, *transport=None*, *attributes=None*, *backend='osbrain'*, *mesa\_model=None*)

Unique internal agent to provide control to other agents

Automatically instantiated when starting server. Provides global control to all agents in network.

**\_get\_logger()**

Internal method to access the Logger relative to the nameserver

**add\_coalition**(*new\_coalition*)

Instantiates a coalition of agents.

**add\_coalition\_agent**(*name*, *agents=[]*)

Add agents into the coalition

**get\_coalition**(*name*)

Gets the coalition based on provided name

**init\_parameters**(*ns=None*, *backend='osbrain'*, *mesa\_model=""*, *log\_mode=True*)

User provided function to initialize parameters of choice.

**remove\_coalition\_agent**(*coalition\_name*, *agent\_name=""*)

Remove agent from coalition

**class \_Logger**(*name=""*, *host=None*, *serializer=None*, *transport=None*, *attributes=None*, *backend='osbrain'*, *mesa\_model=None*)

An internal logger agent which is instantiated with each AgentNetwork

It collects all the logs which are sent to it, and print them and optionally save them into a csv log file. Since the user is not expected to directly access the logger agent, its initialisation option and interface are provided via the AgentNetwork object.

When log\_info of any agent is called, the agent will send the data to the logger agent.

**init\_parameters**(*log\_filename='log\_file.csv'*, *save\_logfile=True*)

User provided function to initialize parameters of choice.

**\_get\_controller()**

Internal method to access the AgentController relative to the nameserver

**\_get\_logger()**

Internal method to access the Logger relative to the nameserver

**\_get\_mode()**

**Returns** **state** – State of Agent Network

**Return type** `str`

**\_set\_mode** (`state`)

Internal method to set mode of Agent Controller :param state: State of AgentController to set. :type state: str

**add\_agent** (`name=' '`, `agentType=<class 'agentMET4FOF.agents.base_agents.AgentMET4FOF'>`,

`log_mode=True, buffer_size=1000, ip_addr=None, loop_wait=None, **kwargs`)

Instantiates a new agent in the network.

**Parameters**

- **name** (`str, optional`) – Unique name of agent, defaults to the agent's class name.
- **agentType** (`AgentMET4FOF, optional`) – Agent class to be instantiated in the network. Defaults to AgentMET4FOF
- **log\_mode** (`bool, optional`) – Determines if messages will be logged to background Logger Agent. Defaults to True.

**Returns** Newly instantiated agent

**Return type** `AgentMET4FOF`

**add\_coalition** (`name='Coalition_1', agents=[]`)

Instantiates a coalition of agents.

**add\_coalition\_agent** (`name='Coalition_1', agents=[]`)

Add agents into the coalition

**agents** (`filter_agent: Optional[str] = None`) → `List[str]`

Returns all or subset of agents' names connected to agent network

**Parameters** **filter\_agent** (`str, optional`) – if present, only those names are returned which contain filter\_agent's value

**Returns** requested names of agents

**Return type** `list[str]`

**bind\_agents** (`source, target, channel='default'`)

Binds two agents' communication channel in a unidirectional manner

Any subsequent calls of `source.send_output()` will reach `target` agent's message queue.

**Parameters**

- **source** (`AgentMET4FOF`) – Source agent whose Output channel will be binded to `target`
- **target** (`AgentMET4FOF`) – Target agent whose Input channel will be binded to `source`

**connect** (`ip_addr='127.0.0.1', port=3333, verbose=True`)

Only for osbrain backend. Connects to an existing AgentNetwork.

**Parameters**

- **ip\_addr** (`str`) – IP Address of server to connect to
- **port** (`int`) – Port of server to connect to

**get\_agent** (`agent_name`)

Returns a particular agent connected to Agent Network.

**Parameters** **agent\_name** (`str`) – Name of agent to search for in the network

**get\_coalition** (*name*)

Returns the coalition with the provided name

**get\_mode** ()

**Returns state** – State of Agent Network

**Return type** *str*

**remove\_coalition\_agent** (*coalition\_name, agent\_name=* '')

Remove agent from coalition

**set\_agents\_state** (*filter\_agent=None, state='Idle'*)

Blanket operation on all agents to set their *current\_state* to given state

Can be used to define different states of operation such as “Running”, “Idle”, “Stop”, etc.. Users will need to define their own flow of handling each type of *self.current\_state* in the *agent\_loop*.

**Parameters**

- **filter\_agent** (*str*) – (Optional) Filter name of agents to set the states
- **state** (*str*) – State of agents to set

**set\_running\_state** (*filter\_agent=None*)

Blanket operation on all agents to set their *current\_state* to “Running”

Users will need to define their own flow of handling each type of *self.current\_state* in the *agent\_loop*.

**Parameters** **filter\_agent** (*str*) – (Optional) Filter name of agents to set the states**set\_stop\_state** (*filter\_agent=None*)

Blanket operation on all agents to set their *current\_state* attribute to “Stop”

Users will need to define their own flow of handling each type of *self.current\_state* in the *agent\_loop*.

**Parameters** **filter\_agent** (*str*) – (Optional) Filter name of agents to set the states**shutdown** ()

Shuts down the entire agent network and all agents

**start\_server\_mesa** ()

Starts a new AgentNetwork for Mesa and initializes *\_controller*

Handles the initialisation for backend == "mesa". Involves spawning two nested objects *mesa\_model* and *\_controller* and calls *start\_mesa\_timer()*.

**start\_server\_osbrain** (*ip\_addr: str = '127.0.0.1', port: int = 3333*)

Starts a new AgentNetwork for osBrain and initializes *\_controller*

**Parameters**

- **ip\_addr** (*str*) – IP Address of server to start
- **port** (*int*) – Port of server to start

**unbind\_agents** (*source, target*)

Unbinds two agents communication channel in a unidirectional manner

This is the reverse of *bind\_agents()*

**Parameters**

- **source** ([AgentMET4FOF](#)) – Source agent whose Output channel will be unbinded from *target*

- **target** ([AgentMET4FOF](#)) – Target agent whose Input channel will be unbinded from *source*

# CHAPTER 22

---

## agentMET4FOF utilities

---

### 22.1 Buffering for agents

This module contains the buffer classes utilized by the agents

It contains the following classes:

- `AgentBuffer`: Buffer class which is instantiated in every agent to store data incrementally
- `MetrologicalAgentBuffer`: Buffer class which is instantiated in every metrological agent to store data

`class agentMET4FOF.utils.buffer.AgentBuffer(buffer_size: int = 1000)`

Buffer class which is instantiated in every agent to store data incrementally

This buffer is necessary to handle multiple inputs coming from agents.

We can access the buffer like a dict with exposed functions such as `.values()`, `.keys()` and `.items()`. The actual dict object is stored in the variable `buffer`.

#### `buffer`

The buffer can be a dict of iterables, or a dict of dict of iterables for nested named data. The keys are the names of agents.

**Type** dict of iterables or dict of dicts of iterables

#### `buffer_size`

The total number of elements to be stored in the agent `buffer`

#### `supported_datatypes`

List of all types supported and thus properly handled by the buffer. Defaults to `np.ndarray`, `list` and `Pandas DataFrame`

**Type** list of types

`_concatenate(iterable: Union[numpy.ndarray, list, pandas.core.frame.DataFrame], data: Union[numpy.ndarray, list, pandas.core.frame.DataFrame], concat_axis: int = 0) → Iterable[T_co]`

Concatenate the given iterable with data

Handles the concatenation function depending on the datatype, and truncates it if the buffer is filled to *buffer\_size*.

**Parameters**

- **iterable** (*any in supported\_datatype*) – The current buffer to be concatenated with.
- **data** (*np.ndarray, DataFrame, list*) – New incoming data

**Returns** the original buffer with the data appended

**Return type** *any in supported\_datatype*

**\_iterable\_filled(iterable: Sized) → Optional[bool]**

Internal method for checking on length of iterables of supported types

**Parameters** **iterable** (*Any*) – Expected to be an iterable of one of the supported datatypes but could be any.

**Returns** True if the iterable is of one of the supported datatypes and has reached *buffer\_size* in length or False if not or None in case it is not of one of the supported datatypes.

**Return type** *bool or None*

**static \_popleft(iterable: Union[np.ndarray, list, pandas.core.frame.DataFrame], n: Optional[int] = 1) → Tuple[Union[np.ndarray, list, pandas.core.frame.DataFrame], Union[np.ndarray, list, pandas.core.frame.DataFrame]]**

Internal handler of the actual popping mechanism based on type of iterable

**Parameters**

- **n** (*int*) – Number of elements to retrieve from buffer.
- **iterable** (*any in supported\_datatypes*) – The current buffer to retrieve from.

**Returns**

- 2-tuple of each either one of *np.ndarray*,
- *list or Pandas DataFrame* – The retrieved elements and the residual items in the buffer

**buffer\_filled(agent\_from: Optional[str] = None) → bool**

Checks whether buffer is filled, by comparing against the *buffer\_size*

For nested dict, this returns True if any of the iterables is beyond the *buffer\_size*. For any of the dict values , which is not one of *supported\_datatypes* this returns None.

**Parameters** **agent\_from** (*str, optional*) – Name of input agent in the buffer dict to be looked up. If *agent\_from* is not provided, we check for all iterables in the buffer (default).

**Returns** True if either the or any of the iterables has reached *buffer\_size* or None in case none of the values is of one of the supported datatypes. False if all present iterable can take at least one more element according to *buffer\_size*.

**Return type** *bool or None*

**check\_supported\_datatype(obj: object) → bool**

Checks whether *value* is an object of one of the supported data types

**Parameters** **obj** (*object*) – Value to be checked

**Returns** **result** – True if value is an object of one of the supported data types, False if not

**Return type** *boolean*

**clear** (*agent\_from*: *Optional[str]* = *None*)

Clears the data in the buffer

**Parameters** **agent\_from** (*str*, *optional*) – Name of agent, if *agent\_from* is not given, the entire buffer is flushed. (default)

**items** ()

Interface to access the internal dict's items()

**keys** ()

Interface to access the internal dict's keys()

**popleft** (*n*: *Optional[int]* = 1) → *Union[Dict[KT, VT], numpy.ndarray, list, pandas.core.frame.DataFrame]*

Pops the first *n* entries in the buffer

**Parameters** **n** (*int*) – Number of elements to retrieve from buffer

**Returns**

- dict, np.ndarray, list or Pandas
- DataFrame – The retrieved elements

**store** (*agent\_from*: *Union[Dict[str, Union[numpy.ndarray, list, pandas.core.frame.DataFrame]], str]*, *data*: *Union[numpy.ndarray, list, pandas.core.frame.DataFrame, float, int]* = *None*, *concat\_axis*: *Optional[int]* = 0)

Stores data into *buffer* with the received message

Checks if sender agent has sent any message before. If it did, then append, otherwise create new entry for it.

**Parameters**

- **agent\_from** (*dict* / *str*) – if type is dict, we expect it to be the agentMET4FOF dict message to be compliant with older code ('from' and 'data' present'), otherwise we expect it to be name of agent sender and 'data' will need to be passed as parameter
- **data** (*np.ndarray*, *DataFrame*, *list*, *float* or *int*) – Not used if *agent\_from* is a dict. Otherwise data is compulsory.
- **concat\_axis** (*int*, *optional*) – axis to concatenate on with the buffering for numpy arrays. Default is 0.

**update** (*agent\_from*: *Union[Dict[str, Union[numpy.ndarray, list, pandas.core.frame.DataFrame]], str]*, *data*: *Union[numpy.ndarray, list, pandas.core.frame.DataFrame, float, int]* = *None*)

Overrides data in the buffer dict keyed by *agent\_from* with value *data*

If *data* is a single value, this converts it into a list first before storing in the buffer dict.

**Parameters**

- **agent\_from** (*str*) – Name of agent sender
- **data** (*np.ndarray*, *DataFrame*, *list*, *float* or *int*) – New incoming data

**values** ()

Interface to access the internal dict's values()

**class** `agentMET4FOF.utils.buffer.MetrologicalAgentBuffer` (*buffer\_size*: *int* = 1000)

Buffer class which is instantiated in every metrological agent to store data

This buffer is necessary to handle multiple inputs coming from agents.

We can access the buffer like a dict with exposed functions such as `.values()`, `.keys()` and `.items()`. The actual dict object is stored in the attribute `buffer`. The list in `supported_datatypes` contains one more element for metrological agents, namely `TimeSeriesBuffer`.

```
_concatenate (iterable: time_series_buffer.TimeSeriesBuffer, data: Union[numpy.ndarray,  
list, pandas.core.frame.DataFrame], concat_axis: int = 0) →  
time_series_buffer.TimeSeriesBuffer  
Concatenate the given TimeSeriesBuffer with data  
Add data to the TimeSeriesBuffer object.
```

**Parameters**

- **iterable** (`TimeSeriesBuffer`) – The current buffer to be concatenated with.
- **data** (`np.ndarray`, `DataFrame`, `list`) – New incoming data

**Returns** the original buffer with the data appended

**Return type** `TimeSeriesBuffer`

```
convert_single_to_tsbuffer (single_data: Union[List[T], Tuple, numpy.ndarray])  
Convert common data in agentMET4FOF to TimeSeriesBuffer
```

**Parameters** **single\_data** (*iterable of iterables (list, tuple, np.ndarray) with shape (N, M)*) –

- $M==2$  (pairs): assumed to be like (time, value)
- $M==3$  (triple): assumed to be like (time, value, value\_unc)
- $M==4$  (4-tuple): assumed to be like (time, time\_unc, value, value\_unc)

**Returns** the new `TimeSeriesBuffer` object

**Return type** `TimeSeriesBuffer`

```
update (agent_from: str; data: Union[Dict[KT, VT], List[T], Tuple, numpy.ndarray]) →  
time_series_buffer.TimeSeriesBuffer  
Overrides data in the buffer dict keyed by agent_from with value data
```

**Parameters**

- **agent\_from** (`str`) – Name of agent sender
- **data** (*dict or iterable of iterables (list, tuple, np.ndarray) with shape (N, M)* – the data to be stored in the metrological buffer

**Returns** the updated `TimeSeriesBuffer` object

**Return type** `TimeSeriesBuffer`

# CHAPTER 23

---

## Indices and search:

---

- genindex
- modindex
- search



## CHAPTER 24

---

References:

---



---

## Bibliography

---

- [Bang2019] Bang X. Yong, A. Brintrup Multi Agent System for Machine Learning Under Uncertainty in Cyber Physical Manufacturing System, 9th Workshop on Service Oriented, Holonic and Multi-agent Manufacturing Systems for Industry of the Future
- [Kok2020\_1] G. Kok, P. Harris “Uncertainty Evaluation for Metrologically Redundant Industrial Sensor Networks”, 2020 IEEE International Workshop on Metrology for Industry 4.0 & IoT, Roma, Italy, 2020, pp. 84-88, doi: [10.1109/MetroInd4.0IoT48571.2020.9138297](https://doi.org/10.1109/MetroInd4.0IoT48571.2020.9138297).
- [Kok2020\_2] G. Kok, P. Harris “Quantifying Metrological Redundancy in an Industry 4.0 Environment”, 2020 IEEE International Workshop on Metrology for Industry 4.0 & IoT, Roma, Italy, 2020, pp. 464-468, doi: [10.1109/MetroInd4.0IoT48571.2020.9138235](https://doi.org/10.1109/MetroInd4.0IoT48571.2020.9138235).



---

## Python Module Index

---

### a

agentMET4FOF.agents.base\_agents, 133  
agentMET4FOF.agents.metrological\_base\_agents,  
    140  
agentMET4FOF.agents.metrological\_redundancy\_agents,  
    143  
agentMET4FOF.agents.metrological\_signal\_agents,  
    149  
agentMET4FOF.agents.signal\_agents, 140  
agentMET4FOF.dashboard.Dashboard, 163  
agentMET4FOF.network, 166  
agentMET4FOF.streams.base\_streams, 151  
agentMET4FOF.streams.metrological\_base\_streams,  
    155  
agentMET4FOF.streams.metrological\_signal\_streams,  
    159  
agentMET4FOF.streams.signal\_streams, 154  
agentMET4FOF.utils.buffer, 171



### Symbols

_bind_output()	(agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 133	_generator_function_unc (agent- MET4FOF.streams.metrological_base_streams.MetrologicalData attribute), 156
_concatenate()	(agent- MET4FOF.utils.buffer.AgentBuffer method), 171	_generator_parameters (agent- MET4FOF.streams.base_streamsDataStreamMET4FOF attribute), 152
_concatenate()	(agent- MET4FOF.utils.buffer.MetrologicalAgentBuffer method), 174	_get_controller() (agent- MET4FOF.network.AgentNetwork method), 167
_convert_matplotlib_fig()	(agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 133	_get_logger() (agent- MET4FOF.network.AgentNetwork method), 167
_convert_to_plotly()	(agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 133	_get_logger() (agent- MET4FOF.network.AgentNetwork._AgentController method), 167
_current_sample_quantities	(agent- MET4FOF.streams.base_streamsDataStreamMET4FOF attribute), 152	_get_metadata() (agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 133
_current_sample_target	(agent- MET4FOF.streams.base_streamsDataStreamMET4FOF attribute), 152	_get_mode() (agent- MET4FOF.network.AgentNetwork method), 167
_current_sample_time	(agent- MET4FOF.streams.base_streamsDataStreamMET4FOF attribute), 152	_input_data (agent- MET4FOF.agents.metrological_base_agents.MetrologicalAgent attribute), 140
_data_source_type	(agent- MET4FOF.streams.base_streamsDataStreamMET4FOF attribute), 152	_is_type_message() (agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 133
_default_generator_function()	(agent- MET4FOF.streams.base_streamsDataStreamMET4FOF method), 152	_iterable_filled() (agent- MET4FOF.utils.buffer.AgentBuffer method), 172
_default_uncertainty_generator()	(agent- MET4FOF.streams.metrological_base_streams.MetrologicalData method), 156	_metadata(agentMET4FOF.streams.base_streamsDataStreamMET4FOF attribute), 152
_fig_to_uri()	(agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 133	_n_samples(agentMET4FOF.streams.base_streamsDataStreamMET4FOF attribute), 152
_generator_function	(agent- MET4FOF.streams.base_streamsDataStreamMET4FOF	_next_sample_data_source() (agent- MET4FOF.streams.base_streamsDataStreamMET4FOF method), 152
		_next_sample_generator() (agent- MET4FOF.streams.base_streamsDataStreamMET4FOF

```

        method), 153
_next_sample_generator()           (agent- add_coalition_agent()          (agent-
        MET4FOF.streams.metrological_base_streams.MetrologicalDahash), 167 MET4FOF
        method), 156
        agent_loop()                  (agent-
        _output_data()                (agent- MET4FOF.agents.base_agents.AgentMET4FOF
        MET4FOF.agents.metrological_base_agents.MetrologicalAgentmethod), 134
        attribute), 141
        agent_loop()                  (agent-
_popleft () (agentMET4FOF.utils.buffer.AgentBuffer      MET4FOF.agents.base_agentsDataStreamAgent
        static method), 172
        method), 138
        agent_loop()                  (agent-
_quantities (agent- MET4FOF.agents.metrological_base_agents.MetrologicalAgent
        MET4FOF.streams.base_streams.DataStreamMET4FOF method), 141
        attribute), 151
        agent_loop()                  (agent-
_remove_methods () (agent- MET4FOF.agents.metrological_redundancy_agents.RedundancyA
        MET4FOF.agents.base_agents.AgentMET4FOF method), 143
        method), 134
        agent_loop()                  (agent-
_sample_idx (agent- MET4FOF.agents.metrological_signal_agents.MetrologicalGener
        MET4FOF.streams.base_streams.DataStreamMET4FOF method), 149
        attribute), 152
        agent_loop()                  (agent-
_set_data_source_type () (agent- MET4FOF.agents.signal_agents.SineGeneratorAgent
        MET4FOF.streams.base_streams.DataStreamMET4FOF method), 140
        method), 153
        agent_buffer (class in agentMET4FOF.utils.buffer), 171
        AgentNetwork method), 168
        AgentDashboard (class in agent-
_show_startup_message () (agent- MET4FOF.dashboard.Dashboard), 163
        MET4FOF.dashboard.Dashboard.AgentDashboardAgentDashboardProcess (class in agent-
        method), 163
        MET4FOF.dashboard.Dashboard), 164
        AgentDashboardThread (class in agent-
_sine_wave_function () (agent- MET4FOF.dashboard.Dashboard), 164
        MET4FOF.streams.metrological_signal_streams.MetrologicMET4FOFdashboard.Dashboard
        method), 162
        AgentMET4FOF (class in agent-
_target (agentMET4FOF.streams.base_streamsDataStreamMET4FOF.agents.base_agents), 133
        attribute), 151
        agentMET4FOF.agents.base_agents (module),
        _time (agentMET4FOF.streams.base_streamsDataStreamMET4FOF33
        attribute), 152
        agentMET4FOF.agents.metrological_base_agents
        _uncertainty_parameters (agent- (module), 140
        MET4FOF.streams.metrological_base_streams.MetrologicalDataStreamMET4FOF
        attribute), 156
        MET4FOF.dashboard.Dashboard (module), 163
        agentMET4FOF.network (module), 166
        agentMET4FOF.streams.base_streams (mod-
        _update_output_channels_info () (agent- 168
        MET4FOF.agents.base_agents.AgentMET4FOF
        method), 134
        agentMET4FOF.agents.metrological_signal_agents
        (module), 149
        agentMET4FOF.agents.signal_agents (mod-
        _ule), 140
        agentMET4FOF.dashboard.Dashboard (mod-
        ule), 163
        agentMET4FOF.network (module), 166
        agentMET4FOF.streams.base_streams (mod-
        _ule), 151
        agentMET4FOF.streams.metrological_base_streams
        (module), 155
        agentMET4FOF.streams.metrological_signal_streams
        (module), 159
        agentMET4FOF.streams.signal_streams
        (module), 154
        agentMET4FOF.utils.buffer (module), 171
        AgentNetwork (class in agentMET4FOF.network),

```

## A

```

add_agent ()           (agent- add_coalition_agent()          (agent-
        MET4FOF.network.AgentNetwork
        method), 168
        agentMET4FOF.network (module), 166
add_coalition ()         (agent- add_coalition()            (agent-
        MET4FOF.network.AgentNetwork
        method), 168
        agentMET4FOF.streams.metrological_base_streams
        (module), 151
        agentMET4FOF.streams.metrological_signal_streams
        (module), 159
        agentMET4FOF.streams.signal_streams
        (module), 154
add_coalition_agent () (agent- agentMET4FOF.utils.buffer (module), 171
        MET4FOF.network.AgentNetwork
        method), 168
        AgentNetwork (class in agentMET4FOF.network),

```

166  
**A**  
 AgentNetwork.\_AgentController (class in agentMET4FOF.network), 167  
 AgentNetwork.\_Logger (class in agent-MET4FOF.network), 167  
 AgentNetwork.Coalition (class in agent-MET4FOF.network), 167  
 AgentNetwork.MesaModel (class in agent-MET4FOF.network), 167  
 agents() (agentMET4FOF.network.AgentNetwork method), 168  
 AgentType (agentMET4FOF.agents.base\_agents.AgentMET4FOF attribute), 135  
 all\_samples() (agent-MET4FOF.streams.base\_streams.DataStreamMET4FOF method), 153

166  
 static method), 144  
 calc\_lcs() (agentMET4FOF.agents.metrological\_redundancy\_agents.RedundancyAgent method), 145  
 calc\_lcsts() (agent-MET4FOF.agents.metrological\_redundancy\_agents.RedundancyAgent method), 145  
 check\_supported\_datatype() (agent-MET4FOF.utils.buffer.AgentBuffer method), 172  
 clear() (agentMET4FOF.utils.buffer.AgentBuffer method), 172  
 MET4FOF.Agent() (agentMET4FOF.network.AgentNetwork method), 168  
 convert\_single\_to\_tsbuffer() (agent-MET4FOF.utils.MetrologicalAgentBuffer method), 174  
 cosine\_wave\_function() (agent-MET4FOF.streams.signal\_streams.CosineGenerator method), 155  
**B**  
 bind\_agents() (agent-MET4FOF.network.AgentNetwork method), 168  
 bind\_output() (agent-MET4FOF.agents.base\_agents.AgentMET4FOF method), 134  
 buffer (agentMET4FOF.utils.buffer.AgentBuffer attribute), 171  
 buffer\_clear() (agent-MET4FOF.agents.base\_agents.AgentMET4FOF method), 134  
 buffer\_filled() (agent-MET4FOF.agents.base\_agents.AgentMET4FOF method), 134  
 buffer\_filled() (agent-MET4FOF.utils.buffer.AgentBuffer method), 172  
 buffer\_size (agent-MET4FOF.agents.base\_agents.AgentMET4FOF attribute), 135  
 buffer\_size (agent-MET4FOF.utils.buffer.AgentBuffer attribute), 171  
 buffer\_store() (agent-MET4FOF.agents.base\_agents.AgentMET4FOF method), 134

166  
 DataStreamAgent (class in agent-MET4FOF.agents.base\_agents), 138  
 DataStreamMET4FOF (class in agent-MET4FOF.streams.base\_streams), 151

**D**  
**G**  
 get\_agent() (agent-MET4FOF.network.AgentNetwork method), 168  
 get\_attr() (agentMET4FOF.agents.base\_agents.AgentMET4FOF method), 134  
 get\_coalition() (agent-MET4FOF.network.AgentNetwork method), 168  
 get\_combination() (agent-MET4FOF.agents.metrological\_redundancy\_agents.RedundancyAgent static method), 146  
 get\_mode() (agentMET4FOF.network.AgentNetwork method), 167  
 get\_redundancy() (agentMET4FOF.agents.metrological\_redundancy\_agents.RedundancyAgent static method), 146

166  
**C**  
 calc\_best\_est\_lin\_sys() (agent-MET4FOF.agents.metrological\_redundancy\_agents.RedundancyAgent method), 143  
 calc\_best\_estimate() (agent-MET4FOF.agents.metrological\_redundancy\_agents.RedundancyAgent static method), 144  
 calc\_consistent\_estimates\_no\_corr() (agentMET4FOF.agents.metrological\_redundancy\_agents.RedundancyAgent

**H**

handle\_process\_data() (agent-  
MET4FOF.agents.base\_agents.AgentMET4FOF is\_port\_available()  
method), 135 (agent-  
MET4FOF.dashboard.Dashboard.AgentDashboard  
method), 164

**I**

ind\_reduce\_a() (agent-  
MET4FOFagents.metrological\_redundancy\_agents.RedundancyAgent  
static method), 146

init\_agent() (agent-  
MET4FOF.agents.base\_agents.AgentMET4FOF keys()  
method), 135 (agentMET4FOF.utils.buffer.AgentBuffer  
method), 173

init\_agent\_loop() (agent-  
MET4FOF.agents.base\_agents.AgentMET4FOF log\_info()  
method), 135 (agentMET4FOF.agents.base\_agents.AgentMET4FOF  
method), 136

init\_app\_layout() (agent-  
MET4FOF.dashboard.Dashboard.AgentDashboard loop\_wait()  
method), 163 (agentMET4FOF.agents.base\_agents.AgentMET4FOF  
attribute), 135

init\_buffer() (agent-  
MET4FOF.agents.base\_agents.AgentMET4FOF MetrologicalAgent (class in agent-  
method), 135 MET4FOF.agents.metrological\_base\_agents),  
init\_lcss\_parameters() (agent- 140  
MET4FOF.agents.metrological\_redundancy\_agents.RedundancyAgent  
method), 146 AgentBuffer (class in agent-  
MET4FOF.utils.buffer), 173

init\_parameters() (agent- MetrologicalDataStreamMET4FOF  
MET4FOF.agents.base\_agents.AgentMET4FOF (class in agent-  
method), 136 MET4FOF.streams.metrological\_base\_streams),  
init\_parameters() (agent- 155  
MET4FOF.agents.base\_agents.DataStreamAgent MetrologicalGeneratorAgent (class in agent-  
method), 138 MET4FOF.agents.metrological\_signal\_agents),  
init\_parameters() (agent- 149  
MET4FOF.agents.base\_agents.MonitorAgent MetrologicalMonitorAgent (class in agent-  
method), 139 MET4FOF.agents.metrological\_base\_agents),  
init\_parameters() (agent- 141  
MET4FOF.agents.metrological\_base\_agents.MetrologicalAgent MetrologicalMultiWaveGenerator  
method), 141 (class in agent-  
MET4FOF.streams.metrological\_signal\_streams),  
init\_parameters() (agent- 142  
MET4FOF.agents.metrological\_base\_agents.MetrologicalMonitorAgent MetrologicalSineGenerator (class in agent-  
method), 142 MET4FOF.streams.metrological\_signal\_streams),  
init\_parameters() (agent- 146  
MET4FOF.agents.metrological\_redundancy\_agents.RedundancyAgent MonitorAgent (class in agent-  
method), 146 MET4FOF.agents.base\_agents), 138

init\_parameters() (agent- MET4FOF.agents.metrological\_signal\_agents.MetrologicalGeneratorAgent  
method), 149 N

init\_parameters() (agent- next\_sample()  
MET4FOF.agents.signal\_agents.SineGeneratorAgent MET4FOF.streams.base\_streams.DataStreamMET4FOF  
method), 140 (method), 153

init\_parameters() (agent-  
MET4FOF.network.AgentNetwork.\_AgentController on\_connect\_output()  
method), 167 (agent-  
MET4FOF.agents.base\_agents.AgentMET4FOF  
method), 136

		<b>R</b>
on_received_message ()	(agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 136	randomize_data () (agent- MET4FOF.streams.base_streams.DataStreamMET4FOF method), 153
on_received_message ()	(agent- MET4FOF.agents.base_agents.MonitorAgent method), 139	reduce_vx () (agent- MET4FOF.agents.metrological_redundancy_agents.RedundancyA static method), 148
on_received_message ()	(agent- MET4FOF.agents.metrological_base_agents.MetrologicalAgent method), 141	RedundancyAgent (class in agent- MET4FOF.agents.metrological_redundancy_agents), 143
on_received_message ()	(agent- MET4FOF.agents.metrological_base_agents.MetrologicalMonitorAgent method), 142	remove_coalition_agent () (agent- MET4FOF.network.AgentNetwork method), 169
on_received_message ()	(agent- MET4FOF.agents.metrological_redundancy_agents.RedundancyAgent method), 147	remove_coalition_agent () (agent- MET4FOF.network.AgentNetwork._AgentController method), 167
Outputs (agentMET4FOF.agents.base_agents.AgentMET4FOF attribute), 135		reset () (agentMET4FOF.agents.base_agents.AgentMET4FOF method), 136
P		reset () (agentMET4FOF.agents.base_agents.DataStreamAgent method), 138
pack_data ()	(agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 136	reset () (agentMET4FOF.agents.base_agents.MonitorAgent method), 139
pack_data ()	(agent- MET4FOF.agents.metrological_base_agents.MetrologicalAgent method), 141	reset () (agentMET4FOF.agents.metrological_base_agents.MetrologicalA method), 142
plot_filter	(agent- MET4FOF.agents.base_agents.MonitorAgent attribute), 139	respond_reply_attr_ () (agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 136
plots (agentMET4FOF.agents.base_agents.MonitorAgent attribute), 139		respond_request_attr_ () (agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 136
popleft ()	(agentMET4FOF.utils.buffer.AgentBuffer method), 173	respond_request_method_ () (agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 136
print_input_lcss ()	(agent- MET4FOF.agents.metrological_redundancy_agents.RedundancyAgent static method), 147	respond_request_method_ () (agent- MET4FOF.dashboard.Dashboard.AgentDashboard method), 164
print_output_cbe ()	(agent- MET4FOF.agents.metrological_redundancy_agents.RedundancyAgent method), 147	run () (agentMET4FOF.dashboard.Dashboard.AgentDashboardThread method), 164
print_output_lcs ()	(agent- MET4FOF.agents.metrological_redundancy_agents.RedundancyAgent static method), 147	<b>S</b>
print_output_lcss ()	(agent- MET4FOF.agents.metrological_redundancy_agents.RedundancyAgent static method), 147	send_output_attr () (agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 136
print_output_single ()	(agent- MET4FOF.agents.metrological_redundancy_agents.RedundancyAgent static method), 148	send_pictx () (agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 137
PubAddr (agentMET4FOF.agents.base_agents.AgentMET4FOF attribute), 135		send_request_attribute () (agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 137
PubAddr_alias	(agent- MET4FOF.agents.base_agents.AgentMET4FOF attribute), 135	send_request_method () (agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 137
		send_set_attr () (agent- MET4FOF.agents.base_agents.AgentMET4FOF method), 137

set_agents_state ()	(agent-	MET4FOF.utils.buffer.AgentBuffer attribute),	
MET4FOF.network.AgentNetwork	method),	171	
169			
set_attr () (agentMET4FOF.agents.base_agents.AgentMET4FOF	T		
method), 137	terminate()	(agent-	
set_data_source ()	(agent-	MET4FOF.dashboard.Dashboard.AgentDashboardProcess	
MET4FOF.streams.base_streams.DataStreamMET4FOF	method), 164		
method), 153	terminate()	(agent-	
set_generator_function ()	(agent-	MET4FOF.dashboard.Dashboard.AgentDashboardThread	
MET4FOF.streams.base_streams.DataStreamMET4FOF	method), 164		
method), 153	time_unc (agentMET4FOF.streams.metrological_base_streams.Metrolog		
set_generator_function ()	(agent-	ical_attribute), 157	
MET4FOF.streams.metrological_base_streams.MetrologicalDataStreamMET4FOF	U		
method), 156			
set_metadata ()	(agent-	unbind_agents ()	(agent-
MET4FOF.streams.base_streams.DataStreamMET4FOF	method),	MET4FOF.network.AgentNetwork method),	
method), 154	169		
set_running_state ()	(agent-	unbind_output ()	(agent-
MET4FOF.network.AgentNetwork	method),	MET4FOF.agents.base_agents.AgentMET4FOF	
169	method), 138		
set_stop_state ()	(agent-	update () (agentMET4FOF.utils.buffer.AgentBuffer	
MET4FOF.network.AgentNetwork	method),	method), 173	
169	update () (agentMET4FOF.utils.buffer.MetrologicalAgentBuffer		
sfreq (agentMET4FOF.streams.base_streams.DataStreamMET4FOF	attribute), 152	update_plot_memory ()	(agent-
method), 174		MET4FOF.agents.base_agents.MonitorAgent	
shutdown () (agentMET4FOF.agents.base_agents.AgentMET4FOF	method), 137	method), 139	
shutdown () (agentMET4FOF.network.AgentNetwork	update_plot_memory ()	(agent-	
method), 169	MET4FOF.agents.metrological_base_agents.MetrologicalMonito		
shutdown () (agentMET4FOF.network.AgentNetwork.MesaModel	method), 142		
method), 167			
sine_wave_function ()	(agent-	V	
MET4FOF.streams.signal_streams.SineGenerator	method), 154	value_unc (agentMET4FOF.streams.metrological_base_streams.Metrolo	
SineGenerator (class in agent-	attribute), 157	cal_attribute), 157	
MET4FOF.streams.signal_streams), 154		values () (agentMET4FOF.utils.buffer.AgentBuffer	
SineGeneratorAgent (class in agent-	method), 173	method), 173	
MET4FOF.agents.signal_agents), 140			
start_server_mesa ()	(agent-		
MET4FOF.network.AgentNetwork	method),		
169			
start_server_osbrain ()	(agent-		
MET4FOF.network.AgentNetwork	method),		
169			
step () (agentMET4FOF.agents.base_agents.AgentMET4FOF			
method), 137			
step () (agentMET4FOF.network.AgentNetwork.MesaModel			
method), 167			
stop_agent_loop ()	(agent-		
MET4FOF.agents.base_agents.AgentMET4FOF			
method), 138			
store () (agentMET4FOF.utils.buffer.AgentBuffer			
method), 173			
supported_datatypes	(agent-		